

COMBINED AUTHOR AND TITLE INDEX

(Volumes 201 to 210, 2000–2001)

A

- Able KW, see Sullivan MC et al. (2000) 207:141–154
 Ackerman JL, Bellwood DR (2000) Reef fish assemblages: a re-evaluation using enclosed rotenone stations. 206:227–237
 Ackley SF, see Kooyman GL et al. (2000) 204:269–277
 Acunto S, see Benedetti-Cecchi L et al. (2001) 209:131–141
 Agawin NSR, Duarte CM, Agustí S (2000) Response of Mediterranean *Synechococcus* growth and loss rates to experimental nutrient inputs. 206:97–106
 Agustí S, Duarte CM (2000) Experimental induction of a large phytoplankton bloom in Antarctic coastal waters. 206: 73–85
 Agustí S, see Agawin NSR et al. (2000) 206:97–106
 Agustí S, see Duarte CM et al. (2000) 206:87–95
 Akcha F, Burgeot T, Budzinski H, Pfohl-Leszkowicz A, Narbonne JF (2000) Induction and elimination of bulky benzo[a]pyrene-related DNA adducts and 8-oxodGuo in mussels *Mytilus galloprovincialis* exposed *in vivo* to B[a]P-contaminated feed. 205:195–206
 Alcántara F, see Cunha MA et al. (2000) 204:1–12
 Almeida MA, see Cunha MA et al. (2000) 204:1–12
 Al-Moghrabi SM, see Kappner I et al. (2000) 204:309–313
 Alonso F, Mayzaud P, Razouls S (2000) Egg production, population structure and biochemical composition of the subantarctic copepod *Paraeuchaeta antarctica* in the Kerguelen Archipelago. 205:207–217
 Alonso F, Mayzaud P, Razouls S (2000) Egg-production dynamics, biochemical composition and hatching success of the subantarctic copepod *Paraeuchaeta antarctica*: laboratory studies. 205:219–227
 Alonso F, Mayzaud P, Razouls S (2001) Egg production and energy storage in relation to feeding conditions in the subantarctic calanoid copepod *Drepanopus pectinatus*: an experimental study of reproductive strategy. 209:231–242
 Alonso SH, Mangel M (2001) Survival strategies and growth of krill: avoiding predators in space and time. 209:203–217
 Ammerman JW, Glover WBA (2000) Continuous underway measurement of microbial ectoenzyme activities in aquatic ecosystems. 201:1–12
 Anderson DM, see Sengco MR et al. (2001) 210:41–53
 Anderson DM, see Turner JT et al. (2000) 203:95–107
 Anderson IC, see Tobias CR et al. (2001) 210:25–39
 Ankar S, see Elmgren R et al. (2001) 210:185–193
 Arashkevich E, see Reigstad M et al. (2000) 201:73–89
 Arenas V, see Gómez-Gutiérrez J et al. (2000) 208:283–291
 Armonies W (2001) What an introduced species can tell us about the spatial extension of benthic populations. 209: 289–294
 Arnold R, see Barnes DKA (2001) 210:85–91
 Arrhenius F, see Jonzén N et al. (2001) 210:291–296
 Assmann M, Lichte E, Pawlik JR, Köck M (2000) Chemical defenses of the Caribbean sponges *Agelas wiedenmayeri* and *Agelas conifera*. 207:255–262
 Attrill MJ, Power M (2000) Effects on invertebrate popula-

tions of drought-induced changes in estuarine water quality. 203:133–143

- Aubriot L, see Conde D et al. (2000) 207:19–31
 Axelsen BE, Nøttstad L, Fernö A, Johannessen A, Misund OA (2000) 'Await' in the pelagic: dynamic trade-off between reproduction and survival within a herring school splitting vertically during spawning. 205:259–269
 Axelsen BE, see Brierley AS et al. (2001) 210:55–66

B

- Babin M, see Sciandra A et al. (2000) 201:107–120
 Bak RPM, see Meesters EH et al. (2001) 209:43–54
 Balch T, Scheibling RE (2000) Temporal and spatial variability in settlement and recruitment of echinoderms in kelp beds and barrens in Nova Scotia. 205:139–154
 Balguerias E, see Fernández-Vergaz V et al. (2000) 204: 169–178
 Baltazar M, see Gutiérrez D et al. (2000) 202:81–99
 Barnes DKA, Arnold R (2001) A growth cline in encrusting benthos along a latitudinal gradient within Antarctic waters. 210:85–91
 Barnes DKA, De Grave S (2000) Ecology of tropical hermit crabs at Quirimba Island, Mozambique: niche width and resource allocation. 206:171–179
 Baross JA, see Crump BC (2000) 206:13–22
 Barquero S, see Bode A et al. (2001) 209:1–17
 Barranguet C, Kromkamp J (2000) Estimating primary production rates from photosynthetic electron transport in estuarine microphytobenthos. 204:39–52
 Barroso CM, Moreira MH, Gibbs PE (2000) Comparison of imposex and intersex development in four prosobranch species for TBT monitoring of a southern European estuarine system (Ria de Aveiro, NW Portugal). 201:221–232
 Bartholomew A, Diaz RJ, Cicchetti G (2000) New dimensionless indices of structural habitat complexity: predicted and actual effects on a predator's foraging success. 206:45–58
 Bartoli M, see Welsh DT et al. (2000) 208:65–77
 Bauder AG, see Lawrence JE et al. (2000) 201:147–154
 Beaugrand G, Reid PC, Ibañez F, Planque B (2000) Biodiversity of North Atlantic and North Sea calanoid copepods. 204:299–303
 Begg GA, Marteinsdottir G (2000) Spawning origins of pelagic juvenile cod *Gadus morhua* inferred from spatially explicit age distributions: potential influences on year-class strength and recruitment. 202:193–217
 Beghyn M, see Vanhove S et al. (2000) 202:13–25
 Bellwood DR, see Ackerman JL (2000) 206:227–237
 Bellwood DR, see Fisher R et al. (2000) 202:163–173
 Benedetti-Cecchi L, Bulleri F, Acunto S, Cinelli F (2001) Scales of variation in the effects of limpets on rocky shores in the northwest Mediterranean. 209:131–141
 Ben-Shlomo R, Douek J, Rinkevich B (2001) Heterozygote deficiency and chimerism in remote populations of a colo-

- nial ascidian from New Zealand. 209:109–117
- Beretta GA, see Booth DJ et al. (2000) 202:219–230
- Bergman K, see McClanahan TR et al. (2000) 206:273–282
- Beukema JJ, Drent J, Honkoop PJC (2001) Maximizing lifetime egg production in a Wadden Sea population of the tellinid bivalve *Macoma balthica*: a trade-off between immediate and future reproductive outputs. 209:119–129
- Bhaud M, see Pinedo S et al. (2000) 203:205–213
- Bidigare RR, see Landry MR et al. (2000) 201:27–42
- Bidigare RR, see Landry MR et al. (2000) 201:57–72
- Bjorndal KA, Bolten AB, Martins HR (2000) Somatic growth model of juvenile loggerhead sea turtles *Caretta caretta*: duration of pelagic stage. 202:265–272
- Bocher P, Cherel Y, Hobson KA (2000) Complete trophic segregation between South Georgian and common diving petrels during breeding at Iles Kerguelen. 208:249–264
- Bode A, Barquero S, Varela M, Braun JG, de Armas D (2001) Pelagic bacteria and phytoplankton in oceanic waters near the Canary Islands in summer. 209:1–17
- Bolten AB, see Bjorndal KA et al. (2000) 202:265–272
- Bonneau W, see Rodary D et al. (2000) 207:171–181
- Bonsdorff E, see Boström C (2000) 205:123–138
- Booth DJ, Kingsford MJ, Doherty PJ, Beretta GA (2000) Recruitment of damselfishes in One Tree Island lagoon: persistent interannual spatial patterns. 202:219–230
- Boschker HTS, Wielemaker A, Schaub BEM, Holmer M (2000) Limited coupling of macrophyte production and bacterial carbon cycling in the sediments of *Zostera* spp. meadows. 203:181–189
- Boschker HTS, see Moodley L et al. (2000) 202:289–295
- Bost CA, see Rodary D et al. (2000) 207:171–181
- Boström C, Bonsdorff E (2000) Zoobenthic community establishment and habitat complexity—the importance of seagrass shoot-density, morphology and physical disturbance for faunal recruitment. 205:123–138
- Boudouresque CF, see Fernandez C (2000) 204:131–141
- Bouillon S, Mohan PC, Sreenivas N, Dehairs F (2000) Sources of suspended organic matter and selective feeding by zooplankton in an estuarine mangrove ecosystem as traced by stable isotopes. 208:79–92
- Bourget E, see McKindsey CW (2000) 205:155–170
- Boyer H, see Brierley AS et al. (2001) 210:55–66
- Bradshaw RF, see Heintz RA et al. (2000) 208:205–216
- Brante A, Hughes RN (2001) Effect of hypoxia on the prey-handling behaviour of *Carcinus maenas* feeding on *Mytilus edulis*. 209:301–305
- Braun JG, see Bode A et al. (2001) 209:1–17
- Brazeiro A, see Lima M et al. (2000) 207:97–108
- Breitburg DL, see Keister JE et al. (2000) 205:43–59
- Brierley AS, Axelsen BE, Buecher E, Sparks CAJ, Boyer H, Gibbons MJ (2001) Acoustic observations of jellyfish in the Namibian Benguela. 210:55–66
- Broderick AC, Godley BJ, Reece S, Downie JR (2000) Incubation periods and sex ratios of green turtles: highly female biased hatchling production in the eastern Mediterranean. 202:273–281
- Broderick AC, see Godley BJ et al. (2001) 210:195–201
- Broderick AC, see Hays GC et al. (2000) 208:297–298
- Brotas V, see Cabrita MT (2000) 202:51–65
- Browman HI (2000) Application of evolutionary theory to fisheries science and stock assessment-management. 208:299
- Brown G, see Wilson B et al. (2000) 205:283–290
- Brown SL, see Landry MR et al. (2000) 201:27–42
- Brown SL, see Landry MR et al. (2000) 201:57–72
- Budzinski H, see Akcha F et al. (2000) 205:195–206
- Buecher E, see Brierley AS et al. (2001) 210:55–66
- Buffan-Dubau E, Carman KR (2000) Extraction of benthic microalgal pigments for HPLC analyses. 204:293–297
- Buhleier BM, see Heithaus MR et al. (2001) 209:307–310
- Bulleri F, see Benedetti-Cecchi L et al. (2001) 209:131–141
- Bullough LW, see Vanhove S et al. (2000) 202:13–25
- Burd AB, Dunton KH (2001) Field verification of a light-driven model of biomass changes in the seagrass *Halodule wrightii*. 209:85–98
- Buresch KM, Hanlon RT, Maxwell MR, Ring S (2001) Microsatellite DNA markers indicate a high frequency of multiple paternity within individual field-collected egg capsules of the squid *Loligo pealeii*. 210:161–165
- Burgeot T, see Akcha F et al. (2000) 205:195–206
- Burkill PH, see Stelfox-Widdicombe CE et al. (2000) 208:1–12
- Burton RS, Tegner MJ (2000) Enhancement of red abalone *Haliotis rufescens* stocks at San Miguel Island: reassessing a success story. 202:303–308
- Buxton NG, see Jackson GD et al. (2000) 206:261–271
- Byers JE (2000) Differential susceptibility to hypoxia aids estuarine invasion. 203:123–132
- Bythell JC, Hillis-Starr ZM, Rogers CS (2000) Local variability but landscape stability in coral reef communities following repeated hurricane impacts. 204:93–100

C

- Cabanas JM, see Riveiro I et al. (2000) 205:249–258
- Cabrita MT, Brotas V (2000) Seasonal variation in denitrification and dissolved nitrogen fluxes in intertidal sediments of the Tagus estuary, Portugal. 202:51–65
- Campbell S (2001) Ammonium requirements of fast-growing ephemeral macroalgae in a nutrient-enriched marine embayment (Port Phillip Bay, Australia). 209:99–107
- Cantin G, see Scarratt MG et al. (2000) 204:13–26
- Cantin G, see Schultes S et al. (2000) 202:27–40
- Canuel EA, see Tobias CR et al. (2001) 210:25–39
- Cardinale M, see Jonzén N et al. (2001) 210:291–296
- Carman KR, see Buffan-Dubau E (2000) 204:293–297
- Carrasco F, see Gutierrez D et al. (2000) 202:81–99
- Carricart-Ganivet JP, see Ruiz-Zárate MA et al. (2000) 206:135–146
- Castaldelli G, see Welsh DT et al. (2000) 208:65–77
- Castilla JC, see Fernández M (2000) 208:157–170
- Cattrijse A, see Mathieson S et al. (2000) 204:225–242
- Cavalcanti DN, see Pereira RC et al. (2000) 205:95–100
- Cebrián J, Pedersen MF, Kroeger KD, Valiela I (2000) Fate of production of the seagrass *Cymodocea nodosa* in different stages of meadow formation. 204:119–130
- Ceccherelli G, see Piazzi L et al. (2001) 210:149–159
- Cembella AD, see Lawrence JE et al. (2000) 201:147–154
- Cetrulo GL, Hay ME (2000) Activated chemical defenses in tropical versus temperate seaweeds. 207:243–253
- Cherel Y, Weimerskirch H, Trouvé C (2000) Food and feeding ecology of the neritic-slope forager black-browed albatross and its relationships with commercial fisheries in Kerguelen waters. 207:183–199
- Cherel Y, see Bocher P et al. (2000) 208:249–264
- Cherel Y, see Tremblay Y (2000) 204:257–267
- Chevaldonné P, Fisher CR, Childress JJ, Desbruyères D, Jolivet D, Zal F, Toulmond A (2000) Thermotolerance and the 'Pompeii worms'. 208:293–295
- Chiba S, Goshima S, Mizushima T (2000) Factors affecting the occurrence of early maturing males in the protandrous pandalid shrimp *Pandalus latirostris*. 203:215–224
- Childress JJ, see Chevaldonné P et al. (2000) 208:293–295
- Chisholm JRM, Marchioretto M, Jaubert JM (2000) Effect of low water temperature on metabolism and growth of a sub-

- tropical strain of *Caulerpa taxifolia* (Chlorophyta). 201: 189–198
- Chmura GL, see Connor R (2000) 204:101–110
- Cho BC, Na SC, Choi DH (2000) Active ingestion of fluorescently labeled bacteria by mesopelagic heterotrophic nanoflagellates in the East Sea, Korea. 206:23–32
- Choi DH, see Cho BC et al. (2000) 206:23–32
- Christie H, see Gjøsæter J et al. (2000) 207:201–218
- Cicchetti G, see Bartholomew A et al. (2000) 206:45–58
- Cinelli F, see Benedetti-Cecchi L et al. (2001) 209:131–141
- Cinelli F, see Piazzi L et al. (2001) 210:149–159
- Claustre H, see Sciandra A et al. (2000) 201:107–120
- Cloern JE (2001) Our evolving conceptual model of the coastal eutrophication problem. 210:223–253
- Coale KH, see Landry MR et al. (2000) 201:27–42
- Cobb JS, see James-Pirri MJ (2000) 208:197–203
- Cocheret de la Morinière E, see Nagelkerken I et al. (2000) 202:175–192
- Collos Y, see Dupuy C et al. (2000) 205:171–184
- Conde D, Aubriot L, Sommaruga R (2000) Changes in UV penetration associated with marine intrusions and freshwater discharge in a shallow coastal lagoon of the Southern Atlantic Ocean. 207:19–31
- Connolly RM, see Thomas BE (2001) 209:275–288
- Connor R, Chmura GL (2000) Dynamics of above- and below-ground organic matter in a high latitude macrotidal salt-marsh. 204:101–110
- Conover DO (2000) Darwinian fishery science. 208:303–307
- Constantinou J, see Landry MR et al. (2000) 201:27–42
- Constantinou J, see Landry MR et al. (2000) 201:57–72
- Costa MJ, see Mathieson S et al. (2000) 204:225–242
- Costantini ML, see Rossi L (2000) 203:145–159
- Cowen RK, see Sullivan MC et al. (2000) 207:141–154
- Crawford SM, Sanford LP (2001) Boundary shear velocities and fluxes in the MEERC experimental ecosystems. 210:1–12
- Croxall JP, see González-Solis J et al. (2000) 204:279–288
- Crump BC, Baross JA (2000) Characterization of the bacterially-active particle fraction in the Columbia River estuary. 206:13–22
- Culik BM, see Luna-Jorquera G (2000) 203:301–309
- Cummings VJ, Thrush SF, Hewitt JE, Funnell GA (2001) Variable effect of a large suspension-feeding bivalve on infauna: experimenting in a complex system. 209:159–175
- Cunha MA, Almeida MA, Alcántara F (2000) Patterns of ectoenzymatic and heterotrophic bacterial activities along a salinity gradient in a shallow tidal estuary. 204:1–12
- D**
- Dahl E, see Gjøsæter J et al. (2000) 207:201–218
- Dai CF, Fan TY, Yu JK (2000) Reproductive isolation and genetic differentiation of a scleractinian coral *Mycedium elephantotus*. 201:179–187
- Dai CF, see Tsai ML (2001) 210:175–184
- Dalsgaard T, see Ottosen LDM et al. (2001) 209:35–42
- Dam HG, see Tang KW (2001) 209:197–202
- Dam HG, see Tang KW et al. (2000) 206:1–11
- Danielssen DS, see Gjøsæter J et al. (2000) 207:201–218
- Davies MS, see Williams GA et al. (2000) 203:81–94
- Dean JM, see Luckhurst BE et al. (2000) 203:255–261
- de Armas D, see Bode A et al. (2001) 209:1–17
- Decker MB, see Kitaysky AS et al. (2000) 206:283–296
- de Deckere E, see Moodley L et al. (2000) 202:289–295
- Defeo O, see Lima M et al. (2000) 207:97–108
- De Grave S, see Barnes DKA (2000) 206:171–179
- Dehairs F, see Bouillon S et al. (2000) 208:79–92
- de Mora S, see Schultes S et al. (2000) 202:27–40
- de Mora SJ, see Scarratt MG et al. (2000) 204:13–26
- de Nys R, see Poore AGB et al. (2000) 208:183–196
- de Nys R, see Wright JT et al. (2000) 207:227–241
- Desbruyères D, see Chevaldonné P et al. (2000) 208:293–295
- de Sola LG, see Lombarte A et al. (2000) 206:239–249
- de Vries M, see Meesters EH et al. (2001) 209:43–54
- Diaz RJ, see Bartholomew A et al. (2000) 206:45–58
- Dill LM, see Heithaus MR et al. (2001) 209:307–310
- Dodson JJ, see Sirois P (2000) 203:233–245
- Doherty PJ, see Booth DJ et al. (2000) 202:219–230
- Domínguez-Hernández E, see Gómez-Gutiérrez J et al. (2000) 208:283–291
- Dong LF, Thornton DCO, Nedwell DB, Underwood GJC (2000) Denitrification in sediments of the River Colne estuary, England. 203:109–122
- Dorenbosch M, see Nagelkerken I et al. (2000) 202:175–192
- Doucette GJ, see Turner JT et al. (2000) 203:95–107
- Douek J, see Ben-Shlomo R et al. (2001) 209:109–117
- Downie JR, see Broderick AC et al. (2000) 202:273–281
- Drake P, see Mathieson S et al. (2000) 204:225–242
- Drent J, see Beukema JJ et al. (2001) 209:119–129
- Duarte CM, Agustí S, Gasol JM, Vaqué D, Vazquez-Dominguez E (2000) Effect of nutrient supply on the biomass structure of planktonic communities: an experimental test on a Mediterranean coastal community. 206:87–95
- Duarte CM, see Agawin NSR et al. (2000) 206:97–106
- Duarte CM, see Agustí S (2000) 206:73–85
- Duarte CM, see Vidal M (2000) 207:1–11
- Dunton KH, see Burd AB (2001) 209:85–98
- Dupuy C, Vaquer A, Lam-Höai T, Rougier C, Mazouni N, Lautier J, Collos Y, Le Gall S (2000) Feeding rate of the oyster *Crassostrea gigas* in a natural planktonic community of the Mediterranean Thau Lagoon. 205:171–184
- Dyrynda EA, Law RJ, Dyrynda PEJ, Kelly CA, Pipe RK, Ratcliffe NA (2000) Changes in immune parameters of natural mussel *Mytilus edulis* populations following a major oil spill ('Sea Empress', Wales, UK). 206:155–170
- Dyrynda PEJ, see Dyrynda EA et al. (2000) 206:155–170
- E**
- Eckrich CE, Holmquist JG (2000) Trampling in a seagrass assemblage: direct effects, response of associated fauna, and the role of substrate characteristics. 201:199–209
- Edmunds PJ (2000) Patterns in the distribution of juvenile corals and coral reef community structure in St. John, US Virgin Islands. 202:113–124
- Edvardsen B, see Gjøsæter J et al. (2000) 207:201–218
- Edwards ES, see Stelfox-Widdicombe CE et al. (2000) 208:1–12
- Eggleson DB, see Etherington LL (2000) 204:179–198
- Ejdung G, see Elmgren R et al. (2001) 210:185–193
- Elfwing T, see McClanahan TR et al. (2000) 206:273–282
- Elliott CC, see Sutherland TF et al. (2001) 210:139–148
- Elliott M, see Mathieson S et al. (2000) 204:225–242
- Elmgren R, Ejdung G, Ankar S (2001) Intraspecific food competition in the deposit-feeding benthic amphipod *Moploporeia affinis*—a laboratory study. 210:185–193
- Engel S, Pawlik JR (2000) Allelopathic activities of sponge extracts. 207:273–281
- Engelbert S, see Karez R et al. (2000) 205:85–93
- Erickson WP, see Peterson CH et al. (2001) 210:255–283
- Espinosa-Avalos J, see Ruiz-Zárate MA et al. (2000) 206: 135–146
- Etherington LL, Eggleson DB (2000) Large-scale blue crab recruitment: linking postlarval transport, post-settlement

- planktonic dispersal, and multiple nursery habitats. 204: 179–198
 Etter RJ, see Rex MA et al. (2001) 210:297–298
 Eve TM, see Kubanek J et al. (2000) 207:69–77
 Eyre BD (2000) Regional evaluation of nutrient transformation and phytoplankton growth in nine river-dominated subtropical east Australian estuaries. 205:61–83

F

- Fahay MP, see Sullivan MC et al. (2000) 207:141–154
 Fan TY, see Dai CF et al. (2000) 201:179–187
 Fenical W, see Kubanek J et al. (2000) 207:69–77
 Fermín EG, see Tilstone GH et al. (2000) 205:23–41
 Fernandez C, Boudouresque CF (2000) Nutrition of the sea urchin *Paracentrotus lividus* (Echinodermata: Echinoidea) fed different artificial food. 204:131–141
 Fernández M, Castilla JC (2000) Recruitment of *Homalaspis plana* in intertidal habitats of central Chile and implications for the current use of Management and Marine Protected Areas. 208:157–170
 Fernández M, see Maneiro I et al. (2000) 201:155–163
 Fernández-Vergaz V, López Abellán LJ, Balguerías E (2000) Morphometric, functional and sexual maturity of the deep-sea red crab *Chaceon affinis* inhabiting Canary Island waters: chronology of maturation. 204:169–178
 Fernö A, see Axelsen BE et al. (2000) 205:259–269
 Ferrero TJ, see Lambshead PJD (2001) 210:299–301
 Figueiras FG, see Nogueira E et al. (2000) 203:23–45
 Figueiras FG, see Tilstone GH et al. (2000) 205:23–41
 Finelli CM (2000) Velocity and concentration distributions in turbulent odor plumes in the presence of vegetation mimics: a flume study. 207:297–309
 Fisher CR, see Chevaldonné P et al. (2000) 208:293–295
 Fisher R, Bellwood DR, Job SD (2000) Development of swimming abilities in reef fish larvae. 202:163–173
 Fitzwater S, see Landry MR et al. (2000) 201:27–42
 Flint EN, see Kitaysky AS et al. (2000) 206:283–296
 Forbes VE, see Linke-Gamenick I et al. (2000) 203:191–203
 Fossing H, see Glud RN et al. (2000) 206:59–71
 Fox CJ, see Temple GK et al. (2000) 205:271–281
 Fragoso D, see Ruiz-Zárate MA et al. (2000) 206:135–146
 Franco J, see Frangópolos M et al. (2000) 203:161–169
 Frangópolos M, Guisande C, Maneiro I, Riveiro I, Franco J (2000) Short-term and long-term effects of the toxic dinoflagellate *Alexandrium minutum* on the copepod *Acartia clausi*. 203:161–169
 Frangópolos M, see Maneiro I et al. (2000) 201:155–163
 Fujiwara Y, Takai K, Uematsu K, Tsuchida S, Hunt JC, Hashimoto J (2000) Phylogenetic characterization of endosymbionts in three hydrothermal vent mussels: influence on host distributions. 208:147–155
 Fukuda H, Koike I (2000) Feeding currents of particle-attached nanoflagellates—a novel mechanism for aggregation of submicron particles. 202:101–112
 Funnell GA, see Cummings VJ et al. (2001) 209:159–175
 Furness RW, Tasker ML (2000) Seabird-fishery interactions: quantifying the sensitivity of seabirds to reductions in sandeel abundance, and identification of key areas for sensitive seabirds in the North Sea. 202:253–264

G

- Gallardo VA, see Gutiérrez D et al. (2000) 202:81–99
 Gardner J, see Mathieson S et al. (2000) 204:225–242

- Garrison LP, Link JS (2000) Dietary guild structure of the fish community in the Northeast United States continental shelf ecosystem. 202:231–240
 Garrison LP, Link JS (2000) Diets of five hake species in the northeast United States continental shelf ecosystem. 204: 243–255
 Gasol JM, see Duarte CM et al. (2000) 206:87–95
 George MJA, see Jackson GD et al. (2000) 206:261–271
 Gibbons MJ, see Brierley AS et al. (2001) 210:55–66
 Gibbs PE, see Barroso CM et al. (2000) 201:221–232
 Gibson JAE, see Swadling KM et al. (2000) 208:171–182
 Gili JM, see Pagès F et al. (2001) 210:13–24
 Gill JW, see Meyer DL et al. (2001) 209:71–84
 Gillanders BM, Kingsford MJ (2000) Elemental fingerprints of otoliths of fish may distinguish estuarine ‘nursery’ habitats. 201:273–286
 Gjøsæter J, Lekve K, Stenseth NC, Leinaas HP, Christie H, Dahl E, Danielsen DS, Edvardsen B, Olsgard F, Oug E, Paasche E (2000) A long-term perspective on the *Chrysocromulina* bloom on the Norwegian Skagerrak coast 1988: a catastrophe or an innocent incident? 207:201–218
 Glover WB0, see Ammerman JW (2000) 201:1–12
 Glud RN, Risgaard-Petersen N, Thamdrup B, Fossing H, Rysgaard S (2000) Benthic carbon mineralization in a high-Arctic sound (Young Sound, NE Greenland). 206:59–71
 Glud RN, see Hansen PJ et al. (2000) 201:137–146
 Gobler CJ, Sañudo-Wilhelmy SA (2001) Effects of organic carbon, organic nitrogen, inorganic nutrients, and iron additions on the growth of phytoplankton and bacteria during a brown tide bloom. 209:19–34
 Godley BJ, Broderick AC, Mrosovsky N (2001) Estimating hatchling sex ratios of loggerhead turtles in Cyprus from incubation duration. 210:195–201
 Godley BJ, see Broderick AC et al. (2000) 202:273–281
 Godley BJ, see Hays GC et al. (2000) 208:297–298
 Gómez-Gutiérrez J, Domínguez-Hernández E, Robinson CJ, Arenas V (2000) Hydroacoustical evidence of autumn inshore residence of the pelagic red crab *Pleuroncodes planipes* at Punta Eugenia, Baja California, Mexico. 208: 283–291
 González A, see Huntley ME et al. (2000) 201:165–178
 González HE, see Pagès F et al. (2001) 210:13–24
 González M, see Lombarte A et al. (2000) 206:239–249
 González-Solís J, Croxall JP, Wood AG (2000) Foraging partitioning between giant petrels *Macronectes* spp. and its relationship with breeding population changes at Bird Island, South Georgia. 204:279–288
 Goshima S, see Chiba S et al. (2000) 203:215–224
 Goss-Custard JD, see Stillman RA et al. (2000) 208:131–145
 Gosselin M, see Scarratt MG et al. (2000) 204:13–26
 Gosselin M, see Schultes S et al. (2000) 202:27–40
 Gowen RJ, Mills DK, Trimmer M, Nedwell DB (2000) Production and its fate in two coastal regions of the Irish Sea: the influence of anthropogenic nutrients. 208:51–64
 Gradinger R, see Mock T (2000) 202:1–11
 Grant J, see Lawrence JE et al. (2000) 201:147–154
 Gray C, see Meng L et al. (2000) 201:287–299
 Green RH, see Peterson CH et al. (2001) 210:255–283
 Greenwood J, see Grutter AS et al. (2000) 207:123–127
 Grellier K, see Wilson B et al. (2000) 205:283–290
 Grimalt JO, see Simó R et al. (2000) 203:1–11
 Grutter AS, Lester RJG, Greenwood J (2000) Emergence rates from the benthos of the parasitic juveniles of gnathiid isopods. 207:123–127
 Grünberger E, see Pöhn M et al. (2001) 210:285–290
 Guillemette M, see Larsen JK (2000) 201:301–309
 Guisande C, Riveiro I, Maneiro I (2000) Comparisons among

- the amino acid composition of females, eggs and food to determine the relative importance of food quantity and food quality to copepod reproduction. 202:135–142
- Guisande C, see Frangópolos M et al. (2000) 203:161–169
- Guisande C, see Maneiro I et al. (2000) 201:155–163
- Guisande C, see Riveiro I et al. (2000) 205:249–258
- Guo L, see Wang WX (2000) 202:41–49
- Gust G, Kozerski HP (2000) *In situ* sinking-particle flux from collection rates of cylindrical traps. 208:93–106
- Gutiérrez D, Gallardo VA, Mayor S, Neira C, Vásquez C, Sellanes J, Rivas M, Soto A, Carrasco F, Baltazar M (2000) Effects of dissolved oxygen and fresh organic matter on the bioturbation potential of macrofauna in sublittoral sediments off Central Chile during the 1997/1998 El Niño. 202:81–99

H

- Halsband C, Hirche HJ (2001) Reproductive cycles of dominant calanoid copepods in the North Sea. 209:219–229
- Hamm C, Reigstad M, Wexels Riser C, Mühlbach A, Wassmann P (2001) On the trophic fate of *Phaeocystis pouchetii*. VII. Sterols and fatty acids reveal sedimentation of *P. pouchetii*-derived organic matter via krill fecal strings. 209:55–69
- Hammill MO, see Lesage V et al. (2001) 210:203–221
- Hammond PS, see Wilson B et al. (2000) 205:283–290
- Han MS, see Kim YO (2000) 204:111–118
- Hanlon RT, see Buresch KM et al. (2001) 210:161–165
- Hansen BW, see Levinson H et al. (2000) 204:65–77
- Hansen BW, see Levinson H et al. (2000) 206:119–134
- Hansen JW, Thamdrup B, Jørgensen BB (2000) Anoxic incubation of sediment in gas-tight plastic bags: a method for biogeochemical process studies. 208:273–282
- Hansen PJ, Skovgaard A, Glud RN, Stoecker DK (2000) Physiology of the mixotrophic dinoflagellate *Fragilidium subglobosum*. II. Effects of time scale and prey concentration on photosynthetic performance. 201:137–146
- Hansen PJ, see Jakobsen HH et al. (2000) 201:121–128
- Hansen PJ, see Skovgaard A et al. (2000) 201:129–136
- Harris LH, see Levin LA et al. (2000) 208:21–39
- Harris MP, see Rindorf A et al. (2000) 202:241–252
- Hasegawa T, Koike I, Mukai H (2001) Fate of food nitrogen in marine copepods. 210:167–174
- Hashimoto J, see Fujiwara Y et al. (2000) 208:147–155
- Hatziyanni E, see Karakassis I (2000) 203:247–253
- Hay ME, see Cetrulo GL (2000) 207:243–253
- Hays GC, Hochscheid S, Broderick AC, Godley BJ, Metcalfe JD (2000) Diving behaviour of green turtles: dive depth, dive duration and activity levels. 208:297–298
- Head EJH, see Stuart V et al. (2000) 201:91–106
- Heintz RA, Rice SD, Wertheimer AC, Bradshaw RF, Thrower FP, Joyce JE, Short JW (2000) Delayed effects on growth and marine survival of pink salmon *Oncorhynchus gorbuscha* after exposure to crude oil during embryonic development. 208:205–216
- Heip CHR, see Herman PMJ et al. (2000) 204:79–92
- Heip CHR, see Moodley L et al. (2000) 202:289–295
- Heithaus MR, Marshall GJ, Buhleier BM, Dill LM (2001) Employing Crittercam to study habitat use and behavior of large sharks. 209:307–310
- Herman P, see Moens T et al. (2000) 205:185–193
- Herman PMJ, Middelburg JJ, Widdows J, Lucas CH, Heip CHR (2000) Stable isotopes as trophic tracers: combining field sampling and manipulative labelling of food resources for macrobenthos. 204:79–92
- Herman PMJ, see Moodley L et al. (2000) 202:289–295

- Hermus DCR, see van Katwijk MM (2000) 208:107–118
- Herndl GJ, see Kuipers B et al. (2000) 201:13–25
- Herod JD, see Layman CA et al. (2000) 207:155–169
- Hesse WW, see Sutherland TF et al. (2001) 210:139–148
- Hewitt JE, see Cummings VJ et al. (2001) 209:159–175
- Hillebrand H, Worm B, Lotze HK (2000) Marine microbenthic community structure regulated by nitrogen loading and grazing pressure. 204:27–38
- Hillis-Starr ZM, see Bythell JC et al. (2000) 204:93–100
- Hilterman M, see Meesters EH et al. (2001) 209:43–54
- Hirche HJ, see Halsband C (2001) 209:219–229
- Hobson KA, see Bocher P et al. (2000) 208:249–264
- Hochscheid S, see Hays GC et al. (2000) 208:297–298
- Holm ER, McClary M Jr, Rittschof D (2000) Variation in attachment of the barnacle *Balanus amphitrite*: sensation or something else? 202:153–162
- Holmer M, see Boschker HTS et al. (2000) 203:181–189
- Holmquist JG, see Eckrich CE (2000) 201:199–209
- Hong Y, see Verity PG et al. (2000) 207:53–68
- Honkoop PJC, see Beukema JJ et al. (2001) 209:119–129
- Houde ED, see Keister JE et al. (2000) 205:43–59
- Houde ED, see Kimura R et al. (2000) 208:217–227
- Hughes RN, see Brante A (2001) 209:301–305
- Huitric M, see McClanahan TR et al. (2000) 206:273–282
- Humphreys RL Jr (2000) Otolith-based assessment of recruitment variation in a North Pacific seamount population of armorhead *Pseudopentaceros wheeleri*. 204:213–223
- Hunke EC, see Kooyman GL et al. (2000) 204:269–277
- Hunt G, see Swartzman G (2000) 206:297–309
- Hunt GL Jr, see Kitaysky AS et al. (2000) 206:283–296
- Hunt JC, see Fujiwara Y et al. (2000) 208:147–155
- Huntley ME, González A, Zhu Y, Zhou M, Irigoien X (2000) Zooplankton dynamics in a mesoscale eddy-jet system off California. 201:165–178
- Hutchings JA (2000) Numerical assessment in the front seat, ecology and evolution in the back seat: time to change drivers in fisheries and aquatic sciences? 208:299–303

I

- Ibañez F, see Beaugrand G et al. (2000) 204:299–303
- Ibanez F, see Nogueira E et al. (2000) 203:23–45
- Ibarrola I, see Urrutia MB et al. (2001) 209:177–187
- Iglesias JIP, see Urrutia MB et al. (2001) 209:177–187
- Ikeda T, see Kobari T (2001) 209:243–255
- Irigoien X, see Huntley ME et al. (2000) 201:165–178
- Irwin B, see Stuart V et al. (2000) 201:91–106
- Itoh T, see Kitagawa T et al. (2000) 206:251–260

J

- Jackson GD, Buxton NG, George MJA (2000) Diet of the southern opah *Lampris immaculatus* on the Patagonian Shelf; the significance of the squid *Moroteuthis ingens* and anthropogenic plastic. 206:261–271
- Jakobsen HH, Hansen PJ, Larsen J (2000) Growth and grazing responses of two chloroplast-retaining dinoflagellates: effect of irradiance and prey species. 201:121–128
- James DW, see Levin LA et al. (2000) 208:21–39
- James-Pirri MJ, Cobb JS (2000) Influence of size and delayed settlement on the recapture rate of newly settled American lobsters *Homarus americanus*. 208:197–203
- Janowitz GS, see Liu G et al. (2001) 210:101–124
- Jarrett JN (2000) Temporal variation in early mortality of an intertidal barnacle. 204:305–308

- Jaubert JM, see Chisholm JRM et al. (2000) 201:189–198
 Jeffs A, see Tolimieri N et al. (2000) 207:219–224
 Job SD, see Fisher R et al. (2000) 202:163–173
 Johannessen A, see Axelsen BE et al. (2000) 205:259–269
 Johannesson K, see Jonsson LG et al. (2001) 209:189–195
 Johnson JM, see Meyer DL et al. (2001) 209:71–84
 Johnston IA, see Temple GK et al. (2000) 205:271–281
 Jollivet D, see Chevaldonné P et al. (2000) 208:293–295
 Jonsson LG, Lundälv T, Johannesson K (2001) Symbiotic associations between anthozoans and crustaceans in a temperate coastal area. 209:189–195
 Jonzén N, Lundberg P, Cardinale M, Arrhenius F (2001) Variable fishing mortality and the possible commercial extinction of the eastern Baltic cod. 210:291–296
 Jørgensen BB, see Hansen JW et al. (2000) 208:273–282
 Joyce JE, see Heintz RA et al. (2000) 208:205–216
 Juanes F, see Scharf FS et al. (2000) 208:229–248

K

- Kaehler S, Pakhomov EA, McQuaid CD (2000) Trophic structure of the marine food web at the Prince Edward Islands (Southern Ocean) determined by $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ analysis. 208:13–20
 Kahru M, Leppänen JM, Rud O, Savchuk OP (2000) Cyanobacteria blooms in the Gulf of Finland triggered by saltwater inflow into the Baltic Sea. 207:13–18
 Kamykowski D, see Liu G et al. (2001) 210:101–124
 Kang HK, Poulet SA (2000) Reproductive success in *Calanus helgolandicus* as a function of diet and egg cannibalism. 201:241–250
 Kappner I, Al-Moghrabi SM, Richter C (2000) Mucus-net feeding by the vermetid gastropod *Dendropoma maxima* in coral reefs. 204:309–313
 Karakassis I, Hatziyanni E (2000) Benthic disturbance due to fish farming analyzed under different levels of taxonomic resolution. 203:247–253
 Kardinaal E, see Meesters EH et al. (2001) 209:43–54
 Karez R, Engelbert S, Sommer U (2000) 'Co-consumption' and 'protective coating': two new proposed effects of epiphytes on their macroalgal hosts in mesograzing-epiphyte-host interactions. 205:85–93
 Kautsky L, see Pearson G et al. (2000) 202:67–79
 Kawaguchi K, see Moku M et al. (2000) 207:129–140
 Ke C, see Wang WX et al. (2000) 208:41–50
 Keafer BA, see Turner JT et al. (2000) 203:95–107
 Keetman M, see Meesters EH et al. (2001) 209:43–54
 Keister JE, Houde ED, Breitburg DL (2000) Effects of bottom-layer hypoxia on abundances and depth distributions of organisms in Patuxent River, Chesapeake Bay. 205:43–59
 Kelly CA, see Dyrynda EA et al. (2000) 206:155–170
 Kihslinger RL, Woodin SA (2000) Food patches and a surface deposit feeding spionid polychaete. 201:233–239
 Kim YO, Han MS (2000) Seasonal relationships between cyst germination and vegetative population of *Scrippsiella trochoidea* (Dinophyceae). 204:111–118
 Kimura R, Secor DH, Houde ED, Piccoli PM (2000) Up-estuary dispersal of young-of-the-year bay anchovy *Anchoa mitchilli* in the Chesapeake Bay: inferences from microprobe analysis of strontium in otoliths. 208:217–227
 Kimura S, see Kitagawa T et al. (2000) 206:251–260
 Kingsford MJ, see Booth DJ et al. (2000) 202:219–230
 Kingsford MJ, see Gillanders BM (2000) 201:273–286
 Kitagawa T, Nakata H, Kimura S, Itoh T, Tsuji S, Nitta A (2000) Effect of ambient temperature on the vertical distribution and movement of Pacific bluefin tuna *Thunnus thynnus*

- orientalis*. 206:251–260
 Kitaysky AS, Hunt GL Jr, Flint EN, Rubega MA, Decker MB (2000) Resource allocation in breeding seabirds: responses to fluctuations in their food supply. 206:283–296
 Kobari T, Ikeda T (2001) Life cycle of *Neocalanus flemingeri* (Crustacea: Copepoda) in the Oyashio region, western subarctic Pacific, with notes on its regional variations. 209: 243–255
 Köck M, see Assmann M et al. (2000) 207:255–262
 Koike I, see Fukuda H (2000) 202:101–112
 Koike I, see Hasegawa T et al. (2001) 210:167–174
 Kooyman GL, Hunke EC, Ackley SF, van Dam RP, Robertson G (2000) Moult of the emperor penguin: travel, location, and habitat selection. 204:269–277
 Kovacs KM, see Lesage V et al. (2001) 210:203–221
 Kozerski HP, see Gust G (2000) 208:93–106
 Krause-Jensen D, see Stæhr PA et al. (2000) 207:79–88
 Kroeger KD, see Cebrán J et al. (2000) 204:119–130
 Kromkamp J, see Barranguet C (2000) 204:39–52
 Krug PJ, Zimmer RK (2000) Larval settlement: chemical markers for tracing production, transport, and distribution of a waterborne cue. 207:283–296
 Kubanek J, Pawlik JR, Eve TM, Fenical W (2000) Triterpenoid glycosides defend the Caribbean reef sponge *Erylus formosus* from predatory fishes. 207:69–77
 Kudo I, see Yanada M et al. (2000) 204:289–292
 Kuipers B, van Noort GJ, Vosjan J, Herndl GJ (2000) Diel periodicity of bacterioplankton in the euphotic zone of the subtropical Atlantic Ocean. 201:13–25
 Kuipers BR, Witte HJ (2000) Prochlorophytes as secondary prey for heterotrophic nanoflagellates in the deep chlorophyll maximum layer of the (sub)tropical North Atlantic. 204:53–63
 Kulis D, see Sengco MR et al. (2001) 210:41–53
 Kulis DM, see Turner JT et al. (2000) 203:95–107
 Kupcha E, see Meng L et al. (2000) 201:287–299
 Kurdziel JP, see Nilsson PG et al. (2000) 207:89–96

L

- Lam KKY (2000) Sexual reproduction of a low-temperature tolerant coral *Oulastrea crispata* (Scleractinia, Faviidae) in Hong Kong, China. 205:101–111
 Lam KKY (2000) Early growth of a pioneer recruited coral *Oulastrea crispata* (Scleractinia, Faviidae) on PFA-concrete blocks in a marine park in Hong Kong, China. 205: 113–121
 Lam PKS, see Wang WX et al. (2000) 208:41–50
 Lambshead PJD, Tiedjen J, Moncrieff CB, Ferrero TJ (2001) North Atlantic latitudinal diversity patterns in deep-sea marine nematode data: a reply to Rex et al. 210:299–301
 Lam-Höai T, see Dupuy C et al. (2000) 205:171–184
 Landry MR, Constantinou J, Latasa M, Brown SL, Bidigare RR, Ondrusek ME (2000) Biological response to iron fertilization in the eastern equatorial Pacific (IronEx II). III. Dynamics of phytoplankton growth and microzooplankton grazing. 201:57–72
 Landry MR, Ondrusek ME, Tanner SJ, Brown SL, Constantinou J, Bidigare RR, Coale KH, Fitzwater S (2000) Biological response to iron fertilization in the eastern equatorial Pacific (IronEx II). I. Microplankton community abundances and biomass. 201:27–42
 Landry MR, see Rollwagen Bollens GC (2000) 201:43–56
 Larsen J, see Jakobsen HH et al. (2000) 201:121–128
 Larsen JK, Guillemette M (2000) Influence of annual variation in food supply on abundance of wintering common eiders

- Somateria mollissima*. 201:301–309
- Larsen PS, see Riisgård HU et al. (2000) 207:33–51
- Latasa M, see Landry MR et al. (2000) 201:57–72
- Lautier J, see Dupuy C et al. (2000) 205:171–184
- Law R, see Stokes K (2000) 208:307–309
- Law RJ, see Dyrynda EA et al. (2000) 206:155–170
- Lawrence JE, Grant J, Quilliam MA, Bauder AG, Cembella AD (2000) Colonization and growth of the toxic dinoflagellate *Prorocentrum lima* and associated fouling macroalgae on mussels in suspended culture. 201:147–154
- Layman CA, Smith DE, Herod JD (2000) Seasonally varying importance of abiotic and biotic factors in marsh-pond fish communities. 207:155–169
- Lazzara L, see Sciaudra A et al. (2000) 201:107–120
- Lee CW, see Yanada M et al. (2000) 204:289–292
- Lee SY (2000) Carbon dynamics of Deep Bay, eastern Pearl River estuary, China. II: Trophic relationship based on carbon- and nitrogen-stable isotopes. 205:1–10
- Le Gall S, see Dupuy C et al. (2000) 205:171–184
- Leinaas HP, see Gjøsæter J et al. (2000) 207:201–218
- Lekve K, see Gjøsæter J et al. (2000) 207:201–218
- Le Maho Y, see Rodary D et al. (2000) 207:171–181
- Leppänen JM, see Kahru M et al. (2000) 207:13–18
- Lesage V, Hammill MO, Kovacs KM (2001) Marine mammals and the community structure of the Estuary and Gulf of St Lawrence, Canada: evidence from stable isotope analysis. 210:203–221
- Lester RJG, see Grutter AS et al. (2000) 207:123–127
- Levasseur M, see Scarratt MG et al. (2000) 204:13–26
- Levasseur M, see Schultes S et al. (2000) 202:27–40
- Levin LA, James DW, Martin CM, Rathburn AE, Harris LH, Michener RH (2000) Do methane seeps support distinct macrofaunal assemblages? Observations on community structure and nutrition from the northern California slope and shelf. 208:21–39
- Levings CD, see Sutherland TF et al. (2001) 210:139–148
- Levinson H, Nielsen TG, Hansen BW (2000) Annual succession of marine pelagic protozoans in Disko Bay, West Greenland, with emphasis on winter dynamics. 206:119–134
- Levinson H, Turner JT, Nielsen TG, Hansen BW (2000) On the trophic coupling between protists and copepods in arctic marine ecosystems. 204:65–77
- Levinton JS, see Nilsson PG et al. (2000) 207:89–96
- Li A, see Sengco MR et al. (2001) 210:41–53
- Lichte E, see Assmann M et al. (2000) 207:255–262
- Lima M, Brazeiro A, Defeo O (2000) Population dynamics of the yellow clam *Mesodesma mactroides*: recruitment variability, density-dependence and stochastic processes. 207:97–108
- Lindsay TL, see McQuaid CD (2000) 206:147–154
- Link JS, see Garrison LP (2000) 202:231–240
- Link JS, see Garrison LP (2000) 204:243–255
- Linke-Gamenick I, Forbes VE, Méndez N (2000) Effects of chronic fluoranthene exposure on sibling species of *Capitella* with different development modes. 203:191–203
- Linton DL, Taghon GL (2000) Feeding, growth, and fecundity of *Capitella* sp. I in relation to sediment organic concentration. 205:229–240
- Liu G, Janowitz GS, Kamiykowski D (2001) A biophysical model of population dynamics of the autotrophic dinoflagellate *Gymnodinium breve*. 210:101–124
- Llorente M, see Riveiro I et al. (2000) 205:249–258
- Lobel PS, see Sancho G (2000) 206:193–212
- Lobel PS, see Sancho G et al. (2000) 203:275–288
- Lohmann KJ, see Nevitt G et al. (2000) 203:225–231
- Lombarte A, Recasens L, González M, de Sola LG (2000) Spatial segregation of two species of Mullidae (*Mullus surmuletus* and *M. barbatus*) in relation to habitat. 206:239–249
- López Abellán LJ, see Fernández-Vergaz V et al. (2000) 204:169–178
- Lotze HK, see Hillebrand H et al. (2000) 204:27–38
- Lowry JK, see Poore AGB et al. (2000) 208:183–196
- Loyd PA, see Paffenhofer GA (2000) 203:171–180
- Lucas CH, see Herman PMJ et al. (2000) 204:79–92
- Luckhurst BE, Dean JM, Reichert M (2000) Age, growth and reproduction of the lane snapper *Lutjanus synagris* (Pisces: Lutjanidae) at Bermuda. 203:255–261
- Luna-Jorquera G, Culik BM (2000) Metabolic rates of swimming Humboldt penguins. 203:301–309
- Lundålv T, see Jonsson LG et al. (2001) 209:189–195
- Lundberg P, see Jonzén N et al. (2001) 210:291–296
- M**
- Maass H, see Stuart V et al. (2000) 201:91–106
- Macko SA, see Tobias CR et al. (2001) 210:25–39
- Maita Y, see Yanada M et al. (2000) 204:289–292
- Malcolm SJ, see Trimmer M et al. (2000) 203:67–80
- Malin G, see Simó R et al. (2000) 203:1–11
- Maneiro I, Frangópolos M, Guisande C, Fernández M, Reguera B, Riveiro I (2000) Zooplankton as a potential vector of diarrhetic shellfish poisoning toxins through the food web. 201:155–163
- Maneiro I, see Frangópolos M et al. (2000) 203:161–169
- Maneiro I, see Guisande C et al. (2000) 202:135–142
- Maneiro L, see Riveiro I et al. (2000) 205:249–258
- Mangel M, see Alonso SH (2001) 209:203–217
- Marchand J, see Mathieson S et al. (2000) 204:225–242
- Marchioretta M, see Chisholm JRM et al. (2000) 201:189–198
- Marrasé C, see Peters F (2000) 205:291–306
- Marshall GJ, see Heithaus MR et al. (2001) 209:307–310
- Marteinsdottir G, see Begg GA (2000) 202:193–217
- Martin CM, see Levin LA et al. (2000) 208:21–39
- Martins HR, see Bjørndal KA et al. (2000) 202:265–272
- Mathieson S, Cattrijssen A, Costa MJ, Drake P, Elliott M, Gardner J, Marchand J (2000) Fish assemblages of European tidal marshes: a comparison based on species, families and functional guilds. 204:225–242
- Maxwell MR, see Buresch KM et al. (2001) 210:161–165
- Mayor S, see Gutiérrez D et al. (2000) 202:81–99
- Mayzaud P, see Alonso F et al. (2000) 205:207–217
- Mayzaud P, see Alonso F et al. (2000) 205:219–227
- Mayzaud P, see Alonso F et al. (2001) 209:231–242
- Mazouni N, see Dupuy C et al. (2000) 205:171–184
- McClanahan TR, Bergman K, Huitric M, McField M, Elfwing T, Nyström M, Nordemar I (2000) Response of fishes to algae reduction on Glover's Reef, Belize. 206:273–282
- McClary M Jr, see Holm ER et al. (2000) 202:153–162
- McDonald LL, see Peterson CH et al. (2001) 210:255–283
- McField M, see McClanahan TR et al. (2000) 206:273–282
- McGroarty S, see Stillman RA et al. (2000) 208:131–145
- McKinsey CW, Bourget E (2000) Explaining mesoscale variation in intertidal mussel community structure. 205:155–170
- McQuaid CD, Lindsay TL (2000) Effect of wave exposure on growth and mortality rates of the mussel *Perna perna*: bottom-up regulation of intertidal populations. 206:147–154
- McQuaid CD, Phillips TE (2000) Limited wind-driven dispersal of intertidal mussel larvae: *in situ* evidence from the plankton and the spread of the invasive species *Mytilus galloprovincialis* in South Africa. 201:211–220
- McQuaid CD, see Kaehler S et al. (2000) 208:13–20

- Meesters EH, Hilterman M, Kardinaal E, Keetman M, de Vries M, Bak RPM (2001) Colony size-frequency distributions of scleractinian coral populations: spatial and interspecific variation. 209:43–54
- Meißner K, Schaarschmidt T (2000) Ecophysiological studies of *Corophium volutator* (Amphipoda) infested by microphallid trematodes. 202:143–151
- Méndez N, see Linke-Gamenick I et al. (2000) 203:191–203
- Meng L, Gray C, Taplin B, Kupcha E (2000) Using winter flounder growth rates to assess habitat quality in Rhode Island's coastal lagoons. 201:287–299
- Menge BA, see Sanford E (2001) 209:143–157
- Metcalfe JD, see Hays GC et al. (2000) 208:297–298
- Meyer DL, Johnson JM, Gill JW (2001) Comparison of nekton use of *Phragmites australis* and *Spartina alterniflora* marshes in the Chesapeake Bay, USA. 209:71–84
- Michaud S, see Scarratt MG et al. (2000) 204:13–26
- Michaud S, see Schultes S et al. (2000) 202:27–40
- Michener RH, see Levin LA et al. (2000) 208:21–39
- Middelburg JJ, Nieuwenhuize J (2000) Nitrogen uptake by heterotrophic bacteria and phytoplankton in the nitrate-rich Thames estuary. 203:13–21
- Middelburg JJ, see Herman PMJ et al. (2000) 204:79–92
- Middelburg JJ, see Moodley L et al. (2000) 202:289–295
- Miguez BM, see Tilstone GH et al. (2000) 205:23–41
- Miles A, Sundbäck K (2000) Diel variation in microphytobenthic productivity in areas of different tidal amplitude. 205: 11–22
- Milinski M, see Richner H (2000) 205:307–308
- Mills DK, see Gowen RJ et al. (2000) 208:51–64
- Misund OA, see Axelsen BE et al. (2000) 205:259–269
- Mizushima T, see Chiba S et al. (2000) 203:215–224
- Mock T, Gradinger R (2000) Changes in photosynthetic carbon allocation in algal assemblages of Arctic sea ice with decreasing nutrient concentrations and irradiance. 202:1–11
- Modig H, van de Bund WJ, Ölafsson E (2000) Uptake of phytodetritus by three ostracod species from the Baltic Sea: effects of amphipod disturbance and ostracod density. 202: 125–134
- Moens T, Herman P, Verbeeck L, Steyaert M, Vincx M (2000) Predation rates and prey selectivity in two predacious estuarine nematode species. 205:185–193
- Mohan PC, see Bouillon S et al. (2000) 208:79–92
- Moksnes PO, Wennhage H (2001) Methods for estimating decapod larval supply and settlement: importance of larval behavior and development stage. 209:257–273
- Moku M, Kawaguchi K, Watanabe H, Ohno A (2000) Feeding habits of three dominant myctophid fishes, *Diaphus theta*, *Stenobrachius leucopsarus* and *S. nannochir*, in the subarctic and transitional waters of the western North Pacific. 207:129–140
- Moncrieff CB, see Lambshead PJD (2001) 210:299–301
- Montgomery JC, see Tolimieri N et al. (2000) 207:219–224
- Moodley L, Boschker HTS, Middelburg JJ, Pel R, Herman PMJ, de Deckere E, Heip CHR (2000) Ecological significance of benthic foraminifera: ^{13}C labelling experiments. 202:289–295
- Moreira MH, see Barroso CM et al. (2000) 201:221–232
- Mrosovsky N, see Godley BJ et al. (2001) 210:195–201
- Mühlebach A, see Hamm C et al. (2001) 209:55–69
- Mukai H, see Hasegawa T et al. (2001) 210:167–174

N

- Na SC, see Cho BC et al. (2000) 206:23–32
- Nagarkar S, see Williams GA et al. (2000) 203:81–94

- Nagelkerken I, Dorenbosch M, Verberk WCEP, Cocheret de la Morinière E, van der Velde G (2000) Importance of shallow-water biotopes of a Caribbean bay for juvenile coral reef fishes: patterns in biotope association, community structure and spatial distribution. 202:175–192
- Nakata H, see Kitagawa T et al. (2000) 206:251–260
- Narbonne JF, see Akcha F et al. (2000) 205:195–206
- Navarro E, see Urrutia MB et al. (2001) 209:177–187
- Nedwell DB, see Dong LF et al. (2000) 203:109–122
- Nedwell DB, see Gowen RJ et al. (2000) 208:51–64
- Nedwell DB, see Trimmer M et al. (2000) 203:67–80
- Neira C, see Gutiérrez D et al. (2000) 202:81–99
- Nevitt G, Pentcheff ND, Lohmann KJ, Zimmer RK (2000) Den selection by the spiny lobster *Panulirus argus*: testing attraction to conspecific odors in the field. 203:225–231
- Nichols PD, see Swadling KM et al. (2000) 208:171–182
- Nielsen C, see Riisgård HU et al. (2000) 207:33–51
- Nielsen LP, see Ottosen LDM et al. (2001) 209:35–42
- Nielsen TG, see Levinsen H et al. (2000) 204:65–77
- Nielsen TG, see Levinsen H et al. (2000) 206:119–134
- Nieuwenhuize J, see Middelburg JJ (2000) 203:13–21
- Nilsson PG, Levinton JS, Kurdziel JP (2000) Migration of a marine oligochaete: induction of dispersal and microhabitat choice. 207:89–96
- Nitta A, see Kitagawa T et al. (2000) 206:251–260
- Nizzoli D, see Welsh DT et al. (2000) 208:65–77
- Nogueira E, Ibanez F, Figueiras FG (2000) Effect of meteorological and hydrographic disturbances on the microplankton community structure in the Ría de Vigo (NW Spain). 203:23–45
- Nordemar I, see McClanahan TR et al. (2000) 206:273–282
- Nøttestad L, see Axelsen BE et al. (2000) 205:259–269
- Nyström M, see McClanahan TR et al. (2000) 206:273–282

O

- Ohno A, see Moku M et al. (2000) 207:129–140
- Ólafsson E, see Modig H et al. (2000) 202:125–134
- Olsgard F, see Gjøsæter J et al. (2000) 207:201–218
- Ondruske ME, see Landry MR et al. (2000) 201:27–42
- Ondruske ME, see Landry MR et al. (2000) 201:57–72
- Ott J, see Pöhn M et al. (2001) 210:285–290
- Ott J, see Vopel K et al. (2001) 210:93–99
- Ottosen LDM, Risgaard-Petersen N, Nielsen LP, Dalsgaard T (2001) Denitrification in exposed intertidal mud-flats, measured with a new ^{15}N -ammonium spray technique. 209:35–42
- Oug E, see Gjøsæter J et al. (2000) 207:201–218
- Øygarden S, see Reigstad M et al. (2000) 201:73–89

P

- Paasche E, see Gjøsæter J et al. (2000) 207:201–218
- Paffenhofer GA, Loyd PA (2000) Ultrastructure of cephalic appendage setae of marine planktonic copepods. 203:171–180
- Pagès F, González HE, Ramón M, Sobrallo M, Gili JM (2001) Gelatinous zooplankton assemblages associated with water masses in the Humboldt Current System, and potential predatory impact by *Bassia bassensis* (Siphonophora: Calycophorae). 210:13–24
- Pakhomov EA, see Kaehler S et al. (2000) 208:13–20
- Pasternak A, see Reigstad M et al. (2000) 201:73–89
- Paul VJ, see Puglisi MP et al. (2000) 207:263–272
- Pawlak JR (2000) Marine chemical ecology. 207:225–226
- Pawlak JR, see Assmann M et al. (2000) 207:255–262

- Pawlik JR, see Engel S (2000) 207:273–281
 Pawlik JR, see Kubanek J et al. (2000) 207:69–77
 Pearson G, Kautsky L, Serrão E (2000) Recent evolution in Baltic *Fucus vesiculosus*: reduced tolerance to emersion stresses compared to intertidal (North Sea) populations. 202:67–79
 Pedersen MF, see Cebrián J et al. (2000) 204:119–130
 Pedersen MF, see Stæhr PA et al. (2000) 207:79–88
 Pedersen OP, Tande KS, Slagstad D (2000) A synoptic sampling method applied to *Calanus finmarchicus* population on the Norwegian mid-shelf in 1997. 204:143–157
 Pedrós-Alio C, see Simó R et al. (2000) 203:1–11
 Pel R, see Moodley L et al. (2000) 202:289–295
 Pelletreau KN, see Van Alstyne KL (2000) 206:33–43
 Penney R, see Pepin P (2000) 204:199–212
 Pentcheff ND, see Nevitt G et al. (2000) 203:225–231
 Pepin P, Penney R (2000) Feeding by a larval fish community: impact on zooplankton. 204:199–212
 Pereira RC, Cavalcanti DN, Teixeira VL (2000) Effects of secondary metabolites from the tropical Brazilian brown alga *Dictyota menstrualis* on the amphipod *Parhyale hawaiiensis*. 205:95–100
 Peters F, Marrasé C (2000) Effects of turbulence on plankton: an overview of experimental evidence and some theoretical considerations. 205:291–306
 Petersen CW, see Sancho G et al. (2000) 203:275–288
 Peterson CH, McDonald LL, Green RH, Erickson WP (2001) Sampling design begets conclusions: the statistical basis for detection of injury to and recovery of shoreline communities after the 'Exxon Valdez' oil spill. 210:255–283
 Pfohl-Leszkowicz A, see Akcha F et al. (2000) 205:195–206
 Phillips RA, see Thompson DR et al. (2000) 208:265–271
 Phillips TE, see McQuaid CD (2000) 201:211–220
 Piazzi L, Ceccherelli G, Cinelli F (2001) Threat to macroalgal diversity: effects of the introduced green alga *Caulerpa racemosa* in the Mediterranean. 210:149–159
 Piccoli PM, see Kimura R et al. (2000) 208:217–227
 Pinedo S, Sardá R, Rey C, Baud M (2000) Effect of sediment particle size on recruitment of *Owenia fusiformis* in the Bay of Blanes (NW Mediterranean Sea): an experimental approach to explain field distribution. 203:205–213
 Pipe RK, see Dyrynda EA et al. (2000) 206:155–170
 Planque B, see Beaugrand G et al. (2000) 204:299–303
 Platt T, see Stuart V et al. (2000) 201:91–106
 Pöhn M, Vopel K, Grünberger E, Ott J (2001) Microclimate of the brown alga *Feldmannia caespitula* interstitium under zero-flow conditions. 210:285–290
 Pöhn M, see Vopel K et al. (2001) 210:93–99
 Poore AGB, Watson MJ, de Nys R, Lowry JK, Steinberg PD (2000) Patterns of host use among alga- and sponge-associated amphipods. 208:183–196
 Poulet SA, see Kang HK (2000) 201:241–250
 Powell CL, see Turner JT et al. (2000) 203:95–107
 Power M, see Attrill MJ (2000) 203:133–143
 Price NM, see Strzepek RF (2000) 206:107–117
 Puglisi MP, Paul VJ, Slattery M (2000) Biogeographic comparisons of chemical and structural defenses of the Pacific gorgonians *Annella mollis* and *A. reticulata*. 207:263–272
 Purcell JE, Sturdevant MV (2001) Prey selection and dietary overlap among zooplanktivorous jellyfish and juvenile fishes in Prince William Sound, Alaska. 210:67–83

Q

- Qian PY, Rittschof D, Sreedhar B (2000) Macrofouling in unidirectional flow: miniature pipes as experimental models

for studying the interaction of flow and surface characteristics on the attachment of barnacle, bryozoan and polychaete larvae. 207:109–121

- Quilliam MA, see Lawrence JE et al. (2000) 201:147–154

R

- Rainbow PS, see Wang WX (2000) 204:159–168
 Ramón M, see Pagès F et al. (2001) 210:13–24
 Ratcliffe NA, see Dyrynda EA et al. (2000) 206:155–170
 Rathburn AE, see Levin LA et al. (2000) 208:21–39
 Ratkova T, see Reigstad M et al. (2000) 201:73–89
 Ray-Culp M, see Stoner AW (2000) 202:297–302
 Razouls S, see Alonzo F et al. (2000) 205:207–217
 Razouls S, see Alonzo F et al. (2000) 205:219–227
 Razouls S, see Alonzo F et al. (2001) 209:231–242
 Recasens L, see Lombarte A et al. (2000) 206:239–249
 Reece S, see Broderick AC et al. (2000) 202:273–281
 Reguera B, see Maneiro I et al. (2000) 201:155–163
 Reichert M, see Luckhurst BE et al. (2000) 203:255–261
 Reid PC, see Beaugrand G et al. (2000) 204:299–303
 Reigstad M, Wassmann P, Ratkova T, Arashkevich E, Pasternak A, Øygarden S (2000) Comparison of the springtime vertical export of biogenic matter in three northern Norwegian fjords. 201:73–89
 Reigstad M, see Hamm C et al. (2001) 209:55–69
 Ren JS, Ross AH, Schiel DR (2000) Functional descriptions of feeding and energetics of the Pacific oyster *Crassostrea gigas* in New Zealand. 208:119–130
 Rex MA, Stuart CT, Etter RJ (2001) Do deep-sea nematodes show a positive latitudinal gradient of species diversity? The potential role of depth. 210:297–298
 Rey C, see Pinedo S et al. (2000) 203:205–213
 Rice SD, see Heintz RA et al. (2000) 208:205–216
 Richner H, Milinski M (2000) On the functional significance of masking behaviour in sea urchins—an experiment with *Paracentrotus lividus*. 205:307–308
 Richter C, see Kappner I et al. (2000) 204:309–313
 Riisgård HU, Nielsen C, Larsen PS (2000) Downstream collecting in ciliary suspension feeders: the catch-up principle. 207:33–51
 Rindorf A, Wanless S, Harris MP (2000) Effects of changes in sandeel availability on the reproductive output of seabirds. 202:241–252
 Ring S, see Buresch KM et al. (2001) 210:161–165
 Rinkevich B, see Ben-Shlomo R et al. (2001) 209:109–117
 Riou SA, see Welsh DT et al. (2000) 208:65–77
 Risgaard-Petersen N, see Glud RN et al. (2000) 206:59–71
 Risgaard-Petersen N, see Ottosen LDM et al. (2001) 209:35–42
 Rissik D, Suthers IM (2000) Enhanced feeding by pelagic juvenile myctophid fishes within a region of island-induced flow disturbance in the Coral Sea. 203:263–273
 Rittschof D, see Holm ER et al. (2000) 202:153–162
 Rittschof D, see Qian PY et al. (2000) 207:109–121
 Ritz DA, see Swadling KM et al. (2000) 208:171–182
 Rivas M, see Gutiérrez D et al. (2000) 202:81–99
 Riveiro I, Guisande C, Lloves M, Maneiro L, Cabanas JM (2000) Importance of parental effects on larval survival in *Sardina pilchardus*. 205:249–258
 Riveiro I, see Frangópolos M et al. (2000) 203:161–169
 Riveiro I, see Guisande C et al. (2000) 202:135–142
 Riveiro I, see Maneiro I et al. (2000) 201:155–163
 Robertson G, see Kooyman GL et al. (2000) 204:269–277
 Robinson CJ, see Gómez-Gutiérrez J et al. (2000) 208:283–291

- Robinson M, Tully O (2000) Seasonal variation in community structure and recruitment of benthic decapods in a sub-tidal cobble habitat. 206:181–191
- Rodary D, Bonneau W, Le Maho Y, Bost CA (2000) Benthic diving in male emperor penguins *Aptenodytes forsteri* foraging in winter. 207:171–181
- Rogers CS, see Bythell JC et al. (2000) 204:93–100
- Rogers DR, see Tang KW et al. (2000) 206:1–11
- Rolff C (2000) Seasonal variation in $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ of size-fractionated plankton at a coastal station in the northern Baltic proper. 203:47–65
- Rollwagen Bollens GC, Landry MR (2000) Biological response to iron fertilization in the eastern equatorial Pacific (IronEx II). II. Mesozooplankton abundance, biomass, depth distribution and grazing. 201:43–56
- Ross AH, see Ren JS et al. (2000) 208:119–130
- Rossi L, Costantini ML (2000) Mapping the intra-habitat variation of leaf mass loss rate in a brackish Mediterranean lake. 203:145–159
- Rougier C, see Dupuy C et al. (2000) 205:171–184
- Rountree RA, see Scharf FS et al. (2000) 208:229–248
- Rubega MA, see Kitaysky AS et al. (2000) 206:283–296
- Rud O, see Kahru M et al. (2000) 207:13–18
- Ruiz-Zárate MA, Espinoza-Avalos J, Carricart-Ganivet JP, Fragoso D (2000) Relationships between *Manicina areolata* (Cnidaria: Scleractinia), *Thalassia testudinum* (Anthophyta) and *Neogoniolithon* sp. (Rhodophyta). 206:135–146
- Rysgaard S, see Glud RN et al. (2000) 206:59–71

S

- Sabatés A, Saiz E (2000) Intra- and interspecific variability in prey size and niche breadth of myctophiform fish larvae. 201:261–271
- Saiz E, see Sabatés A (2000) 201:261–271
- Sancho G, Petersen CW, Lobel PS (2000) Predator-prey relations at a spawning aggregation site of coral reef fishes. 203:275–288
- Sancho G, Solow AR, Lobel PS (2000) Environmental influences on the diel timing of spawning in coral reef fishes. 206:193–212
- Sanford E, Menge BA (2001) Spatial and temporal variation in barnacle growth in a coastal upwelling system. 209:143–157
- Sanford LP, see Crawford SM (2001) 210:1–12
- Sañudo-Wilhelmy SA, see Gobler CJ (2001) 209:19–34
- Sardá R, see Pinedo S et al. (2000) 203:205–213
- Sathyendranath S, see Stuart V et al. (2000) 201:91–106
- Savchuk OP, see Kahru M et al. (2000) 207:13–18
- Scarratt MG, Levasseur M, Schultes S, Michaud S, Cantin G, Vézina A, Gosselin M, de Mora SJ (2000) Production and consumption of dimethylsulfide (DMS) in North Atlantic waters. 204:13–26
- Schaarschmidt T, see Meißner K (2000) 202:143–151
- Scharf FS, Juanes F, Rountree RA (2000) Predator size - prey size relationships of marine fish predators: interspecific variation and effects of ontogeny and body size on trophic niche breadth. 208:229–248
- Schaub BEM, see Boschker HTS et al. (2000) 203:181–189
- Scheibling RE, see Balch T (2000) 205:139–154
- Schiel DR, see Ren JS et al. (2000) 208:119–130
- Schultes S, Levasseur M, Michaud S, Cantin G, Wolfe G, Gosselin M, de Mora S (2000) Dynamics of dimethylsulfide production from dissolved dimethylsulfoniopropionate in the Labrador Sea. 202:27–40
- Schultes S, see Scarratt MG et al. (2000) 204:13–26
- Sciandra A, Lazzara L, Claustre H, Babin M (2000) Responses of growth rate, pigment composition and optical properties of *Cryptomonas* sp. to light and nitrogen stresses. 201: 107–120
- Searcy SP, Sponaugle S (2000) Variable larval growth in a coral reef fish. 206:213–226
- Secor DH, see Kimura R et al. (2000) 208:217–227
- Sellanes J, see Gutiérrez D et al. (2000) 202:81–99
- Sengco MR, Li A, Tugend K, Kulis D, Anderson DM (2001) Removal of red- and brown-tide cells using clay flocculation. I. Laboratory culture experiments with *Gymnodinium breve* and *Aureococcus anophagefferens*. 210:41–53
- Serrão E, see Pearson G et al. (2000) 202:67–79
- Short JW, see Heintz RA et al. (2000) 208:205–216
- Simó R, Pedrós-Alio C, Malin G, Grimalt JO (2000) Biological turnover of DMS, DMSP and DMSO in contrasting open-sea waters. 203:1–11
- Sirois P, Dodson JJ (2000) Critical periods and growth-dependent survival of larvae of an estuarine fish, the rainbow smelt *Osmerus mordax*. 203:233–245
- Sivyer DB, see Trimmer M et al. (2000) 203:67–80
- Skovgaard A, Hansen PJ, Stoecker DK (2000) Physiology of the mixotrophic dinoflagellate *Fragilidium subglobosum*. I. Effects of phagotrophy and irradiance on photosynthesis and carbon content. 201:129–136
- Skovgaard A, see Hansen PJ et al. (2000) 201:137–146
- Slagstad D, see Pedersen OP et al. (2000) 204:143–157
- Slattery M, see Puglisi MP et al. (2000) 207:263–272
- Sleigh MA, see Stelfox-Widdicombe CE et al. (2000) 208:1–12
- Smith DE, see Layman CA et al. (2000) 207:155–169
- Soabarzo M, see Pagès F et al. (2001) 210:13–24
- Solow AR, see Sancho G (2000) 206:193–212
- Sommaruga R, see Conde D et al. (2000) 207:19–31
- Sommer U, see Karez R et al. (2000) 205:85–93
- Sommer U, see Worm B (2000) 202:283–288
- Sorgo A, see Vopel K et al. (2001) 210:93–99
- Soto A, see Gutiérrez D et al. (2000) 202:81–99
- Sparks CAJ, see Brierley AS et al. (2001) 210:55–66
- Sponaugle S, see Searcy SP (2000) 206:213–226
- Sreedhar B, see Qian PY et al. (2000) 207:109–121
- Sreenivas N, see Bouillon S et al. (2000) 208:79–92
- Stæhr PA, Pedersen MF, Thomsen MS, Wernberg T, Krause-Jensen D (2000) Invasion of *Sargassum muticum* in Limfjorden (Denmark) and its possible impact on the indigenous macroalgal community. 207:79–88
- Steinberg PD, see Poore AGB et al. (2000) 208:183–196
- Steinberg PD, see Wright JT et al. (2000) 207:227–241
- Stelfox-Widdicombe CE, Edwards ES, Burkhill PH, Sleigh MA (2000) Microzooplankton grazing activity in the temperate and sub-tropical NE Atlantic: summer 1996. 208: 1–12
- Stenseth NC, see Gjøsæter J et al. (2000) 207:201–218
- Stewart FM, see Thompson DR et al. (2000) 208:265–271
- Stewart R, see Temple GK et al. (2000) 205:271–281
- Steyaert M, see Moens T et al. (2000) 205:185–193
- Stillman RA, McGrorty S, Goss-Custard JD, West AD (2000) Predicting mussel population density and age structure: the relationship between model complexity and predictive power. 208:131–145
- Stoecker DK, see Hansen PJ et al. (2000) 201:137–146
- Stoecker DK, see Skovgaard A et al. (2000) 201:129–136
- Stokes K, Law R (2000) Fishing as an evolutionary force. 208: 307–309
- Stoner AW, Ray-Culp M (2000) Evidence for Allee effects in an over-harvested marine gastropod: density-dependent mating and egg production. 202:297–302
- Strzepek RF, Price NM (2000) Influence of irradiance and temperature on the iron content of the marine diatom *Tha-*

- lassiosira weissflogii* (Bacillariophyceae). 206:107–117
- Stuart CT, see Rex MA et al. (2001) 210:297–298
- Stuart V, Sathyendranath S, Head EJH, Platt T, Irwin B, Maass H (2000) Bio-optical characteristics of diatom and prymnesiophyte populations in the Labrador Sea. 201: 91–106
- Sturdevant MV, see Purcell JE (2001) 210:67–83
- Sullivan MC, Cowen RK, Able KW, Fahay MP (2000) Spatial scaling of recruitment in four continental shelf fishes. 207: 141–154
- Sundbäck K, see Miles A (2000) 205:11–22
- Sutherland TF, Levings CD, Elliott CC, Hesse WW (2001) Effect of ballast water treatment system on survivorship of natural populations of marine plankton. 210:139–148
- Suthers IM, see Rissik D (2000) 203:263–273
- Swadling KM, Nichols PD, Gibson JAE, Ritz DA (2000) Role of lipid in the life cycles of ice-dependent and ice-independent populations of the copepod *Paralabidocera antarctica*. 208:171–182
- Swartzman G, Hunt G (2000) Spatial association between murres (*Uria* spp.), puffins (*Fratercula* spp.) and fish shoals near Pribilof Islands, Alaska. 206:297–309
- T**
- Taghon GL, see Linton DL (2000) 205:229–240
- Takai K, see Fujiwara Y et al. (2000) 208:147–155
- Tanaka H, see Yanada M et al. (2000) 204:289–292
- Tande KS, see Pedersen OP et al. (2000) 204:143–157
- Tang KW, Dam HG (2001) Phytoplankton inhibition of copepod egg hatching: test of an exudate hypothesis. 209: 197–202
- Tang KW, Rogers DR, Dam HG, Visscher PT (2000) Seasonal distribution of DMSP among seston, dissolved matter and zooplankton along a transect in the Long Island Sound estuary. 206:1–11
- Tanner SJ, see Landry MR et al. (2000) 201:27–42
- Taplin B, see Meng L et al. (2000) 201:287–299
- Tasker ML, see Furness RW (2000) 202:253–264
- Tegner MJ, see Burton RS (2000) 202:303–308
- Teixeira VL, see Pereira RC et al. (2000) 205:95–100
- Temple GK, Fox CJ, Stewart R, Johnston IA (2000) Variability in muscle growth characteristics during the spawning season in a natural population of Atlantic herring *Clupea harengus*. 205:271–281
- Thamdrup B, see Glud RN et al. (2000) 206:59–71
- Thamdrup B, see Hansen JW et al. (2000) 208:273–282
- Thomas BE, Connolly RM (2001) Fish use of subtropical salt-marshes in Queensland, Australia: relationships with vegetation, water depth and distance onto the marsh. 209:275–288
- Thompson DR, Phillips RA, Stewart FM, Waldron S (2000) Low $\delta^{13}\text{C}$ signatures in pelagic seabirds: lipid ingestion as a potential source of ^{13}C -depleted carbon in the Procellariiformes. 208:265–271
- Thompson PM, see Wilson B et al. (2000) 205:283–290
- Thomsen MS, see Stæhr PA et al. (2000) 207:79–88
- Thornton DCO, see Dong LF et al. (2000) 203:109–122
- Thrower FP, see Heintz RA et al. (2000) 208:205–216
- Thrush SF, see Cummings VJ et al. (2001) 209:159–175
- Tiedjen J, see Lambshead PJD (2001) 210:299–301
- Tilstone GH, Míguez BM, Figueiras FG, Fermín EG (2000) Diatom dynamics in a coastal ecosystem affected by upwelling: coupling between species succession, circulation and biogeochemical processes. 205:23–41
- Tobias CR, Anderson IC, Canuel EA, Macko SA (2001) Nitrogen cycling through a fringing marsh-aquifer ecotone. 210:25–39
- Tolimieri N, Jeffs A, Montgomery JC (2000) Ambient sound as a cue for navigation by the pelagic larvae of reef fishes. 207:219–224
- Torgersen T (2001) Visual predation by the euphausiid *Meganyctiphanes norvegica*. 209:295–299
- Toulmond A, see Chevaldonné P et al. (2000) 208:293–295
- Tremblay Y, Cherel Y (2000) Benthic and pelagic dives: a new foraging behaviour in rockhopper penguins. 204:257–267
- Trimmer M, Nedwell DB, Sivyer DB, Malcolm SJ (2000) Seasonal organic mineralisation and denitrification in intertidal sediments and their relationship to the abundance of *Enteromorpha* sp. and *Ulva* sp. 203:67–80
- Trimmer M, see Gowen RJ et al. (2000) 208:51–64
- Trouvé C, see Cherel Y et al. (2000) 207:183–199
- Tsai ML, Dai CF (2001) Life history plasticity and reproductive strategy enabling the invasion of *Ligia exotica* (Crustacea: Isopoda) from the littoral zone to an inland creek. 210:175–184
- Tsushima S, see Fujiwara Y et al. (2000) 208:147–155
- Tsuji S, see Kitagawa T et al. (2000) 206:251–260
- Tugend K, see Sengco MR et al. (2001) 210:41–53
- Tully O, see Robinson M (2000) 206:181–191
- Turner JT, Doucette GJ, Powell CL, Kulis DM, Keafer BA, Anderson DM (2000) Accumulation of red tide toxins in larger size fractions of zooplankton assemblages from Massachusetts Bay, USA. 203:95–107
- Turner JT, see Levinson H et al. (2000) 204:65–77
- U**
- Uematsu K, see Fujiwara Y et al. (2000) 208:147–155
- Underwood GJC, see Dong LF et al. (2000) 203:109–122
- Urrutia MB, Navarro E, Ibarrola I, Iglesias JIP (2001) Preingestive selection processes in the cockle *Cerastoderma edule*: mucus production related to rejection of pseudofaeces. 209:177–187
- Uthicke S (2001) Interactions between sediment-feeders and microalgae on coral reefs: grazing losses versus production enhancement. 210:125–138
- V**
- Valiela I, see Cebrián J et al. (2000) 204:119–130
- Van Alstyne KL, Pelletreau KN (2000) Effects of nutrient enrichment on growth and phlorotannin production in *Fucus gardneri* embryos. 206:33–43
- van Dam RP, see Kooyman GL et al. (2000) 204:269–277
- van de Bund WJ, see Modig H et al. (2000) 202:125–134
- van der Velde G, see Nagelkerken I et al. (2000) 202:175–192
- Van Gansbeke D, see Vanhove S et al. (2000) 202:13–25
- Vanhove S, Beghyn M, Van Gansbeke D, Bullough LW, Vincx M (2000) A seasonally varying biotope at Signy Island, Antarctic: implications for meiofaunal structure. 202: 13–25
- van Katwijk MM, Hermus DCR (2000) Effects of water dynamics on *Zostera marina*: transplantation experiments in the intertidal Dutch Wadden Sea. 208:107–118
- van Noort GJ, see Kuipers B et al. (2000) 201:13–25
- Vaque D, see Duarte CM et al. (2000) 206:87–95
- Vaque A, see Dupuy C et al. (2000) 205:171–184
- Varela M, see Bode A et al. (2001) 209:1–17
- Vásquez C, see Gutiérrez D et al. (2000) 202:81–99
- Vazquez-Dominguez E, see Duarte CM et al. (2000) 206: 87–95

- Verbeeck L, see Moens T et al. (2000) 205:185–193
 Verberk WCEP, see Nagelkerken I et al. (2000) 202:175–192
 Verity PG, Williams SC, Hong Y (2000) Formation, degradation, and mass:volume ratios of detritus derived from decaying phytoplankton. 207:53–68
 Vézina A, see Scarratt MG et al. (2000) 204:13–26
 Viaroli P, see Welsh DT et al. (2000) 208:65–77
 Victor BC, Wellington GM (2000) Endemism and the pelagic larval duration of reef fishes in the eastern Pacific Ocean. 205:241–248
 Vidal M, Duarte CM (2000) Nutrient accumulation at different supply rates in experimental Mediterranean planktonic communities. 207:1–11
 Vincx M, see Moens T et al. (2000) 205:185–193
 Vincx M, see Vanhove S et al. (2000) 202:13–25
 Visscher PT, see Tang KW et al. (2000) 206:1–11
 Vopel K, Pöhn M, Sorgo A, Ott J (2001) Ciliate-generated advective seawater transport supplies chemoautotrophic ectosymbionts. 210:93–99
 Vopel K, see Pöhn M et al. (2001) 210:285–290
 Vosjan J, see Kuipers B et al. (2000) 201:13–25

W

- Waldron S, see Thompson DR et al. (2000) 208:265–271
 Walters C (2000) Natural selection for predation avoidance tactics: implications for marine population and community dynamics. 208:309–313
 Wang WX, Guo L (2000) Bioavailability of colloid-bound Cd, Cr, and Zn to marine plankton. 202:41–49
 Wang WX, Ke C, Yu KN, Lam PKS (2000) Modeling radiocesium bioaccumulation in a marine food chain. 208:41–50
 Wang WX, Rainbow PS (2000) Dietary uptake of Cd, Cr, and Zn by the barnacle *Balanus trigonus*: influence of diet composition. 204:159–168
 Wanless S, see Rindorf A et al. (2000) 202:241–252
 Wassmann P, see Hamm C et al. (2001) 209:55–69
 Wassmann P, see Reigstad M et al. (2000) 201:73–89
 Watanabe H, see Moku M et al. (2000) 207:129–140
 Watson MJ, see Poore AGB et al. (2000) 208:183–196
 Weimerskirch H, see Cherel Y et al. (2000) 207:183–199
 Wellington GM, see Victor BC (2000) 205:241–248
 Welsh DT, Bartoli M, Nizzoli D, Castaldelli G, Riou SA, Viaroli P (2000) Denitrification, nitrogen fixation, community primary productivity and inorganic-N and oxygen fluxes in an intertidal *Zostera noltii* meadow. 208:65–77
 Wennhage H (2000) Vulnerability of settling plaice *Pleuronectes platessa* to predation: effects of developmental

- stage and alternative prey. 203:289–299
 Wennhage H, see Moksnes PO (2001) 209:257–273
 Wernberg T, see Stæhr PA et al. (2000) 207:79–88
 Wertheimer AC, see Heintz RA et al. (2000) 208:205–216
 West AD, see Stillman RA et al. (2000) 208:131–145
 Wexels Riser C, see Hamm C et al. (2001) 209:55–69
 Widdows J, see Herman PMJ et al. (2000) 204:79–92
 Wielemaker A, see Boschker HTS et al. (2000) 203:181–189
 Williams GA, Davies MS, Nagarkar S (2000) Primary succession on a seasonal tropical rocky shore: the relative roles of spatial heterogeneity and herbivory. 203:81–94
 Williams SC, see Verity PG et al. (2000) 207:53–68
 Wilson B, Grellier K, Hammond PS, Brown G, Thompson PM (2000) Changing occurrence of epidermal lesions in wild bottlenose dolphins. 205:283–290
 Witte HJ, see Kuipers BR (2000) 204:53–63
 Wolfe G, see Schultes S et al. (2000) 202:27–40
 Wood AG, see González-Solís J et al. (2000) 204:279–288
 Woodin SA, see Kihslslinger RL (2000) 201:233–239
 Worm B, Sommer U (2000) Rapid direct and indirect effects of a single nutrient pulse in a seaweed-epiphyte-grazer system. 202:283–288
 Worm B, see Hillebrand H et al. (2000) 204:27–38
 Wright JT, de Nys R, Steinberg PD (2000) Geographic variation in halogenated furanones from the red alga *Delisea pulchra* and associated herbivores and epiphytes. 207:227–241

Y

- Yanada M, Yokokawa T, Lee CW, Tanaka H, Kudo I, Maita Y (2000) Seasonal variation of two different heterotrophic bacterial assemblages in subarctic coastal seawater. 204:289–292
 Yokokawa T, see Yanada M et al. (2000) 204:289–292
 Yu JK, see Dai CF et al. (2000) 201:179–187
 Yu KN, see Wang WX et al. (2000) 208:41–50

Z

- Zal F, see Chevaldonné P et al. (2000) 208:293–295
 Zhou M, see Huntley ME et al. (2000) 201:165–178
 Zhu Y, see Huntley ME et al. (2000) 201:165–178
 Zimmer RK, see Krug PJ (2000) 207:283–296
 Zimmer RK, see Nevitt G et al. (2000) 203:225–231
 Zupo V (2000) Effect of microalgal food on the sex reversal of *Hippolyte inermis* (Crustacea: Decapoda). 201:251–259