

COMBINED AUTHOR AND TITLE INDEX

(Volumes 211 to 220, 2001)

A

- Åberg P, see Jenkins SR et al. (2001) 217:207–217
 Åberg P, see Lindegarth M et al. (2001) 212:29–38
 Ackerman JL, see Meekan MG et al. (2001) 212:223–232
 Adams M, see Triantafillos L (2001) 212:193–209
 Adams NL (2001) UV radiation evokes negative phototaxis and covering behavior in the sea urchin *Strongylocentrotus droebachiensis*. 213:87–95
 Ahrens MJ, Hertz J, Lamoureux EM, Lopez GR, McElroy AE, Brownawell BJ (2001) The role of digestive surfactants in determining bioavailability of sediment-bound hydrophobic organic contaminants to 2 deposit-feeding polychaetes. 212:145–157
 Ainley DG, see Oedekoven CS et al. (2001) 212:265–281
 Ainley DG, see Spear LB et al. (2001) 219:275–289
 Ainley DG, see Wilson PR et al. (2001) 213:301–309
 Airoldi L, see Benedetti-Cecchi L et al. (2001) 214:137–150
 Alberte RS, see Zimmerman RC et al. (2001) 218:127–140
 Alcoverro T, Manzanera M, Romero J (2001) Annual metabolic carbon balance of the seagrass *Posidonia oceanica*: the importance of carbohydrate reserves. 211:105–116
 Allison TC, see Kowalski JL et al. (2001) 220:131–136
 Al-Sarawi MA, see Heil CA et al. (2001) 214:15–23
 Alunno-Bruscia M, Bourget E, Fréchette M (2001) Shell allometry and length-mass-density relationship for *Mytilus edulis* in an experimental food-regulated situation. 219:177–188
 Amouroux JM, see Medernach L et al. (2001) 214:55–65
 Anderson IC, see McGlathery KJ et al. (2001) 216:1–15
 Angel A, Ojeda FP (2001) Structure and trophic organization of subtidal fish assemblages on the northern Chilean coast: the effect of habitat complexity. 217:81–91
 Anson IJ, see Nel DC et al. (2001) 217:15–26
 Aoyama J, see Sasai S et al. (2001) 212:305–310
 Arai T, Limbong D, Otake T, Tsukamoto K (2001) Recruitment mechanisms of tropical eels *Anguilla* spp. and implications for the evolution of oceanic migration in the genus *Anguilla*. 216:253–264
 Arai T, see Marui M et al. (2001) 213:273–284
 Arai T, see Sugeha HY et al. (2001) 220:291–294
 Arai T, see Tsukamoto K (2001) 220:265–276
 Arenas F, see Jenkins SR et al. (2001) 211:193–203
 Aronson RB, Heck KL Jr, Valentine JF (2001) Measuring predation with tethering experiments. 214:311–312
 Arrontes J, see Jenkins SR et al. (2001) 211:193–203
 Atkinson A, Whitehouse MJ, Priddle J, Cripps GC, Ward P, Brandon MA (2001) South Georgia, Antarctica: a productive, cold water, pelagic ecosystem. 216:279–308
 Atkinson MJ, see Marubini F et al. (2001) 220:153–162
 Atkinson RJA, see Parslow-Williams PJ et al. (2001) 211:235–243
 Au WWL, see Benoit-Bird KJ et al. (2001) 217:1–14

B

- Baines SB, Fisher NS (2001) Interspecific differences in the bioconcentration of selenite by phytoplankton and their ecological implications. 213:1–12
 Baker MC, Tyler PA (2001) Fertilization success in the commercial gastropod *Haliotis tuberculata*. 211:205–213
 Ballance LT, see Spear LB et al. (2001) 219:275–289
 Ballard G, see Wilson PR et al. (2001) 213:301–309
 Banham C, see Lucas CH et al. (2001) 212:39–52
 Barciela R, see Marañón E et al. (2001) 216:43–56
 Barker MF, see Lamare MD (2001) 218:153–166
 Barnett H, see Marubini F et al. (2001) 220:153–162
 Barreiro R, González R, Quintela M, Ruiz JM (2001) Imposex, organotin bioaccumulation and sterility of female *Nassarius reticulatus* in polluted areas of NW Spain. 218:203–212
 Barton KJ, see Wilson PR et al. (2001) 213:301–309
 Bauder AG, Cembella AD, Bricelj VM, Quilliam MA (2001) Uptake and fate of diarrhetic shellfish poisoning toxins from the dinoflagellate *Prorocentrum lima* in the bay scallop *Argopecten irradians*. 213:39–52
 Beaugrand G, Ibañez F, Lindley JA (2001) Geographical distribution and seasonal and diel changes in the diversity of calanoid copepods in the North Atlantic and North Sea. 219:189–203
 Beck NG, Fisher AT, Bruland KW (2001) Modeling water, heat, and oxygen budgets in a tidally dominated estuarine pond. 217:43–58
 Begg GA, Weidman CR (2001) Stable $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ isotopes in otoliths of haddock *Melanogrammus aeglefinus* from the northwest Atlantic Ocean. 216:223–233
 Behbehani M, see Heil CA et al. (2001) 214:15–23
 Bellwood DR, Fisher R (2001) Relative swimming speeds in reef fish larvae. 211:299–303
 Benayahu Y, see Rilov G et al. (2001) 218:189–202
 Benedetti-Cecchi L (2001) Variability in abundance of algae and invertebrates at different spatial scales on rocky sea shores. 215:79–92
 Benedetti-Cecchi L, Pannacciulli F, Bulleri F, Moschella PS, Airoldi L, Relini G, Cinelli F (2001) Predicting the consequences of anthropogenic disturbance: large-scale effects of loss of canopy algae on rocky shores. 214:137–150
 Benoit-Bird KJ, Au WWL, Brainard RE, Lammers MO (2001) Diel horizontal migration of the Hawaiian mesopelagic boundary community observed acoustically. 217:1–14
 Benzie JAH, see Uthicke S (2001) 216:109–117
 Bergø T, see Nielsen K et al. (2001) 219:25–40
 Best PB (2001) Distribution and population separation of Bryde's whale *Balaenoptera edeni* off southern Africa. 220:277–289

- Beukema JJ, Dekker R, Essink K, Michaelis H (2001) Synchronized reproductive success in the main bivalve species in the Wadden Sea: causes and consequences. 211:143–155
- Beukers-Stewart BD, see Jenkins SR et al. (2001) 215:297–301
- Bianchi CN, see Frascchetti S et al. (2001) 212:1–12
- Bibent B, see Souchu P et al. (2001) 218:141–152
- Bode A, Varela M, Canle M, González N (2001) Dissolved and particulate organic nitrogen in shelf waters of northern Spain during spring. 214:43–54
- Boehlert GW, see Friedland KD et al. (2001) 216:235–252
- Boero F (2001) More space for provocative ideas! 211:306
- Boero F, see Frascchetti S et al. (2001) 212:1–12
- Bonadonna F, see Guinet C et al. (2001) 219:251–264
- Bonasoro F, see Carnevali MDC et al. (2001) 215:155–167
- Bonsdorff E (2001) Maybe 'Proceedings' are important after all? 211:306–307
- Boudjellal B, see Diaz F et al. (2001) 211:51–62
- Bourget E, see Alunno-Bruscia M et al. (2001) 219:177–188
- Bourget E, see Guichard F et al. (2001) 217:27–41
- Bourget E, see McKindsey CW (2001) 216:17–30
- Boyer KE, see Fong P et al. (2001) 220:137–152
- Boyle KA, see Fong P et al. (2001) 220:137–152
- Brainard RE, see Benoit-Bird KJ et al. (2001) 217:1–14
- Brand AR, see Jenkins SR et al. (2001) 215:297–301
- Brandon MA, see Atkinson A et al. (2001) 216:279–308
- Brey T, see Hirche HJ et al. (2001) 219:205–219
- Bricelj VM, see Bauder AG et al. (2001) 213:39–52
- Brockington S, Peck LS (2001) Seasonality of respiration and ammonium excretion in the Antarctic echinoid *Sterechnus neumayeri*. 219:159–168
- Broglio E, Johansson M, Jonsson PR (2001) Trophic interaction between copepods and ciliates: effects of prey swimming behavior on predation risk 220:179–186
- Bronk DA, see Ward BB (2001) 219:11–24
- Brownawell BJ, see Ahrens MJ et al. (2001) 212:145–157
- Bruland KW, see Beck NG et al. (2001) 217:43–58
- Buchholz F, see Lass S et al. (2001) 214:177–200
- Buckel JA, see Juanes F et al. (2001) 217:157–165
- Buecher E, see Gibbons MJ (2001) 220:169–177
- Bulleri F, see Benedetti-Cecchi L et al. (2001) 214:137–150
- Buma AGJ, see Helbling EW et al. (2001) 211:43–49
- Burgess R (2001) An improved protocol for separating meiofauna from sediments using colloidal silica sols. 214:161–165
- Busman M, see Pan Y et al. (2001) 220:83–92
- Bussell J, see Jenkins SR et al. (2001) 211:193–203
- C**
- Cameron GDM, see Kostylev VE et al. (2001) 219:121–137
- Campbell RG, see Teegarden GJ et al. (2001) 218:213–226
- Canle M, see Bode A et al. (2001) 214:43–54
- Caraco NF, see Lampman GG et al. (2001) 217:59–65
- Carlotti F, see Rey C et al. (2001) 216:151–165
- Carnevali MDC, Bonasoro F, Patruno M, Thorndyke MC, Galassi S (2001) PCB exposure and regeneration in crinoids (Echinodermata). 215:155–167
- Cartes JE, Maynou F (2001) Trophodynamics of the deep-water suprabenthic mysid *Boreomysis arctica* in the Catalan Sea (western Mediterranean). 211:225–234
- Cartes JE, Maynou F, Morales-Nin B, Massutí E, Moranta J (2001) Trophic structure of a bathyal benthopelagic boundary layer community south of the Balearic Islands (southwestern Mediterranean). 215:23–35
- Cartes JE, see Polunin ANVC et al. (2001) 220:13–23
- Casamayor EO, García-Cantizano J, Mas J, Pedrós-Alió C (2001) Primary production in estuarine oxic/anoxic interfaces: contribution of microbial dark CO₂ fixation in the Ebro River Salt Wedge Estuary. 215:49–56
- Casamitjana X, see Granata TC et al. (2001) 218:95–106
- Castilla JC, see Manríquez PH (2001) 215:201–211
- Castro J, see Jenkins SR et al. (2001) 211:193–203
- Catarino F, see Seródio J et al. (2001) 218:45–61
- Cattani O, see de Zwaan A et al. (2001) 211:169–179
- Cembella AD, see Bauder AG et al. (2001) 213:39–52
- Cervin G, see Jenkins SR et al. (2001) 217:207–217
- Cervin G, see Lindegarth M et al. (2001) 212:29–38
- Chapman MG, see Olabarria C (2001) 220:201–211
- Chenery SRN, see Richardson CA et al. (2001) 211:157–167
- Cherel Y, see Guinet C et al. (2001) 219:251–264
- Cherrill A, see Holmes SP et al. (2001) 212:171–181
- Cheshire AC, see Seddon S (2001) 220:119–130
- Chiba S, Ishimaru T, Hosie GW, Fukuchi M (2001) Spatio-temporal variability of zooplankton community structure off east Antarctica (90 to 160°E). 216:95–108
- Cho BC, Park MG, Shim JH, Choi DH (2001) Sea-surface temperature and *f*-ratio explain large variability in the ratio of bacterial production to primary production in the Yellow Sea. 216:31–41
- Choat JH, see Gust N et al. (2001) 214:237–251
- Choi DH, see Cho BC et al. (2001) 216:31–41
- Choi HJ, see Jeong HJ et al. (2001) 218:77–86
- Cinelli F, see Benedetti-Cecchi L et al. (2001) 214:137–150
- Clarke KR, Warwick RM (2001) A further biodiversity index applicable to species lists: variation in taxonomic distinctness. 216:265–278
- Cohen S, see Marsh AG et al. (2001) 218:303–309
- Cole JJ, see Lampman GG et al. (2001) 217:59–65
- Coleman RA, see Jenkins SR et al. (2001) 211:193–203
- Coleman RA, see Jenkins SR et al. (2001) 217:207–217
- Collins A, see Shiao JC et al. (2001) 219:241–250
- Collos Y, see Souchu P et al. (2001) 218:141–152
- Colomer J, see Granata TC et al. (2001) 218:95–106
- Colomines JC, see Medernach L et al. (2001) 214:55–65
- Colosimo A, see Sirabella P et al. (2001) 216:213–222
- Coma R, Ribes M, Gili JM, Hughes RN (2001) The ultimate opportunists: consumers of seston. 219:305–308
- Comiso JC, see Wilson PR et al. (2001) 213:301–309
- Connell SD, see Glasby TM (2001) 214:127–135
- Connolly DP, see Reay DS et al. (2001) 219:51–64
- Cook JM, see Richardson CA et al. (2001) 211:157–167
- Cortesi P, see de Zwaan A et al. (2001) 211:169–179
- Counihan RT, McNamara DC, Souter DC, Jebreen EJ, Preston NP, Johnson CR, Degnan BM (2001) Pattern, synchrony and predictability of spawning of the tropical abalone *Haliotis asinina* from Heron Reef, Australia. 213:193–202
- Courtney RC, see Kostylev VE et al. (2001) 219:121–137
- Cranford PJ (2001) Evaluating the 'reliability' of filtration rate measurements in bivalves. 215:303–305
- Cripps GC, see Atkinson A et al. (2001) 216:279–308
- Cruz-Rivera E, Hay ME (2001) Macroalgal traits and the feeding and fitness of an herbivorous amphipod: the roles of selectivity, mixing, and compensation. 218:249–266
- Culik BM, Koschinski S, Tregenza N, Ellis GM (2001) Reactions of harbor porpoises *Phocoena phocoena* and herring *Clupea harengus* to acoustic alarms. 211:255–260
- Cummings VJ, see Norkko A et al. (2001) 212:131–144

D

- Dahlgren CP, Eggleston DB (2001) Spatio-temporal variability in abundance, size and microhabitat associations of early juvenile Nassau grouper *Epinephelus striatus* in an off-reef nursery system. 217:145–156
- Danovaro R, Dell'Anno A, Fabiano M (2001) Bioavailability of organic matter in the sediments of the Porcupine Abyssal Plain, northeastern Atlantic. 220:25–32
- Dauvin JC, see Poggiale JC (2001) 214:201–209
- Dauwe B, Middelburg JJ, Herman PMJ (2001) Effect of oxygen on the degradability of organic matter in subtidal and intertidal sediments of the North Sea area. 215:13–22
- Davey MS, see Timmermans KR et al. (2001) 217:287–297
- Davies MS, see Holmes SP et al. (2001) 212:171–181
- Davis C, see Solow A et al. (2001) 216:309–311
- Davis ND, see Friedland KD et al. (2001) 216:235–252
- de Baar HJW, see Timmermans KR et al. (2001) 217:287–297
- de Boer MK, see Helbling EW et al. (2001) 211:43–49
- de Brouwer JFC, Stal LJ (2001) Short-term dynamics in microphytobenthos distribution and associated extracellular carbohydrates in surface sediments of an intertidal mudflat. 218:33–44
- deBruyn AMH, Meeuwig JJ (2001) Detecting lunar cycles in marine ecology: periodic regression versus categorical ANOVA. 214:307–310
- DeFelice RC, Parrish JD (2001) Physical processes dominate in shaping invertebrate assemblages in reef-associated sediments of an exposed Hawaiian coast. 215:121–131
- Defeo O, Gomez J, Lercari D (2001) Testing the swash exclusion hypothesis in sandy beach populations: the mole crab *Emerita brasiliensis* in Uruguay. 212:159–170
- Degnan BM, see Counihan RT et al. (2001) 213:193–202
- Deheyn D, see Sponer R et al. (2001) 219:169–175
- Dei RCH, see Wang WX et al. (2001) 211:293–298
- Dekker R, see Beukema JJ et al. (2001) 211:143–155
- de la Morinière EC, see Nagelkerken I et al. (2001) 214:225–235
- Delany J, see Jenkins SR et al. (2001) 217:207–217
- Dell'Anno A, see Danovaro R et al. (2001) 220:25–32
- Delmas D, see Labry C et al. (2001) 212:117–130
- De Robertis A, Eiane K, Rau GH (2001) Eat and run: anoxic feeding and subsequent aerobic recovery by *Orchomene obtusus* in Saanich Inlet, British Columbia, Canada. 219:221–227
- Desbruyères D, see Shillito B et al. (2001) 216:141–149
- Deslous-Paoli JM, see Mazouni N et al. (2001) 214:93–102
- Deslous-Paoli JM, see Souchu P et al. (2001) 218:141–152
- De Stasio BT, see Hansson S et al. (2001) 216:181–189
- De Troch M, Fiers F, Vincx M (2001) Alpha and beta diversity of harpacticoid copepods in a tropical seagrass bed: the relation between diversity and species' range size distribution. 215:225–236
- Deubert C, see Reay DS et al. (2001) 219:51–64
- DeYoe HR, see Kowalski JL et al. (2001) 220:131–136
- de Zwaan A, Cattani O, Vitali G, Cortesi P (2001) Influence of incubation conditions on the anoxic survival of marine bivalves. Static and semi-static incubations. 211:169–179
- Diaz F, Raimbault P, Boudjellal B, Garcia N, Moutin T (2001) Early spring phosphorus limitation of primary productivity in a NW Mediterranean coastal zone (Gulf of Lions). 211:51–62
- DiBacco C, Sutton D, McConnico L (2001) Vertical migration behavior and horizontal distribution of brachyuran larvae in a low-inflow estuary: implications for bay-ocean exchange. 217:191–206
- Dimlich WF, see Ward TM et al. (2001) 220:241–251

- Dippner JW, see Sirabella P et al. (2001) 216:213–222
- Dittmar T, Lara RJ (2001) Do mangroves rather than rivers provide nutrients to coastal environments south of the Amazon River? Evidence from long-term flux measurements. 213:67–77
- Dobretsov SV, Miron G (2001) Larval and post-larval vertical distribution of the mussel *Mytilus edulis* in the White Sea. 218:179–187
- Donnay JP, see Guinet C et al. (2001) 219:251–264
- Dortch Q, see Pan Y et al. (2001) 220:83–92
- Doucette GJ, see Pan Y et al. (2001) 220:83–92
- Dray T, see Paula J et al. (2001) 215:251–260
- Drews M, see Schmaljohann R et al. (2001) 211:27–42
- Duarte CM, see Enríquez S et al. (2001) 219:149–158
- Duarte CM, see Granata TC et al. (2001) 218:95–106
- Dubroca L, see Guinet C et al. (2001) 219:251–264
- Dudley BJ, Gahnström AME, Walker DI (2001) The role of benthic vegetation as a sink for elevated inputs of ammonium and nitrate in a mesotrophic estuary. 219:99–107
- Duhamel G, see Guinet C et al. (2001) 219:251–264
- Durbin EG, see Teegarden GJ et al. (2001) 218:213–226
- Durinck J, see Skov H (2001) 214:289–298
- Dye D, see Incze LS et al. (2001) 213:229–240

E

- Eagle JV, Jones GP, McCormick MI (2001) A multi-scale study of the relationships between habitat use and the distribution and abundance patterns of three coral reef angelfishes (Pomacanthidae). 214:253–265
- Edvardsen B, see Zapata M et al. (2001) 219:85–98
- Egge JK, see Svensen C et al. (2001) 217:67–80
- Eggleston DB, see Dahlgren CP (2001) 217:145–156
- Eiane K, see De Robertis A et al. (2001) 219:221–227
- Ellingsen KE (2001) Biodiversity of a continental shelf soft-sediment macrobenthos community. 218:1–15
- Ellis GM, see Culik BM et al. (2001) 211:255–260
- Ellis-Evans JC, see Reay DS et al. (2001) 219:51–64
- Elmgren R, see van de Bund WJ et al. (2001) 212:107–115
- Engel A, Passow U (2001) Carbon and nitrogen content of transparent exopolymer particles (TEP) in relation to their Alcan Blue adsorption. 219:1–10
- Enríquez S, Marbà N, Duarte CM, van Tussenbroek BI, Reyes-Zavala G (2001) Effects of seagrass *Thalassia testudinum* on sediment redox. 219:149–158
- Epifanio CE, see Marsh AG et al. (2001) 218:303–309
- Epifanio CE, see Natunewicz CC (2001) 212:217–222
- Esposito F, see Sgrosso S et al. (2001) 211:77–87
- Esposito F, see Turner JT et al. (2001) 220:187–199
- Essink K, see Beukema JJ et al. (2001) 211:143–155
- Estrada M, see Morán XAG (2001) 212:53–67

F

- Fabiano M, see Danovaro R et al. (2001) 220:25–32
- Fader GBJ, see Kostylev VE et al. (2001) 219:121–137
- Fanelli G, see Frascchetti S et al. (2001) 212:1–12
- Fano EA, see Mistri M et al. (2001) 215:289–296
- Faraj M, see Heil CA et al. (2001) 214:15–23
- Farbrot T, see Kristiansen S et al. (2001) 219:41–49
- Fenchel T (2001) Symposium proceedings—only a part of the problem. 211:307–308
- Fernández E, see Teira E et al. (2001) 219:65–83
- Ferrero T, see Lambshead PJD et al. (2001) 214:121–126

- Ferrier-Pagès C, Furla P (2001) Pico- and nanoplankton biomass and production in the two largest atoll lagoons of French Polynesia. 211:63–76
- Fiers F, see De Troch M et al. (2001) 215:225–236
- Fisher AT, see Beck NG et al. (2001) 217:43–58
- Fisher NS, see Baines SB (2001) 213:1–12
- Fisher R, see Bellwood DR (2001) 211:299–303
- Fisher WS, see Reinsel KA et al. (2001) 220:231–239
- Flinkman J, see Viitasalo M et al. (2001) 216:191–200
- Fong P, Kamer K, Boyer KE, Boyle KA (2001) Nutrient content of macroalgae with differing morphologies may indicate sources of nutrients for tropical marine systems. 220:137–152
- Fong P, see Kamer K (2001) 218:87–93
- Franks PJS, Jaffe JS (2001) Microscale distributions of phytoplankton: initial results from a two-dimensional imaging fluorometer, OSST. 220:59–72
- Fraschetti S, Bianchi CN, Terlizzi A, Fanelli G, Morri C, Boero F (2001) Spatial variability and human disturbance in shallow subtidal hard substrate assemblages: a regional approach. 212:1–12
- Fréchette M, see Alunno-Bruscia M et al. (2001) 219:177–188
- Freidenburg TL, see Van Alstyne KL et al. (2001) 213:53–65
- Frese AM, see Wonham MJ et al. (2001) 215:1–12
- Friedland KD, Walker RV, Davis ND, Myers KW, Boehlert GW, Urawa S, Ueno Y (2001) Open-ocean orientation and return migration routes of chum salmon based on temperature data from data storage tags. 216:235–252
- Froidon JM, see Labry C et al. (2001) 212:117–130
- Froneman PW, see Gurney LJ et al. (2001) 217:167–174
- Fujikura K, see Fujiwara Y et al. (2001) 214:151–159
- Fujiwara Y, Kato C, Masui N, Fujikura K, Kojima S (2001) Dual symbiosis in the cold-seep thyasirid clam *Maorithyas hadalis* from the hadal zone in the Japan Trench, western Pacific. 214:151–159
- Fukuchi M, see Chiba S et al. (2001) 216:95–108
- Furla P, see Ferrier-Pagès C (2001) 211:63–76
- Furuya K, see Ramaiah N et al. (2001) 212:79–88
- G**
- Gacia E, see Granata TC et al. (2001) 218:95–106
- Gademann R, see Ralph PJ et al. (2001) 220:163–168
- Gaertner JC, see Mazouni N et al. (2001) 214:93–102
- Gahnström AME, see Dudley BJ et al. (2001) 219:99–107
- Gaill F, see Shillito B et al. (2001) 216:141–149
- Galassi S, see Carnevali MDC et al. (2001) 215:155–167
- Galil BS, see Wonham MJ et al. (2001) 215:1–12
- Gallager SM, see von Herbing IH et al. (2001) 216:201–212
- Gambi MC, see Patti FP (2001) 215:169–177
- Garcés E, Masó M (2001) Phytoplankton potential growth rate versus increase in cell numbers: estimation of cell lysis. 212:297–300
- García N, see Diaz F et al. (2001) 211:51–62
- García-Cantizano J, see Casamayor EO et al. (2001) 215:49–56
- Gardner JPA, see Wear RG (2001) 218:63–76
- Garrabou J, Perez T, Sartoretto S, Harmelin JG (2001) Mass mortality event in red coral *Corallium rubrum* populations in the Provence region (France, NW Mediterranean). 217:263–272
- Garrido JL, see Zapata M et al. (2001) 219:85–98
- Gasith A, see Rilov G et al. (2001) 218:189–202
- Geider RJ, see Timmermans KR et al. (2001) 217:287–297
- Gerringa LJA, see Timmermans KR et al. (2001) 217:287–297
- Gibbons MJ, Buecher E (2001) Short-term variability in the assemblage of medusae and ctenophores following upwelling events in the southern Benguela ecosystem. 220:169–177
- Giere O (2001) The significance of symposium proceedings requires critical attention. 211:305–306
- Gili JM, see Coma R et al. (2001) 219:305–308
- Ginsburg DW, Paul VJ (2001) Chemical defenses in the sea hare *Aplysia parvula*: importance of diet and sequestration of algal secondary metabolites. 215:261–274
- Giuliani A, see Sirabella P et al. (2001) 216:213–222
- Cjertz I, see Lydersen C et al. (2001) 219:265–274
- Glas PS, see Reinsel KA et al. (2001) 220:231–239
- Glasby TM (2001) Development of sessile marine assemblages on fixed versus moving substrata. 215:37–47
- Glasby TM, Connell SD (2001) Orientation and position of substrata have large effects on epibiotic assemblages. 214:127–135
- Glibert PM, see Heil CA et al. (2001) 214:15–23
- Glover A, see Lambshead PJD et al. (2001) 214:121–126
- Gobler CJ, Sañudo-Wilhelmy SA (2001) Temporal variability of groundwater seepage and brown tide blooms in a Long Island embayment. 217:299–309
- Goldsworthy S, see Guinet C et al. (2001) 219:251–264
- Goldsworthy SD, He X, Tuck GN, Lewis M, Williams R (2001) Trophic interactions between the Patagonian toothfish, its fishery, and seals and seabirds around Macquarie Island. 218:283–302
- Gomez J, see Defeo O et al. (2001) 212:159–170
- González N, see Bode A et al. (2001) 214:43–54
- González N, see Marañoñ E et al. (2001) 216:43–56
- González R, see Barreiro R et al. (2001) 218:203–212
- Goody AJ, see Lambshead PJD et al. (2001) 214:121–126
- Gorbunov MY, see Lesser MP (2001) 212:69–77
- Gorokhova E, see Hansson S et al. (2001) 216:181–189
- Görs S, see Schumann R et al. (2001) 218:17–31
- Gosselin M, see Nozais C et al. (2001) 217:235–250
- Goutx M, see Van Wambeke F et al. (2001) 212:89–105
- Gowlett-Holmes K, see Koslow JA et al. (2001) 213:111–125
- Graham RT, see Heyman WD et al. (2001) 215:275–282
- Granata TC, Serra T, Colomer J, Casamitjana X, Duarte CM, Gacia E (2001) Flow and particle distributions in a nearshore seagrass meadow before and after a storm. 218:95–106
- Grémare A, see Medernach L et al. (2001) 214:55–65
- Griffin MPA, Valiela I (2001) $\delta^{15}\text{N}$ isotope studies of life history and trophic position of *Fundulus heteroclitus* and *Menidia menidia*. 214:299–305
- Guichard F, Bourget E, Robert JL (2001) Scaling the influence of topographic heterogeneity on intertidal benthic communities: alternate trajectories mediated by hydrodynamics and shading. 217:27–41
- Guinet C, Dubroca L, Lea MA, Goldsworthy S, Cherel Y, Duhamel G, Bonadonna F, Donnay JP (2001) Spatial distribution of foraging in female Antarctic fur seals *Arctocephalus gazella* in relation to oceanographic variables: a scale-dependent approach using geographic information systems. 219:251–264
- Gurney LJ, Froneman PW, Pakhomov EA, McQuaid CD (2001) Trophic positions of three euphausiid species from the Prince Edward Islands (Southern Ocean): implications for the pelagic food web structure. 217:167–174
- Gust N, Choat JH, McCormick MI (2001) Spatial variability in reef fish distribution, abundance, size and biomass: a multi-scale analysis. 214:237–251

H

- Halteman W, see von Herbing IH et al. (2001) 216:201–212
 Hansen PJ, see Schmidt LE (2001) 216:67–81
 Hansson S, De Stasio BT, Gorokhova E, Mohammadian MA (2001) Ratio-dependent functional responses—tests with the zooplanktivore *Mysis mixta*. 216:181–189
 Harmelin JG, see Garrabou J et al. (2001) 217:263–272
 Harris R, see Rey C et al. (2001) 216:151–165
 Hartnoll RG, see Jenkins SR et al. (2001) 211:193–203
 Hartnoll RG, see Jenkins SR et al. (2001) 217:207–217
 Hartnoll RG, see Oh CW et al. (2001) 214:211–223
 Hawkins SJ, see Jenkins SR et al. (2001) 211:193–203
 Hawkins SJ, see Jenkins SR et al. (2001) 217:207–217
 Hay ME, see Cruz-Rivera E (2001) 218:249–266
 Hayashi I, see Kojima S et al. (2001) 217:135–143
 He X, see Goldsworthy SD et al. (2001) 218:283–302
 Head R, see Rey C et al. (2001) 216:151–165
 Hebert D, see Incze LS et al. (2001) 213:229–240
 Heck KL Jr, see Aronson RB et al. (2001) 214:311–312
 Heck KL Jr, see Peterson BJ (2001) 213:143–155
 Heck KL Jr, see Peterson BJ (2001) 218:115–125
 Heikkilä N, see Jormalainen V et al. (2001) 220:219–230
 Heil CA, Glibert PM, Al-Sarawi MA, Faraj M, Behbehani M, Husain M (2001) First record of a fish-killing *Gymnodinium* sp. bloom in Kuwait Bay, Arabian Sea: chronology and potential causes. 214:15–23
 Heip C, Herman P, Middelburg J (2001) The coin has two sides. 211:308
 Helbling EW, Buma AGJ, de Boer MK, Villafañe VE (2001) *In situ* impact of solar ultraviolet radiation on photosynthesis and DNA in temperate marine phytoplankton. 211:43–49
 Herbland A, see Labry C et al. (2001) 212:117–130
 Herman P, see Heip C et al. (2001) 211:308
 Herman PMJ, see Dauwe B et al. (2001) 215:13–22
 Hertz J, see Ahrens MJ et al. (2001) 212:145–157
 Hewitt JE, see Norkko A et al. (2001) 212:131–144
 Heyman WD, Graham RT, Kjerfve B, Johannes RE (2001) Whale sharks *Rhincodon typus* aggregate to feed on fish spawn in Belize. 215:275–282
 Hicken C, see Van Alstyne KL et al. (2001) 213:53–65
 Hicks DW, Tunnell JW Jr, McMahon RF (2001) Population dynamics of the nonindigenous brown mussel *Perna perna* in the Gulf of Mexico compared to other worldwide populations. 211:181–192
 Hirche HJ, Brey T, Niehoff B (2001) A high-frequency time series at Ocean Weather Ship Station M (Norwegian Sea): population dynamics of *Calanus finmarchicus*. 219:205–219
 Hoedt F, see Ward TM et al. (2001) 220:241–251
 Holliday DV, see Roman MR et al. (2001) 213:215–227
 Holliday NP, see Reid PC et al. (2001) 215:283–287
 Holligan PM, see Lucas CH et al. (2001) 212:39–52
 Holligan PM, see Marañón E et al. (2001) 216:43–56
 Holmes SP, Sturgess CJ, Cherrill A, Davies MS (2001) Shell wiping in *Calliostoma zizyphinum*: the use of pedal mucus as a provendering agent and its contribution to daily energetic requirements. 212:171–181
 Honkanen T, see Jormalainen V et al. (2001) 220:219–230
 Horstmann U, see Soria-Dengg S et al. (2001) 220:73–82
 Hosie GW, see Chiba S et al. (2001) 216:95–108
 Hoyer K, Karsten U, Sawall T, Wiencke C (2001) Photoprotective substances in Antarctic macroalgae and their variation with respect to depth distribution, different tissues and developmental stages. 211:117–129
 Hu Q, see Solow A et al. (2001) 216:309–311

- Huang W, see Mortazavi B et al. (2001) 214:79–91
 Hughes RN, see Coma R et al. (2001) 219:305–308
 Hume T, see Norkko A et al. (2001) 212:131–144
 Hunt HL, Scheibling RE (2001) Predicting wave dislodgment of mussels: variation in attachment strength with body size, habitat, and season. 213:157–164
 Husain M, see Heil CA et al. (2001) 214:15–23
 Hutchinson N, Williams GA (2001) Spatio-temporal variation in recruitment on a seasonal, tropical rocky shore: the importance of local versus non-local processes. 215:57–68
 Hyder K, see Jenkins SR et al. (2001) 217:207–217
 Hydes DJ, see Kelly-Gerreyn BA et al. (2001) 220:33–46
 Hyrenbach KD (2001) Albatross response to survey vessels: implications for studies of the distribution, abundance, and prey consumption of seabird populations. 212:283–295

I

- Ianora A, see Turner JT et al. (2001) 220:187–199
 Ibañez F, see Beaugrand G et al. (2001) 219:189–203
 Ichihara S, see Tsutsumi H et al. (2001) 216:119–127
 Imbs AB, see Kharlamenko VI et al. (2001) 220:103–117
 Imhoff JF, see Schmaljohann R et al. (2001) 211:27–42
 Incze LS, Hebert D, Wolff N, Oakey N, Dye D (2001) Changes in copepod distributions associated with increased turbulence from wind stress. 213:229–240
 Irigoien X, see Rey C et al. (2001) 216:151–165
 Ishimaru T, see Chiba S et al. (2001) 216:95–108
 Itoh T, see Rooper JR et al. (2001) 218:275–282
 Iverson RL, see Mortazavi B et al. (2001) 214:79–91
 Izsak C, Price ARG (2001) Measuring β -diversity using a taxonomic similarity index, and its relation to spatial scale. 215:69–77

J

- Jackson CJ, Rothlisberg PC, Pendrey RC (2001) Role of larval distribution and abundance in overall life-history dynamics: a study of the prawn *Penaeus semisulcatus* in Albatross Bay, Gulf of Carpentaria, Australia. 213:241–252
 Jackson G, see Ward TM et al. (2001) 220:241–251
 Jackson GD, Moltchanivskyj NA (2001) Temporal variation in growth rates and reproductive parameters in the small near-shore tropical squid *Lololus noctiluca*; is cooler better? 218:167–177
 Jackson GD, see Phillips KL et al. (2001) 215:179–189
 Jacobs SS, see Wilson PR et al. (2001) 213:301–309
 Jaffe JS, see Franks PJS (2001) 220:59–72
 Jakobsen HH (2001) Escape response of planktonic protists to fluid mechanical signals. 214:67–78
 Janowitz GS, see Liu G et al. (2001) 213:13–37
 Jebreen EJ, see Counihan RT et al. (2001) 213:193–202
 Jegou AM, see Labry C et al. (2001) 212:117–130
 Jellyman DJ, see Marui M et al. (2001) 213:273–284
 Jellyman DJ, see Shiao JC et al. (2001) 219:241–250
 Jenkins SR, Åberg P, Cervin G, Coleman RA, Delany J, Hawkins SJ, Hyder K, Myers AA, Paula J, Power AM, Range P, Hartnoll RG (2001) Population dynamics of the intertidal barnacle *Semibalanus balanoides* at three European locations: spatial scales of variability. 217:207–217
 Jenkins SR, Arenas F, Arrontes J, Bussell J, Castro J, Coleman RA, Hawkins SJ, Kay S, Martínez B, Oliveros J, Roberts MF, Sousa S, Thompson RC, Hartnoll RG (2001) European-scale analysis of seasonal variability in limpet grazing activity and microalgal abundance. 211:193–203

- Jenkins SR, Beukers-Stewart BD, Brand AR (2001) Impact of scallop dredging on benthic megafauna: a comparison of damage levels in captured and non-captured organisms. 215:297–301
- Jennings R, see Ó Foighil D et al. (2001) 213:165–175
- Jennings S, Pinnegar JK, Polunin NVC, Warr KJ (2001) Impacts of trawling disturbance on the trophic structure of benthic invertebrate communities. 213:127–142
- Jensen JN, see Rumohr H et al. (2001) 214:103–110
- Jeong HJ, Kang H, Shim JH, Park JK, Kim JS, Song JY, Choi HJ (2001) Interactions among the toxic dinoflagellate *Amphidinium carterae*, the heterotrophic dinoflagellate *Oxyrrhis marina*, and the calanoid copepods *Acartia* spp. 218:77–86
- Job SD, Shand J (2001) Spectral sensitivity of larval and juvenile coral reef fishes: implications for feeding in a variable light environment. 214:267–277
- Johannes RE, see Heyman WD et al. (2001) 215:275–282
- Johansson M, see Broglio E et al. (2001) 220:179–186
- Johnson CR, see Counihan RT et al. (2001) 213:193–202
- Johnson MP (2001) Metapopulation dynamics of *Tigriopus brevicornis* (Harpacticoida) in intertidal rock pools. 211:215–224
- Johnston IA, Vieira VLA, Temple GK (2001) Functional consequences and population differences in the developmental plasticity of muscle to temperature in Atlantic herring *Clupea harengus*. 213:285–300
- Jollivet D, see Shillito B et al. (2001) 216:141–149
- Jones GP, see Eagle JV et al. (2001) 214:253–265
- Jones K, see Ward TM et al. (2001) 220:241–251
- Jonsson PR, see Broglio E et al. (2001) 220:179–186
- Jormalainen V, Honkanen T, Heikkilä N (2001) Feeding preferences and performance of a marine isopod on seaweed hosts: cost of habitat specialization. 220:219–230
- Juanes F, Buckel JA, Scharf FS (2001) Predatory behaviour and selectivity of a primary piscivore: comparison of fish and non-fish prey. 217:157–165
- K**
- Kaehler S, Pakhomov EA (2001) Effects of storage and preservation on the $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ signatures of selected marine organisms. 219:299–304
- Kaga S, see Sekiguchi K et al. (2001) 220:213–218
- Kaldy JE, see Kowalski JL et al. (2001) 220:131–136
- Kamer K, Fong P (2001) Nitrogen enrichment ameliorates the negative effects of reduced salinity on the green macroalga *Enteromorpha intestinalis*. 218:87–93
- Kamer K, see Fong P et al. (2001) 220:137–152
- Kamykowski D, see Liu G et al. (2001) 213:13–37
- Kaneko T, see Sasai S et al. (2001) 212:305–310
- Kang H, see Jeong HJ et al. (2001) 218:77–86
- Karakassis I, see Rumohr H et al. (2001) 214:103–110
- Karsten U, see Hoyer K et al. (2001) 211:117–129
- Kato C, see Fujiwara Y et al. (2001) 214:151–159
- Kawamata S (2001) Adaptive mechanical tolerance and dislodgement velocity of the kelp *Laminaria japonica* in wave-induced water motion. 211:89–104
- Kay S, see Jenkins SR et al. (2001) 211:193–203
- Kelly-Gerreyn BA, Trimmer M, Hydes DJ (2001) A diagenetic model discriminating denitrification and dissimilatory nitrate reduction to ammonium in a temperate estuarine sediment. 220:33–46
- Kevekorde K (2001) Toxicity tests using developmental stages of *Hormosira banksii* (Phaeophyta) identify ammonium as a damaging component of secondary treated sewage effluent discharged into Bass Strait, Victoria, Australia. 219:139–148
- Kharlamenko VI, Kiyashko SI, Imbs AB, Vyshkvartzev DI (2001) Identification of food sources of invertebrates from the seagrass *Zostera marina* community using carbon and sulfur stable isotope ratio and fatty acid analyses. 220:103–117
- Kim JS, see Jeong HJ et al. (2001) 218:77–86
- Kimura S, see Kitagawa T et al. (2001) 220:253–263
- King CK, Riddle MJ (2001) Effects of metal contaminants on the development of the common Antarctic sea urchin *Sterechinus neumayeri* and comparisons of sensitivity with tropical and temperate echinoids. 215:143–154
- Kjørboe T, Ploug H, Thygesen UH (2001) Fluid motion and solute distribution around sinking aggregates. I. Small-scale fluxes and heterogeneity of nutrients in the pelagic environment. 211:1–13
- Kjørboe T, Thygesen UH (2001) Fluid motion and solute distribution around sinking aggregates. II. Implications for remote detection by colonizing zooplankters. 211:15–25
- Kitagawa T, Nakata H, Kimura S, Tsuji S (2001) Thermoconservation mechanisms inferred from peritoneal cavity temperature in free-swimming Pacific bluefin tuna *Thunnus thynnus orientalis*. 220:253–263
- Kiyashko SI, see Kharlamenko VI et al. (2001) 220:103–117
- Kjerfve B, see Heyman WD et al. (2001) 215:275–282
- Klages NTW, see Nel DC et al. (2001) 217:15–26
- Kleijnen S, see Nagelkerken I et al. (2001) 214:225–235
- Klop T, see Nagelkerken I et al. (2001) 214:225–235
- Koch MS, Madden CJ (2001) Patterns of primary production and nutrient availability in a Bahamas lagoon with fringing mangroves. 219:109–119
- Kodama M, see Sekiguchi K et al. (2001) 220:213–218
- Kogure K, see Tsutsumi H et al. (2001) 216:119–127
- Koh CH, see Lee JS et al. (2001) 216:129–140
- Kohrs DG, see Zimmerman RC et al. (2001) 218:127–140
- Koike I, see Miyajima T et al. (2001) 217:273–286
- Kojima S, Segawa R, Hayashi I, Okiyama M (2001) Phylogeography of a deep-sea demersal fish, *Bothrocara hollandi*, in the Japan Sea. 217:135–143
- Kojima S, see Fujiwara Y et al. (2001) 214:151–159
- Koranteng KA (2001) Structure and dynamics of demersal assemblages on the continental shelf and upper slope off Ghana, West Africa. 220:1–12
- Korb RE, see Poeschel CM (2001) 218:107–114
- Koschinski S, see Culik BM et al. (2001) 211:255–260
- Koslow JA, Gowlett-Holmes K, Lowry JK, O'Hara T, Poore GCB, Williams A (2001) Seamount benthic macrofauna off southern Tasmania: community structure and impacts of trawling. 213:111–125
- Koslow JA, see Williams A et al. (2001) 212:247–263
- Köster M, Meyer-Reil LA (2001) Characterization of carbon and microbial biomass pools in shallow water coastal sediments of the southern Baltic Sea (Nordreugensche Bodden). 214:25–41
- Kostylev VE, Todd BJ, Fader GBJ, Courtney RC, Cameron GDM, Pickrill RA (2001) Benthic habitat mapping on the Scotian Shelf based on multibeam bathymetry, surficial geology and sea floor photographs. 219:121–137
- Kovacs KM, see Lydersen C et al. (2001) 219:265–274
- Kowalski JL, DeYoe HR, Allison TC, Kaldy JE (2001) Productivity estimation in *Halodule wrightii*: comparison of leaf-clipping and leaf-marking techniques, and the importance of clip height. 220:131–136
- Kremp A (2001) Effects of cyst resuspension on germination and seeding of two bloom-forming dinoflagellates in the Baltic Sea. 216:57–66

- Kristiansen S, Farbrot T, Naustvoll LJ (2001) Spring bloom nutrient dynamics in the Oslofjord. 219:41–49
 Krug PJ (2001) Bet-hedging dispersal strategy of a specialist marine herbivore: a settlement dimorphism among sibling larvae of *Alderia modesta*. 213:177–192
 Kuffner IB (2001) Effects of ultraviolet (UV) radiation on larval settlement of the reef coral *Pocillopora damicornis*. 217:251–261
 Kunzmann A, see Zimmermann C (2001) 219:229–239

L

- Laabir M, see Turner JT et al. (2001) 220:187–199
 Laborde P, see Labry C et al. (2001) 212:117–130
 Labry C, Herbland A, Delmas D, Laborde P, Lazure P, Froidefond JM, Jegou AM, Sautour B (2001) Initiation of winter phytoplankton blooms within the Gironde plume waters in the Bay of Biscay. 212:117–130
 Lacouture RV, see Sellner KG et al. (2001) 220:93–102
 Lallier F, see Shillito B et al. (2001) 216:141–149
 Lamare MD, Barker MF (2001) Settlement and recruitment of the New Zealand sea urchin *Evechinus chloroticus*. 218:153–166
 Lamshead PJD, Tietjen J, Glover A, Ferrero T, Thistle D, Gooday AJ (2001) Impact of large-scale natural physical disturbance on the diversity of deep-sea North Atlantic nematodes. 214:121–126
 Lammers MO, see Benoit-Bird KJ et al. (2001) 217:1–14
 Lamoureux EM, see Ahrens MJ et al. (2001) 212:145–157
 Lampman GG, Caraco NF, Cole JJ (2001) A method for the measurement of particulate C and P on the same filtered sample. 217:59–65
 Landrein S, see Souchu P et al. (2001) 218:141–152
 Langdon C, see Marubini F et al. (2001) 220:153–162
 Lapolla AE (2001) Bay anchovy *Anchoa mitchilli* in Narragansett Bay, Rhode Island. I. Population structure, growth and mortality. 217:93–102
 Lapolla AE (2001) Bay anchovy *Anchoa mitchilli* in Narragansett Bay, Rhode Island. II. Spawning season, hatch-date distribution and young-of-the-year growth. 217:103–109
 Lara RJ, see Dittmar T (2001) 213:67–77
 Larkum AWD, see Ralph PJ et al. (2001) 220:163–168
 Lass S, Tarling GA, Virtue P, Matthews JBL, Mayzaud P, Buchholz F (2001) On the food of northern krill *Meganyctiphanes norvegica* in relation to its vertical distribution. 214:177–200
 Last PR, see Williams A et al. (2001) 212:247–263
 Lazure P, see Labry C et al. (2001) 212:117–130
 Lea MA, see Guinet C et al. (2001) 219:251–264
 Lee BG, see Lee JS et al. (2001) 216:129–140
 Lee JS, Lee BG, Yoo H, Koh CH, Luoma SN (2001) Influence of reactive sulfide (AVS) and supplementary food on Ag, Cd and Zn bioaccumulation in the marine polychaete *Neanthes arenaceodentata*. 216:129–140
 Leising AW (2001) Copepod foraging in patchy habitats and thin layers using a 2-D individual-based model. 216:167–179
 Lercari D, see Defeo O et al. (2001) 212:159–170
 Lesser MP, Gorbunov MY (2001) Diurnal and bathymetric changes in chlorophyll fluorescence yields of reef corals measured *in situ* with a fast repetition rate fluorometer. 212:69–77
 Lewis M, see Goldsworthy SD et al. (2001) 218:283–302
 Liebbezeit G (2001) Symposium proceedings: is quality community-size-related? 211:308–309

- Limbong D, see Arai T et al. (2001) 216:253–264
 Lindegarh M, Åberg P, Cervin G, Nilsson PG (2001) Effects of grazing on the structure of mid-shore, intertidal assemblages on moderately exposed rocky shores of the Swedish west coast. 212:29–38
 Lindley JA, see Beaugrand G et al. (2001) 219:189–203
 Linke P, see Schmaljohann R et al. (2001) 211:27–42
 Lisbjerg D, Petersen JK (2001) Feeding activity, retention efficiency, and effects of temperature and particle concentration on clearance rate in the marine bryozoan *Electra crustulenta*. 215:133–141
 Liu G, Janowitz GS, Kamykowski D (2001) Influence of environmental nutrient conditions on *Gymnodinium breve* (Dinophyceae) population dynamics: a numerical study. 213:13–37
 Lochte K, see Wasmund N et al. (2001) 214:1–14
 Lopez GR, see Ahrens MJ et al. (2001) 212:145–157
 Lowry JK, see Koslow JA et al. (2001) 213:111–125
 Lucas CH, Banham C, Holligan PM (2001) Benthic-pelagic exchange of microalgae at a tidal flat. 2. Taxonomic analysis. 212:39–52
 Luoma SN, see Lee JS et al. (2001) 216:129–140
 Lutjeharms JRE, see Nel DC et al. (2001) 217:15–26
 Lydersen C, Martin AR, Kovacs KM, Gjert I (2001) Summer and autumn movements of white whales *Delphinapterus leucas* in Svalbard, Norway. 219:265–274

M

- Madden CJ, see Koch MS (2001) 219:109–119
 Maestro MA, see Zapata M et al. (2001) 219:85–98
 Magnien RE, see Sellner KG et al. (2001) 220:93–102
 Manderson JP, see Stoner AW et al. (2001) 213:253–271
 Manríquez PH, Castilla JC (2001) Significance of marine protected areas in central Chile as seeding grounds for the gastropod *Concholepas concholepas*. 215:201–211
 Manzanera M, see Alcoverro T et al. (2001) 211:105–116
 Marañón E, Holligan PM, Barciela R, González N, Mourão B, Pazó MJ, Varela M (2001) Patterns of phytoplankton size structure and productivity in contrasting open-ocean environments. 216:43–56
 Marbà N, see Enríquez S et al. (2001) 219:149–158
 Marques da Silva J, see Seródio J et al. (2001) 218:45–61
 Marsh AG, Cohen S, Epifanio CE (2001) Larval energy metabolism and physiological variability in the Asian shore crab *Hemigrapsus sanguineus*. 218:303–309
 Martin AR, see Lydersen C et al. (2001) 219:265–274
 Martínez B, see Jenkins SR et al. (2001) 211:193–203
 Marubini F, Barnett H, Langdon C, Atkinson MJ (2001) Dependence of calcification on light and carbonate ion concentration for the hermatypic coral *Porites compressa*. 200:153–162
 Marui M, Arai T, Miller MJ, Jellyman DJ, Tsukamoto K (2001) Comparison of early life history between New Zealand temperate eels and Pacific tropical eels revealed by otolith microstructure and microchemistry. 213:273–284
 Marui M, see Sugeha HY et al. (2001) 220:291–294
 Mas J, see Casamayor EO et al. (2001) 215:49–56
 Masó M, see Garcés E (2001) 212:297–300
 Massutí E, see Cartes JE et al. (2001) 215:23–35
 Masui N, see Fujiwara Y et al. (2001) 214:151–159
 Matthews JBL, see Lass S et al. (2001) 214:177–200
 Maynou F, see Cartes JE (2001) 211:225–234
 Maynou F, see Cartes JE et al. (2001) 215:23–35
 Mayzaud P, see Lass S et al. (2001) 214:177–200

- Mazouni N, Gaertner JC, Deslous-Paoli JM (2001) Composition of biofouling communities on suspended oyster cultures: an *in situ* study of their interactions with the water column. 214:93–102
- McConnico L, see DiBacco C et al. (2001) 217:191–206
- McCormick MI, see Eagle JV et al. (2001) 214:253–265
- McCormick MI, see Gust N et al. (2001) 214:237–251
- McElroy AE, see Ahrens MJ et al. (2001) 212:145–157
- McGlathery KJ, Anderson IC, Tyler AC (2001) Magnitude and variability of benthic and pelagic metabolism in a temperate coastal lagoon. 216:1–15
- McKindsey CW, Bourget E (2001) Body size and spatial variation of community structure in subarctic intertidal boulder fields. 216:17–30
- McLeay L, see Ward TM et al. (2001) 220:241–251
- McMahon RF, see Hicks DW et al. (2001) 211:181–192
- McNamara DC, see Counihan RT et al. (2001) 213:193–202
- McQuaid CD, see Gurney LJ et al. (2001) 217:167–174
- Medernach L, Grémare A, Amouroux JM, Colomines JC, Vétion G (2001) Temporal changes in the amino acid contents of particulate organic matter sedimenting in the Bay of Banyuls-sur-Mer (northwestern Mediterranean). 214:55–65
- Meekan MG, Ackerman JL, Wellington GM (2001) Demography and age structures of coral reef damselfishes in the tropical eastern Pacific Ocean. 212:223–232
- Meeuwig JJ, see deBruyn AMH (2001) 214:307–310
- Meidel SK, Scheibling RE (2001) Variation in egg spawning among subpopulations of sea urchins *Strongylocentrotus droebachiensis*: a theoretical approach. 213:97–110
- Merriwether DA, see Ó Foighil D et al. (2001) 213:165–175
- Meyer-Reil LA, see Köster M (2001) 214:25–41
- Michaelis H, see Beukema JJ et al. (2001) 211:143–155
- Michel C, see Nozais C et al. (2001) 217:235–250
- Middelburg J, see Heip C et al. (2001) 211:308
- Middelburg JJ, see Dauwe B et al. (2001) 215:13–22
- Miller MJ, see Marui M et al. (2001) 213:273–284
- Miller MJ, see Sasai S et al. (2001) 212:305–310
- Miralto A, see Turner JT et al. (2001) 220:187–199
- Miron G, see Dobretsov SV (2001) 218:179–187
- Mistri M, Fano EA, Rossi R (2001) Redundancy of macrobenthos from lagoonal habitats in the Adriatic Sea. 215:289–296
- Miyajima T, Suzumura M, Umezawa Y, Koike I (2001) Microbiological nitrogen transformation in carbonate sediments of a coral-reef lagoon and associated seagrass beds. 217:273–286
- Modig H, see van de Bund WJ et al. (2001) 212:107–115
- Moeller PDR, see Pan Y et al. (2001) 220:83–92
- Mohammadian MA, see Hansson S et al. (2001) 216:181–189
- Moltschaniwskyj NA, see Jackson GD (2001) 218:167–177
- Moncreiff CA, Sullivan MJ (2001) Trophic importance of epiphytic algae in subtropical seagrass beds: evidence from multiple stable isotope analyses. 215:93–106
- Montani S, see Tsutsumi H et al. (2001) 216:119–127
- Montresor M, see Sgroso S et al. (2001) 211:77–87
- Morales-Nin B, see Cartes JE et al. (2001) 215:23–35
- Morales-Nin B, see Polunin ANVC et al. (2001) 220:13–23
- Morán XAG, Estrada M (2001) Short-term variability of photosynthetic parameters and particulate and dissolved primary production in the Alboran Sea (SW Mediterranean). 212:53–67
- Moranta J, see Cartes JE et al. (2001) 215:23–35
- Moranta J, see Polunin ANVC et al. (2001) 220:13–23
- Morgan MJ, see Swain DP (2001) 212:233–246
- Morri C, see Fraschetti S et al. (2001) 212:1–12
- Mortazavi B, Iverson RL, Huang W (2001) Dissolved organic nitrogen and nitrate in Apalachicola Bay, Florida: spatial distributions and monthly budgets. 214:79–91
- Moschella PS, see Benedetti-Cecchi L et al. (2001) 214:137–150
- Mouriño B, see Marañón E et al. (2001) 216:43–56
- Moutin T, see Diaz F et al. (2001) 211:51–62
- Murphy EJ, Reid K (2001) Modelling Southern Ocean krill population dynamics: biological processes generating fluctuations in the South Georgia ecosystem. 217:175–189
- Myers AA, see Jenkins SR et al. (2001) 217:207–217
- Myers KW, see Friedland KD et al. (2001) 216:235–252

N

- Nagelkerken I, Kleijnen S, Klop T, van den Brand RACJ, de la Morinière EC, van der Velde G (2001) Dependence of Caribbean reef fishes on mangroves and seagrass beds as nursery habitats: a comparison of fish faunas between bays with and without mangroves/seagrass beds. 214:225–235
- Nakamura T, van Woesik R (2001) Water-flow rates and passive diffusion partially explain differential survival of corals during the 1998 bleaching event. 212:301–304
- Nakata H, see Kitagawa T et al. (2001) 220:253–263
- Nash RDM, see Oh CW et al. (2001) 214:211–223
- Natunewicz CC, Epifanio CE (2001) Spatial and temporal scales of patches of crab larvae in coastal waters. 212:217–222
- Naustvoll LJ, see Kristiansen S et al. (2001) 219:41–49
- Nedwell DB, see Reay DS et al. (2001) 219:51–64
- Neill A, see Van Alstyne KL et al. (2001) 213:53–65
- Nel DC, Lutjeharms JRE, Pakhomov EA, Ansorge IJ, Ryan PG, Klages NTW (2001) Exploitation of mesoscale oceanographic features by grey-headed albatross *Thalassarche chrysostoma* in the southern Indian Ocean. 217:15–26
- Nichols PD, see Phillips KL et al. (2001) 215:179–189
- Niehoff B, see Hirche HJ et al. (2001) 219:205–219
- Nielsen K, Risgaard-Petersen N, Sømod B, Rysgaard S, Bergø T (2001) Nitrogen and phosphorus retention estimated independently by flux measurements and dynamic modelling in the estuary, Randers Fjord, Denmark. 219:25–40
- Nilsson PG, see Lindegarth M et al. (2001) 212:29–38
- Nishimura M, see Urakawa H et al. (2001) 220:47–57
- Nojima S, see Tioho H et al. (2001) 213:79–86
- Norkko A, Cummings VJ, Thrush SF, Hewitt JE, Hume T (2001) Local dispersal of juvenile bivalves: implications for sandflat ecology. 212:131–144
- Nozais C, Gosselin M, Michel C, Tita G (2001) Abundance, biomass, composition and grazing impact of the sea-ice meiofauna in the North Water, northern Baffin Bay. 217:235–250
- Nur N, see Wilson PR et al. (2001) 213:301–309

O

- Oakey N, see Incze LS et al. (2001) 213:229–240
- O'Clair CE, see Stone RP (2001) 214:167–176
- Oedekoven CS, Ainley DG, Spear LB (2001) Variable responses of seabirds to change in marine climate: California Current, 1985–1994. 212:265–281
- Ó Foighil D, Jennings R, Park JK, Merriwether DA (2001) Phylogenetic relationships of mid-oceanic ridge and continental lineages of *Lasaea* spp. (Mollusca: Bivalvia) in the northeastern Atlantic. 213:165–175

- Ogata T, see Sekiguchi K et al. (2001) 220:213–218
 O'Hara T, see Koslow JA et al. (2001) 213:111–125
 Oh CW, Hartnoll RG, Nash RDM (2001) Feeding ecology of the common shrimp *Crangon crangon* in Port Erin Bay, Isle of Man, Irish Sea. 214:211–223
 Ohwada K, see Urakawa H et al. (2001) 220:47–57
 Ojeda FP, see Angel A (2001) 217:81–91
 Okiyama M, see Kojima S et al. (2001) 217:135–143
 Olabarria C, Chapman MG (2001) Comparison of patterns of spatial variation of microgastropods between two contrasting intertidal habitats. 220:201–211
 Ólafsson E, see van de Bund WJ et al. (2001) 212:107–115
 Olivar MP, Salat J, Palomera I (2001) Comparative study of spatial distribution patterns of the early stages of anchovy and pilchard in the NW Mediterranean Sea. 217:111–120
 Oliveros J, see Jenkins SR et al. (2001) 211:193–203
 Olla BL, see Sogard SM (2001) 217:121–134
 Olli K, Seppälä J (2001) Vertical niche separation of phytoplankton: large-scale mesocosm experiments. 217:219–233
 Otake T, see Arai T et al. (2001) 216:253–264

P

- Pagola-Carte S, Saiz-Salinas JI (2001) Changes in the sublittoral faunal biomass induced by the discharge of a polluted river along the adjacent rocky coast (N. Spain). 212:13–27
 Pakhomov EA, see Gurney LJ et al. (2001) 217:167–174
 Pakhomov EA, see Kaehler S (2001) 219:299–304
 Pakhomov EA, see Nel DC et al. (2001) 217:15–26
 Palomera I, see Olivar MP et al. (2001) 217:111–120
 Pan Y, Parsons ML, Busman M, Moeller PDR, Dortch Q, Powell CL, Doucette GJ (2001) *Pseudo-nitzschia* sp. cf. *pseudodelicatissima*—a confirmed producer of domoic acid from the northern Gulf of Mexico. 220:83–92
 Pannacciulli F, see Benedetti-Cecchi L et al. (2001) 214:137–150
 Park JK, see Jeong HJ et al. (2001) 218:77–86
 Park JK, see Ó Foighil D et al. (2001) 213:165–175
 Park MG, see Cho BC et al. (2001) 216:31–41
 Parrish JD, see DeFelice RC (2001) 215:121–131
 Parslow-Williams PJ, Atkinson RJA, Taylor AC (2001) Nucleic acids as indicators of nutritional condition in the Norway lobster *Nephrops norvegicus*. 211:235–243
 Parsons ML, see Pan Y et al. (2001) 220:83–92
 Passow U, see Engel A (2001) 219:1–10
 Patruno M, see Carnevali MDC et al. (2001) 215:155–167
 Patti FP, Gambi MC (2001) Phylogeography of the invasive polychaete *Sabella spallanzanii* (Sabellidae) based on the nucleotide sequence of internal transcribed spacer 2 (ITS2) of nuclear rDNA. 215:169–177
 Paul VJ, see Ginsburg DW (2001) 215:261–274
 Paula J, Dray T, Queiroga H (2001) Interaction of offshore and inshore processes controlling settlement of brachyuran megalopae in Saco mangrove creek, Inhaca Island (South Mozambique). 215:251–260
 Paula J, see Jenkins SR et al. (2001) 217:207–217
 Pawsey WE, see Polunin ANVC et al. (2001) 220:13–23
 Pazó MJ, see Marañón E et al. (2001) 216:43–56
 Peck LS, see Brockington S (2001) 219:159–168
 Peck LS, see Powell DK et al. (2001) 215:191–200
 Pedrós-Alió C, see Casamayor EO et al. (2001) 215:49–56
 Pendrey RC, see Jackson CJ et al. (2001) 213:241–252
 Perez T, see Garrabou J et al. (2001) 217:263–272

- Pessutti JP, see Stoner AW et al. (2001) 213:253–271
 Petersen JK, see Lisbjerg D (2001) 215:133–141
 Peterson BJ, Heck KL Jr (2001) An experimental test of the mechanism by which suspension feeding bivalves elevate seagrass productivity. 218:115–125
 Peterson BJ, Heck KL Jr (2001) Positive interactions between suspension-feeding bivalves and seagrass—a facultative mutualism. 213:143–155
 Phillips KL, Jackson GD, Nichols PD (2001) Predation on myctophids by the squid *Moroteuthis ingens* around Macquarie and Heard Islands: stomach contents and fatty acid analyses. 215:179–189
 Pickrill RA, see Kostylev VE et al. (2001) 219:121–137
 Pinnegar JK, see Jennings S et al. (2001) 213:127–142
 Pinnegar JK, see Polunin ANVC et al. (2001) 220:13–23
 Ploug H, see Kiørboe T et al. (2001) 211:1–13
 Poggiale JC, Dauvin JC (2001) Long-term dynamics of three benthic *Ampelisca* (Crustacea-Amphipoda) populations from the Bay of Morlaix (western English Channel) related to their disappearance after the 'Amoco Cadiz' oil spill. 214:201–209
 Polunin ANVC, Morales-Nin B, Pawsey WE, Cartes JE, Pinnegar JK, Moranta J (2001) Feeding relationships in Mediterranean bathyal assemblages elucidated by stable nitrogen and carbon isotope data. 220:13–23
 Polunin ANVC, see Jennings S et al. (2001) 213:127–142
 Poore GCB, see Koslow JA et al. (2001) 213:111–125
 Poulin R, Rate SR (2001) Small-scale spatial heterogeneity in infection levels by symbionts of the amphipod *Talorchestia quoyana* (Talitridae). 212:211–216
 Powell CL, see Pan Y et al. (2001) 220:83–92
 Powell DK, Tyler PA, Peck LS (2001) Effect of sperm concentration and sperm ageing on fertilisation success in the Antarctic soft-shelled clam *Laternula elliptica* and the Antarctic limpet *Nacella concinna*. 215:191–200
 Power AM, see Jenkins SR et al. (2001) 217:207–217
 Pratchett MS (2001) Influence of coral symbionts on feeding preferences of crown-of-thorns starfish *Acanthaster planci* in the western Pacific. 214:111–119
 Preston NP, see Counihan RT et al. (2001) 213:193–202
 Price ARG, see Izsak C (2001) 215:69–77
 Priddle J, see Atkinson A et al. (2001) 216:279–308
 Priddle J, see Reay DS et al. (2001) 219:51–64
 Prins E, see Skov H (2001) 214:279–287
 Pritchard MK, see Reinsel KA et al. (2001) 220:231–239
 Poeschel CM, Korb RE (2001) Storage of nitrogen in the form of protein bodies in the kelp *Laminaria solidungula*. 218:107–114
 Purdie DA, see Shaw PJ (2001) 216:83–94

Q

- Queiroga H, see Paula J et al. (2001) 215:251–260
 Quilliam MA, see Bauder AG et al. (2001) 213:39–52
 Quintela M, see Barreiro R et al. (2001) 218:203–212

R

- Raimbault P, see Diaz F et al. (2001) 211:51–62
 Rainbow PS, Wang WX (2001) Comparative assimilation of Cd, Cr, Se, and Zn by the barnacle *Elminius modestus* from phytoplankton and zooplankton diets. 218:239–248
 Ralph PJ, Gademann R, Larkum AWD (2001) Zooxanthellae expelled from bleached corals at 33°C are photosynthetically competent. 220:163–168

- Ramaiah N, Yoshikawa T, Furuya K (2001) Temporal variations in transparent exopolymer particles (TEP) associated with a diatom spring bloom in a subarctic ria in Japan. 212:79–88
- Range P, see Jenkins SR et al. (2001) 217:207–217
- Rate SR, see Poulin R (2001) 212:211–216
- Rau GH, see De Robertis A et al. (2001) 219:221–227
- Rayburn JR, see Reinsel KA et al. (2001) 220:231–239
- Reay DS, Priddle J, Nedwell DB, Whitehouse MJ, Ellis-Evans JC, Deubert C, Connelly DP (2001) Regulation by low temperature of phytoplankton growth and nutrient uptake in the Southern Ocean. 219:51–64
- Rebstock GA (2001) Long-term stability of species composition in calanoid copepods off southern California. 215:213–224
- Reid K, see Murphy EJ (2001) 217:175–189
- Reid PC, Holliday NP, Smyth TJ (2001) Pulses in the eastern margin current and warmer water off the north west European shelf linked to North Sea ecosystem changes. 215:283–287
- Reinsel KA, Glas PS, Rayburn JR, Pritchard MK, Fisher WS (2001) Effects of food availability on survival, growth, and reproduction of the grass shrimp *Palaemonetes pugio*: a laboratory study. 220:231–239
- Reissbrodt R, see Soria-Dengg S et al. (2001) 220:73–82
- Relini G, see Benedetti-Cecchi L et al. (2001) 214:137–150
- Rentsch D, see Schumann R et al. (2001) 218:17–31
- Reusch TBH (2001) New markers—old questions: population genetics of seagrasses. 211:261–274
- Rey C, Harris R, Irigoien X, Head R, Carlotti F (2001) Influence of algal diet on growth and ingestion of *Calanus helgolandicus* nauplii. 216:151–165
- Reyes-Zavala G, see Enríquez S et al. (2001) 219:149–158
- Ribes M, see Coma R et al. (2001) 219:305–308
- Richardson CA, Chenery SRN, Cook JM (2001) Assessing the history of trace metal (Cu, Zn, Pb) contamination in the North Sea through laser ablation—ICP-MS of horse mussel *Modiolus modiolus* shells. 211:157–167
- Ridd PV, see Stieglitz T (2001) 211:131–142
- Riddle MJ, see King CK (2001) 215:143–154
- Riisgård HU (2001) On measurement of filtration rates in bivalves—the stony road to reliable data: review and interpretation. 211:275–291
- Riisgård HU (2001) The stony road to reliable filtration rate measurements in bivalves: a reply. 215:307–310
- Rilov G, Benayahu Y, Gasith A (2001) Low abundance and skewed population structure of the whelk *Stramonita haemastoma* along the Israeli Mediterranean coast. 218:189–202
- Risgaard-Petersen N, see Nielsen K et al. (2001) 219:25–40
- Robert JL, see Guichard F et al. (2001) 217:27–41
- Roberts MF, see Jenkins SR et al. (2001) 211:193–203
- Rodier P, see Shillito B et al. (2001) 216:141–149
- Rodríguez F, see Zapata M et al. (2001) 219:85–98
- Rogers PJ, see Ward TM et al. (2001) 220:241–251
- Roman MR, Holliday DV, Sanford LP (2001) Temporal and spatial patterns of zooplankton in the Chesapeake Bay turbidity maximum. 213:215–227
- Romero J, see Alcoverro T et al. (2001) 211:105–116
- Romero J, see Ruiz JM (2001) 215:107–120
- Rooker JR, Secor DH, Zdanowicz VS, Itoh T (2001) Discrimination of northern bluefin tuna from nursery areas in the Pacific Ocean using otolith chemistry. 218:275–282
- Rooker JR, see Secor DH et al. (2001) 211:245–253
- Ross PM (2001) Larval supply, settlement and survival of barnacles in a temperate mangrove forest. 215:237–249
- Rossi R, see Mistri M et al. (2001) 215:289–296
- Rothlisberg PC, see Jackson CJ et al. (2001) 213:241–252
- Roy MS, see Sporer R et al. (2001) 219:169–175
- Ruiz GM, see Wonham MJ et al. (2001) 215:1–12
- Ruiz JM, Romero J (2001) Effects of *in situ* experimental shading on the Mediterranean seagrass *Posidonia oceanica*. 215:107–120
- Ruiz JM, see Barreiro R et al. (2001) 218:203–212
- Rumohr H, Karakassis I, Jensen JN (2001) Estimating species richness, abundance and diversity with 70 macrobenthic replicates in the Western Baltic Sea. 214:103–110
- Ryan PG, see Nel DC et al. (2001) 217:15–26
- Rysgaard S, see Nielsen K et al. (2001) 219:25–40

S

- Saga M, see Tsutsumi H et al. (2001) 216:119–127
- Saiz-Salinas JI, see Pagola-Carte S (2001) 212:13–27
- Salat J, see Olivar MP et al. (2001) 217:111–120
- Sanford LP, see Roman MR et al. (2001) 213:215–227
- Sañudo-Wilhelmy SA, see Gobler CJ (2001) 217:299–309
- Sarradin PM, see Shillito B et al. (2001) 216:141–149
- Sartoretto S, see Garrabou J et al. (2001) 217:263–272
- Sasai S, Aoyama J, Watanabe S, Kaneko T, Miller MJ, Tsukamoto K (2001) Occurrence of migrating silver eels *Anguilla japonica* in the East China Sea. 212:305–310
- Sato S, see Sekiguchi K et al. (2001) 220:213–218
- Sautour B, see Labry C et al. (2001) 212:117–130
- Sawall T, see Hoyer K et al. (2001) 211:117–129
- Scharf FS, see Juanes F et al. (2001) 217:157–165
- Scheibling RE, see Hunt HL (2001) 213:157–164
- Scheibling RE, see Meidel SK et al. (2001) 213:97–110
- Schiewer U, see Schumann R et al. (2001) 218:17–31
- Schmaljohann R, Drews M, Walter S, Linke P, von Rad U, Imhoff JF (2001) Oxygen-minimum zone sediments in the northeastern Arabian Sea off Pakistan: a habitat for the bacterium *Thioploca*. 211:27–42
- Schmidt LE, Hansen PJ (2001) Allelopathy in the prymnesiophyte *Chrysochromulina polyylepis*: effect of cell concentration, growth phase and pH. 216:67–81
- Schumann R, Rentsch D, Görs S, Schiewer U (2001) Seston particles along a eutrophication gradient in coastal waters of the Southern Baltic Sea: significance of detritus and transparent mucoid material. 218:17–31
- Secor DH, Rooker JR, Zlokovitz E, Zdanowicz VS (2001) Identification of riverine, estuarine, and coastal contingents of Hudson River striped bass based upon otolith elemental fingerprints. 211:245–253
- Secor DH, see Rooker JR et al. (2001) 218:275–282
- Seddon S, Cheshire AC (2001) Photosynthetic response of *Amphibolis antarctica* and *Posidonia australis* to temperature and desiccation using chlorophyll fluorescence. 220:119–130
- Segawa R, see Kojima S et al. (2001) 217:135–143
- Sekiguchi K, Sato S, Ogata T, Kaga S, Kodama M (2001) Accumulation and depuration kinetics of paralytic shellfish toxins in the scallop *Patinopecten yessoensis* fed *Alexandrium tamarense*. 220:213–218
- Sellner KG, Sellner SG, Lacouture RV, Magnien RE (2001) Excessive nutrients select for dinoflagellates in the stratified Patapsco River estuary: Margalef reigns. 200:93–102
- Sellner SG, see Sellner KG et al. (2001) 220:93–102
- Sempéré R, see Van Wambeke F et al. (2001) 212:89–105
- Seppälä J, see Olli K (2001) 217:219–233
- Serra T, see Granata TC et al. (2001) 218:95–106

- Serret P, see Teira E et al. (2001) 219:65–83
- Serôdio J, Marques da Silva J, Catarino F (2001) Use of *in vivo* chlorophyll a fluorescence to quantify short-term variations in the productive biomass of intertidal microphytobenthos. 218:45–61
- Sgrosso S, Esposito F, Montresor M (2001) Temperature and daylength regulate encystment in calcareous cyst-forming dinoflagellates. 211:77–87
- Shand J, see Job SD (2001) 214:267–277
- Shaw PJ, Purdie DA (2001) Phytoplankton photosynthesis-irradiance parameters in the near-shore UK coastal waters of the North Sea: temporal variation and environmental control. 216:83–94
- Shiao JC, Tzeng WN, Collins A, Jellyman DJ (2001) Dispersal pattern of glass eel stage of *Anguilla australis* revealed by otolith growth increments. 219:241–250
- Shillito B, Jollivet D, Sarradin PM, Rodier P, Lallier F, Desbruyères D, Gaill F (2001) Temperature resistance of *Hesiohyra bergi*, a polychaetous annelid living on deep-sea vent smoker walls. 216:141–149
- Shim JH, see Cho BC et al. (2001) 216:31–41
- Shim JH, see Jeong HJ et al. (2001) 218:77–86
- Shinoda A, see Sugeha HY et al. (2001) 220:291–294
- Sirabella P, Giuliani A, Colosimo A, Dippner JW (2001) Breaking down the climate effects on cod recruitment by principal component analysis and canonical correlation. 216:213–222
- Skov H, Durinck J (2001) Seabird attraction to fishing vessels is a local process. 214:289–298
- Skov H, Prins E (2001) Impact of estuarine fronts on the dispersal of piscivorous birds in the German Bight. 214:279–287
- Smyth TJ, see Reid PC et al. (2001) 215:283–287
- Snoek J, see Timmermans KR et al. (2001) 217:287–297
- Sogard SM, Olla BL (2001) Growth and behavioral responses to elevated temperatures by juvenile sablefish *Anoplopoma fimbria* and the interactive role of food availability. 217:121–134
- Solow A, Davis C, Hu Q (2001) Estimating the taxonomic composition of a sample when individuals are classified with error. 216:309–311
- Soltwedel T, Vopel K (2001) Bacterial abundance and biomass in response to organism-generated habitat heterogeneity in deep-sea sediments. 219:291–298
- Sømod B, see Nielsen K et al. (2001) 219:25–40
- Song JY, see Jeong HJ et al. (2001) 218:77–86
- Soria-Dengg S, Reissbrodt R, Horstmann U (2001) Siderophores in marine coastal waters and their relevance for iron uptake by phytoplankton: experiments with the diatom *Phaeodactylum tricornutum*. 200:73–82
- Souchu P, Vaquer A, Collos Y, Landrein S, Deslous-Paoli JM, Bibent B (2001) Influence of shellfish farming activities on the biogeochemical composition of the water column in Thau lagoon. 218:141–152
- Sousa S, see Jenkins SR et al. (2001) 211:193–203
- Souter DC, see Counihan RT et al. (2001) 213:193–202
- Spear LB, Ballance LT, Ainley DG (2001) Response of seabirds to thermal boundaries in the tropical Pacific: the thermocline versus the Equatorial Front. 219:275–289
- Spear LB, see Oedekoven CS et al. (2001) 212:265–281
- Sponer R, Deheyn D, Roy MS (2001) Large genetic distances within a population of *Amphipholis squamata* (Echinodermata; Ophiuroidea) do not support colour varieties as sibling species. 219:169–175
- Stal LJ, see de Brouwer JFC (2001) 218:33–44
- Steller DL, see Zimmerman RC et al. (2001) 218:127–140
- Stiansen JE, see Svensen C et al. (2001) 217:67–80
- Stieglitz T, Ridd PV (2001) Trapping of mangrove propagules due to density-driven secondary circulation in the Normanby River estuary, NE Australia. 211:131–142
- Stone RP, O'Clair CE (2001) Seasonal movements and distribution of Dungeness crabs *Cancer magister* in a glacial southeastern Alaska estuary. 214:167–176
- Stoner AW, Manderson JP, Pessutti JP (2001) Spatially explicit analysis of estuarine habitat for juvenile winter flounder: combining generalized additive models and geographic information systems. 213:253–271
- Striby L, see Van Wambeke F et al. (2001) 212:89–105
- Sturgess CJ, see Holmes SP et al. (2001) 212:171–181
- Sugeha HY, Shinoda A, Marui M, Arai T, Tsukamoto K (2001) Validation of otolith daily increments in the tropical eel *Anguilla marmorata*. 220:291–294
- Sullivan MJ, see Moncreiff CA (2001) 215:93–106
- Sutton D, see DiBacco C et al. (2001) 217:191–206
- Suzumura M, see Miyajima T et al. (2001) 217:273–286
- Svensen C, Egge JK, Stiansen JE (2001) Can silicate and turbulence regulate the vertical flux of biogenic matter? A mesocosm study. 217:67–80
- Swain DP, Morgan MJ (2001) Sex-specific temperature distribution in four populations of American plaice *Hippoglossoides platessoides*. 212:233–246

T

- Tallqvist M (2001) Burrowing behaviour of the Baltic clam *Macoma balthica*: effects of sediment type, hypoxia and predator presence. 212:183–191
- Tarling GA, see Lass S et al. (2001) 214:177–200
- Taylor AC, see Parslow-Williams PJ et al. (2001) 211:235–243
- Teegarden GJ, Campbell RG, Durbin EG (2001) Zooplankton feeding behavior and particle selection in natural plankton assemblages containing toxic *Alexandrium* spp. 218:213–226
- Teira E, Serret P, Fernández E (2001) Phytoplankton size-structure, particulate and dissolved organic carbon production and oxygen fluxes through microbial communities in the NW Iberian coastal transition zone. 219:65–83
- Temple GK, see Johnston IA et al. (2001) 213:285–300
- Terlizzi A, see Fraschetti S et al. (2001) 212:1–12
- Thistle D, see Lambshead PJD et al. (2001) 214:121–126
- Thompson RC, see Jenkins SR et al. (2001) 211:193–203
- Thorndyke MC, see Carnevali MDC et al. (2001) 215:155–167
- Thrush SF, see Norkko A et al. (2001) 212:131–144
- Thygesen UH, see Kjørboe T (2001) 211:15–25
- Thygesen UH, see Kjørboe T et al. (2001) 211:1–13
- Tietjen J, see Lambshead PJD et al. (2001) 214:121–126
- Timmermans KR, Davey MS, van der Wagt B, Snoek J, Geider RJ, Veldhuis MJW, Gerringa LJA, de Baar HJW (2001) Co-limitation by iron and light of *Chaetoceros brevis*, *C. dictyota* and *C. calcitrans* (Bacillariophyceae). 217:287–297
- Tioho H, Tokeshi M, Nojima S (2001) Experimental analysis of recruitment in a scleractinian coral at high latitude. 213:79–86
- Tita G, see Nozais C et al. (2001) 217:235–250
- Titelman J (2001) Swimming and escape behavior of copepod nauplii: implications for predator-prey interactions among copepods. 213:203–213
- Todd BJ, see Kostylev VE et al. (2001) 219:121–137
- Tokeshi M, see Tioho H et al. (2001) 213:79–86
- Tregenza N, see Culik BM et al. (2001) 211:255–260

- Triantafillos L, Adams M (2001) Allozyme analysis reveals a complex population structure in the southern calamary *Sepioteuthis australis* from Australia and New Zealand. 212:193–209
- Trimmer M, see Kelly-Gerrey BA et al. (2001) 220:33–46
- Tsuji S, see Kitagawa T et al. (2001) 220:253–263
- Tsukamoto K, Arai T (2001) Facultative catadromy of the eel *Anguilla japonica* between freshwater and seawater habitats. 200:265–276
- Tsukamoto K, see Arai T et al. (2001) 216:253–264
- Tsukamoto K, see Marui M et al. (2001) 213:273–284
- Tsukamoto K, see Sasai S et al. (2001) 212:305–310
- Tsukamoto K, see Sugeha HY et al. (2001) 220:291–294
- Tsutsumi H, Wainright S, Montani S, Saga M, Ichihara S, Kogure K (2001) Exploitation of a chemosynthetic food resource by the polychaete *Capitella* sp. I. 216:119–127
- Tuck GN, see Goldsworthy SD et al. (2001) 218:283–302
- Tunnell JW Jr, see Hicks DW et al. (2001) 211:181–192
- Turner JT, Ianora A, Miralto A, Laabir M, Esposito F (2001) Decoupling of copepod grazing rates, fecundity and egg-hatching success on mixed and alternating diatom and dinoflagellate diets. 220:187–199
- Tyler AC, see McGlathery KJ et al. (2001) 216:1–15
- Tyler PA, see Baker MC (2001) 211:205–213
- Tyler PA, see Powell DK et al. (2001) 215:191–200
- Tzeng WN, see Shiao JC et al. (2001) 219:241–250
- U**
- Ueno Y, see Friedland KD et al. (2001) 216:235–252
- Umezawa Y, see Miyajima T et al. (2001) 217:273–286
- Urakawa H, Yoshida T, Nishimura M, Ohwada K (2001) Characterization of microbial communities in marine surface sediments by terminal-restriction fragment length polymorphism (T-RFLP) analysis and quinone profiling. 220:47–57
- Urawa S, see Friedland KD et al. (2001) 216:235–252
- Uthicke S, Benzie JAH (2001) Restricted gene flow between *Holothuria scabra* (Echinodermata: Holothuroidea) populations along the north-east coast of Australia and the Solomon Islands. 216:109–117
- Utne-Palm AC (2001) Response of naïve two-spotted gobies *Gobiusculus flavescens* to visual and chemical stimuli of their natural predator, cod *Gadus morhua*. 218:267–274
- V**
- Valentine JF, see Aronson RB et al. (2001) 214:311–312
- Valiela I, see Griffin MPA (2001) 214:299–305
- Van Alstyne KL, Wolfe GV, Freidenburg TL, Neill A, Hicken C (2001) Activated defense systems in marine macroalgae: evidence for an ecological role for DMSP cleavage. 213:53–65
- van de Bund WJ, Ólafsson E, Modig H, Elmgren R (2001) Effects of the coexisting Baltic amphipods *Monoporeia affinis* and *Pontoporeia femorata* on the fate of a simulated spring diatom bloom. 212:107–115
- van den Brand RACJ, see Nagelkerken I et al. (2001) 214:225–235
- van der Velde G, see Nagelkerken I et al. (2001) 214:225–235
- van der Wagt B, see Timmermans KR et al. (2001) 217:287–297
- van Tussenbroek BI, see Enríquez S et al. (2001) 219:149–158
- Van Wambeke F, Goutx M, Striby L, Sempéré R, Vidussi F (2001) Bacterial dynamics during the transition from spring bloom to oligotrophy in the northwestern Mediterranean Sea: relationships with particulate detritus and dissolved organic matter. 212:89–105
- van Woesik R, see Nakamura T (2001) 212:301–304
- Vaquero A, see Souchu P et al. (2001) 218:141–152
- Varela M, see Bode A et al. (2001) 214:43–54
- Varela M, see Marañón E et al. (2001) 216:43–56
- Veldhuis MJW, see Timmermans KR et al. (2001) 217:287–297
- Vétion G, see Medernach L et al. (2001) 214:55–65
- Vidussi F, see Van Wambeke F et al. (2001) 212:89–105
- Vieira VLA, see Johnston IA et al. (2001) 213:285–300
- Viherluoto M, see Viitasalo M et al. (2001) 216:191–200
- Viitasalo M, Flinkman J, Viherluoto M (2001) Zooplanktivory in the Baltic Sea: a comparison of prey selectivity by *Clupea harengus* and *Mysis mixta*, with reference to prey escape reactions. 216:191–200
- Villafañe VE, see Helbling EW et al. (2001) 211:43–49
- Vincx M, see De Troch M et al. (2001) 215:225–236
- Virtue P, see Lass S et al. (2001) 214:177–200
- Vitali G, see de Zwaan A et al. (2001) 211:169–179
- von Herbing IH, Gallager SM, Halteman W (2001) Metabolic costs of pursuit and attack in early larval Atlantic cod. 216:201–212
- von Rad U, see Schmaljohann R et al. (2001) 211:27–42
- Vopel K, see Soltwedel T (2001) 219:291–298
- Voss M, see Wasmund N et al. (2001) 214:1–14
- Vyshkvartzev DI, see Kharlamenko VI et al. (2001) 220:103–117
- W**
- Wainright S, see Tsutsumi H et al. (2001) 216:119–127
- Walker DI, see Dudley BJ et al. (2001) 219:99–107
- Walker RV, see Friedland KD et al. (2001) 216:235–252
- Walter S, see Schmaljohann R et al. (2001) 211:27–42
- Walton WC, see Wonham MJ et al. (2001) 215:1–12
- Wang WX, Dei RCH, Xu Y (2001) Cadmium uptake and trophic transfer in coastal plankton under contrasting nitrogen regimes. 211:293–298
- Wang WX, see Rainbow PS (2001) 218:239–248
- Wang WX, see Xu Y (2001) 218:227–238
- Ward BB, Bronk DA (2001) Net nitrogen uptake and DON release in surface waters: importance of trophic interactions implied from size fractionation experiments. 219:11–24
- Ward P, see Atkinson A et al. (2001) 216:279–308
- Ward TM, Hoedt F, McLeay L, Dimmlich WF, Jackson G, Rogers PJ, Jones K (2001) Have recent mass mortalities of the sardine *Sardinops sagax* facilitated an expansion in the distribution and abundance of the anchovy *Engraulis australis* in South Australia? 220:241–251
- Warr KJ, see Jennings S et al. (2001) 213:127–142
- Warwick RM, see Clarke KR (2001) 216:265–278
- Wasmund N, Voss M, Lochte K (2001) Evidence of nitrogen fixation by non-heterocystous cyanobacteria in the Baltic Sea and re-calculation of a budget of nitrogen fixation. 214:1–14
- Watanabe S, see Sasai S et al. (2001) 212:305–310
- Wear RG, Gardner JPA (2001) Biological effects of the toxic algal bloom of February and March 1998 on the benthos of Wellington Harbour, New Zealand. 218:63–76
- Weidman CR, see Begg GA (2001) 216:223–233
- Wellington GM, see Meekan MG et al. (2001) 212:223–232
- Whitehouse MJ, see Atkinson A et al. (2001) 216:279–308

- Whitehouse MJ, see Reay DS et al. (2001) 219:51–64
 Wiencke C, see Hoyer K et al. (2001) 211:117–129
 Williams A, Koslow JA, Last PR (2001) Diversity, density and community structure of the demersal fish fauna of the continental slope off western Australia (20 to 35° S). 212:247–263
 Williams A, see Koslow JA et al. (2001) 213:111–125
 Williams GA, see Hutchinson N (2001) 215:57–68
 Williams R, see Goldsworthy SD et al. (2001) 218:283–302
 Wilson PR, Ainley DG, Nur N, Jacobs SS, Barton KJ, Ballard G, Comiso JC (2001) Adélie penguin population change in the pacific sector of Antarctica: relation to sea-ice extent and the Antarctic Circumpolar Current. 213:301–309
 Wolfe GV, see Van Alstyne KL et al. (2001) 213:53–65
 Wolff N, see Incze LS et al. (2001) 213:229–240
 Wonham MJ, Walton WC, Ruiz GM, Frese AM, Galil BS (2001) Going to the source: role of the invasion pathway in determining potential invaders. 215:1–12

X

- Xu Y, Wang WX (2001) Individual responses of trace-element assimilation and physiological turnover by the marine copepod *Calanus sinicus* to changes in food quantity. 218:227–238

- Xu Y, see Wang WX et al. (2001) 211:293–298

Y

- Yoo H, see Lee JS et al. (2001) 216:129–140
 Yoshida T, see Urakawa H et al. (2001) 220:47–57
 Yoshikawa T, see Ramaiah N et al. (2001) 212:79–88

Z

- Zapata M, Edvardsen B, Rodríguez F, Maestro MA, Garrido JL (2001) Chlorophyll *c*₂ monogalactosyldiacylglyceride ester (chl *c*₂-MGDG). A novel marker pigment for *Chrysochromulina* species (Haptophyta). 219:85–98
 Zdanowicz VS, see Rooker JR et al. (2001) 218:275–282
 Zdanowicz VS, see Secor DH et al. (2001) 211:245–253
 Zimmerman RC, Steller DL, Kohrs DG, Alberte RS (2001) Top-down impact through a bottom-up mechanism. *In situ* effects of limpet grazing on growth, light requirements and survival of the eelgrass *Zostera marina*. 218:127–140
 Zimmermann C, Kunzmann A (2001) Baseline respiration and spontaneous activity of sluggish marine tropical fish of the family Scorpaenidae. 219:229–239
 Zlokovitz E, see Secor DH et al. (2001) 211:245–253