

Climate change and altitudinal variation in sexual size dimorphism of arctic wolf spiders

Toke Thomas Høye^{1*}, Jörg U. Hammel²

¹Department of Wildlife Ecology and Biodiversity, National Environmental Research Institute, Aarhus University, Grenåvej 14, 8410 Rønde, Denmark

²Institute of Systematic Zoology and Evolutionary Biology with Phyletic Museum, Friedrich-Schiller-University Jena, Erbertstr. 1, 07743 Jena, Germany

*Email: toh@dmu.dk

Climate Research 41:259–265 (2010)

Table S1. Other arthropods in pitfall traps. Numbers of individual arthropods caught in the pitfall traps during the study period in 2004. Dates are given in the form dd/mm. ‘-’ indicates no sampling

		Acarina	Araneae	Coleoptera	Collembola	Diptera	Hemiptera	Homoptera	Hymenoptera	Lepidoptera	Nematocera	Stylommatophora	Not identified	
S1	15/06/2004	75	7			6								
	22/06/2004	165	11		118	15	2		1				36	
	29/06/2004	135	7		43	26	2							
	06/07/2004	16	1		9	14	1						33	
	13/07/2004	78	2		52	4							7	
	20/07/2004	–	-		-	-	-		-	-				-
	26/07/2004	14	2		42		1		1	1				
	03/08/2004	88	2		86	2	3			1				
	08/08/2004	8	-		-	-	-		-	-				-
S2	15/06/2004	129	5			20	2							
	22/06/2004	203	2		230	14	2							
	29/06/2004	259	1		246	70	2		3					
	06/07/2004	46			105	31			4					
	13/07/2004	100	1		72	20	1							
	20/07/2004	-	-		-	-	-		-	-				
	26/07/2004	96	1		501	3				1				
	03/08/2004	161	4		333	15	1		2					
	08/08/2004	9	-		-	-	-		-	-				-

