Using diet to assess the sensitivity of northern and upland birds to climate change

James W. Pearce-Higgins*

RSPB, Dunedin House, 25 Ravelston Terrace, Edinburgh EH4 3TP, UK British Trust for Ornithology, The Nunnery, Thetford, Norfolk IP24 2PU, UK

Email: james.pearce-higgins@bto.org

Climate Research 45: 119-130 (2010)

SUPPLEMENT 1. REFERENCES FOR THE DIET OF PARTICULAR BIRD SPECIES¹

Red grouse

- Butterfield J, Coulson JC (1976) Insect food of adult red grouse Lagopus lagopus scoticus. J Anim Ecol 44:601–608 Elson LT, Schwab FE, Simon NPP (2007) Winter food habits of
- *Lagopus lagopus* (willow ptarmigan) as a mechanism to explain winter sexual segregation. Northeast Nat 14:89–98
- Lance AN (1978) Territories and the food plant of individual red grouse. II. Territory size compared with an index of nutrient supply in heather. J Anim Ecol 47:307–313
- Miller GR, Watson A, Jenkins D (1970) Responses of red grouse populations to experimental improvement of their food. In: Watson A (ed) Animal populations in relation to their food resources. Blackwell Scientific Publications, Oxford, p 323–335
- Moss R (1972) Food selection by red grouse (*Lagopus lagopus scoticus* (Lath)) in relation to chemical composition. J Anim Ecol 41:411–428
- Moss R (1973) The digestion and intake of winter foods by wild ptarmigan in Alaska. Condor 75:293–300
- Moss R (1974) Winter diets, gut lengths and interspecific competition in Alaskan Ptarmigan. Auk 91:737–746
- Park KJ, Robertson PA, Campbell ST, Foster R, Russell ZM, Newborn D, Hudson PJ (2001) The role of invertebrates in the diet, growth and survival of red grouse (*Lagopus lagopus scoticus*) chicks. J Zool 254:137–146
- Savory CJ (1977) The food of red grouse chicks *Lagopus lagopus scoticus*. Ibis 119:1–9
- Savory CJ (1978) Food consumption of red grouse in relation to the age and productivity of heather. J Anim Ecol 47:269–282
- Weeden RB (1969) Food of rock and willow ptarmigan in central Alaska with comments on interspecific competition. Auk 86:271–281
- West GC, Meng MS (1966) Nutrition of willow ptarmigan in northern Alaska. Auk 83:603–615

Ptarmigan

Bernard-Laurent A (1983) Comparaison des regimes alimentaires du tetras lyre *Lyrurus tetrix* (L.) et du lagopede alpin, *Lagopus mutus* Montin, dans le vallon de la cer-

- veyretter (Hautes-Alpes). Rev Ecol Terre Vie 37:241–258 Gardarsson A, Moss R (1970) Selection of food by Icelandic ptarmigan in relation to its availability and nutritive value. In: Watson A (ed) Animal populations in relation to their food resources. Blackwell Scientific Publications, Oxford, p 47–71
- Moss R (1973) The digestion and intake of winter foods by wild ptarmigan in Alaska. Condor 75:293–300
- Moss R (1974) Winter diets, gut lengths and interspecific competition in Alaskan Ptarmigan. Auk 91:737–746
- Moss R, Watson A (1984) Maternal nutrition, egg quality and breeding success of Scottish ptarmigan *Lagopus mutus*. Ibis 126:212–220
- Weeden RB (1969) Food of rock and willow ptarmigan in central Alaska with comments on interspecific competition. Auk 86:271–281

Black grouse

- Beeston R, Baines D, Richardson M (2005) Seasonal and between-sex differences in the diet of black grouse *Tetrao tetrix*. Bird Study 52:276–281
- Bernard-Laurent A (1983) Comparaison des regimes alimentaires du tetras lyre *Lyrurus tetrix* (L.) et du lagopede alpin, *Lagopus mutus* Montin, dans le vallon de la cerveyretter (Hautes-Alpes). Rev Ecol Terre Vie 37:241–258
- Borchtchevski VG (2000) Diet of the black grouse (*Tetrao tetrix*) in Vodlozerski National Park, northwestern Russia. Game Wild Sci 17:29–42
- Cayford JT (1990) Distribution and habitat preferences of black grouse in commercial forests in Wales: conservation and management implications. Proc Int Union Game Biol Cong 19:435–447
- Cayford JT (1993) Black grouse and forestry: habitat requirements and management. Tech. Pap. 1, Forestry Commission, Edinburgh
- Cayford JT, Tyler G, MacIntosh-Willias L (1989) The ecology and management of black grouse in conifer forests in Wales. RSPB, Sandy
- de Franceschi PF, Sepulcri A, Filacorda S, Piasentier E (1997) The dietary composition of black grouse (*Tetrao tetrix*) in the Italian Alps. Wildl Biol 3:272
- Filimonova NP (1972) Materialy o pitanii tetereva i seroi kuropatki v Kustanaiskoi oblasti [Materials on feeding of the Black Grouse and Grey Partridge in the Kustanai Region] // Zoologicheskie problemy Sibiri [Zoological Problems of Siberia]. Novosibirsk, Nauka, p 341–342
- Niewold FJJ (1990) The decline of black grouse in the Netherlands. In: Lumeij JT, Hoogeveen JR (eds) The future of

¹Additional unpublished information from M. C. Grant, D. Evans and D. Barrett added to the dietary information for curlew, meadow pipit and ring ouzel respectively

wild galliformes in The Netherlands. Orginisatiecommissie Nederlandse Wild Hoenders, Amersfoot

- Picozzi N, Hepburn LV (1986) A study of black grouse in north east Scotland. Proc Int Grouse Symp 3:462–481
- Ponce F (1992) Food selection by black grouse (*Tetrao tetrix*) chicks in the French Alps. Gibier Faune Sauvage 9:27–51
- Seiskari P (1962) On the winter ecology of the capercaillie, *Tetrao urogallus*, and the black grouse, *Lyrurus tetrix*, in Finland. Pap Game Res 22:1–119
- Starling-Westerberg A (2001) The habitat use and diet of black grouse *Tetrao tetrix* in the Pennine hills of northern England. Bird Study 48:76–89
- Wegge P, Kastdalen L (2008) Habitat and diet of young grouse broods: resource partitioning between Capercaillie (*Tetrao* urogallus) and black grouse (*Tetrao tetrix*) in boreal forests. J Ornithol 149:237–244

Dotterel

- Byrkjedal I (1989) Time constrains and vigilance: breeding season diet of the dotterel (*Charadrius morinellus*). J Ornithol 130:293–302
- Cramp S, Simmons KEL (1983) The birds of the western Palearctic, Vol 3. Oxford University Press, Oxford
- Galbraith H, Murray S, Duncan K, Smith R, Whitfield DP, Thompson DBA (1993) Diet and habitat use in the dotterel (*Charadrius morinellus*) in Scotland. Ibis 135:148–155

Golden plover

- Andreeva TR (1988) Main trophic peculiarities in waders at the Stchuchiya River basin, Yamal Peninsula. In: Kistchinsky AA (ed) Ornithofauna of the northeast of Asia. Nauka Press, Moscow, p 13–18 (in Russian)
- Baker MC (1977) Shorebird food habits in the eastern Canadian arctic. Condor 79:56–62
- Byrkjedal I (1980) Summer food of the golden plover *Pluvialis apricaria* at Hardangervidda, southern Norway. Holarct Ecol 3:40–58
- Cramp S, Simmons KEL (1983) The birds of the western Palearctic, Vol 3. Oxford University Press, Oxford
- Danilov NN, Ryzhanovskiy VN, Ryabitsev VK (1984) Birds of Yamal Peninsula. Nauka Press, Moscow (in Russian)
- Kumari A (1958) Rabakurvitsaliste Toitumisest. Rmt-s: E. Kumari toim. Ornitoloogiline kogumik, 1. Eesti NSV Teaduste Akadeemia Toimetus-Kirjastusnõukogu, Tartu. Lk. p 195–215 (in Russian)
- O'Connell MJ, Thomas CJ, Twiss S, Downie IS, Coulson JC, Evans PR, Whitfield DP (in press) Functional ecology of peatland animals in the Flow Country of northern Scotland. I. Habitat use of breeding waders. SNH Research, Survey & Monitoring Series, Battleby
- Pearce-Higgins JW, Yalden DW (2003) Variation in the use of pasture by breeding European golden plovers *Pluvialis* apricaria in relation to prey availability. Ibis 145:365–381
- Pearce-Higgins JW, Yalden DW (2004) Habitat selection, diet, arthropod availability and growth of a moorland wader: the ecology of European golden plover *Pluvialis apricaria* chicks. Ibis 146:335–346
- Ratcliffe DA (1976) Observations on the breeding of golden plover in Great Britain. Bird Study 23:63–116
- Whittingham M (1996) Habitat requirements of breeding golden plover *Pluvialis apricaria*. Unpublished PhD thesis, University of Sunderland

Dunlin

- Andrusenko NN (1980) On the feeding of some the most numerous wader species on Tengiz Lake. News in the research of biology and distribution of waders. Nauka Press, Moscow, p 9–11 (in Russian)
- Baker MC (1977) Shorebird food habits in the eastern Canadian arctic. Condor 79:56–62
- Danilov NN, Ryzhanovskiy VN, Ryabitsev VK (1984) Birds of Yamal Peninsula. Nauka Press, Moscow
- Homes RT (1966) Feeding ecology of the red backed sandpiper (*Calidris alpina*) in arctic Alaska. Ecology 47: 32–45
- Homes RT (1970) Differences in population density, territoriality and food suply of dunlin on Arctic and subarctic tundra. In: Watson A (ed) Animal populations in relation to their food resources. Blackwell Scientific Publications, Oxford, p 303–319
- Kondrat'yev AYa, Kondrat'yeva LF (1988) Some results of the helminthological examinations for the analysis of trophic of waders. In: Kistchinsky AA (ed) Ornithofauna of the northeast of Asia. Nauka Press, Moscow, p 73–82 (in Russian)
- Nechaev AV (1991) Ptitsy ostrova Sakhalin. Vladivostok Institute of Biology and Pedology, Vladivostok (in Russian)
- O'Connell MJ, Thomas CJ, Twiss S, Downie IS, Coulson JC, Evans PR, Whitfield DP (in press) Functional ecology of peatland animals in the Flow Country of northern Scotland. I. Habitat use of breeding waders. SNH Research, Survey & Monitoring Series, Battleby
- Peresad'ko LV, Koshelev AI (1980) On the feeding of waders in the south of West Siberia. In: News in the research of biology and distribution of waders. Nauka, Moscow, p 33–35 (in Russian)

Snipe

- Cramp S, Simmons KEL (1983) The birds of the western Palearctic, Vol 3. Oxford University Press, Oxford
- Danilov NN, Ryzhanovskiy VN, Ryabitsev VK (1984) Birds of Yamal Peninsula. Nauka Press, Moscow (in Russian)
- Green RE, Hirons GJM, Cresswell BH (1990) Foraging habitats of female common snipe *Gallinago gallinago* during the incubation period. J Appl Ecol 27:325–335
- Hoodless AN, Ewald JA, Baines D (2007) Habitat use and diet of common snipe *Gallinago gallingo* breeding on moorland in northern England. Bird Study 54:182–191
- Nechaev AV (1991) Ptitsy ostrova Sakhalin. Vladivostok Institute of Biology and Pedology, Vladivostok (in Russian)
- Zinov'yev VI (1980) Birds of the forest zone of the European part of the USSR (Charadriiformes). Kalinin State University Press, Kalinin (now-Tver')

Whimbrel

- Grant MC, Chambers RE, Evans PR (1992) The effects of reseeding heathland on breeding whimbrel *Numenius phaeopus* in Shetland. II. Habitat use by adults during the pre-laying period. J Appl Ecol 29:509–515
- Grant MC, Chambers RE, Evans PR (1992) The effects of reseeding heathland on breeding whimbrel Numenius phaeopus in Shetland. III. Habitat use by broods. J Appl Ecol 29:516–523

Curlew

- Cramp S, Simmons KEL (1983) The birds of the western Palearctic, Vol 3. Oxford University Press, Oxford
- Kumari A (1958) Rabakurvitsaliste Toitumisest. In: Rmt-s: E. Kumari toim. Ornitoloogiline kogumik, 1. Eesti NSV Teaduste Akadeemia Toimetus-Kirjastusnõukogu, Tartu. Lk. p 195–215 (in Russian)
- Robson G (1998) The breeding ecology of curlew *Numenius arquata* on north Pennine moorland. Unpublished PhD thesis, Sunderland University
- Stephen L (2001) An investigation into the dietary requirements of curlew Numenius arquata chicks. BSc thesis, University of Edinburgh

Greenshank

Nethersole-Thompson D, Nethersole-Thompson M (1979) Greenshanks. Poyser, London

Skylark

- Donald PF, Muirhead LB, Buckingham DL, Evans AD, Kirby WB, Gruar DJ (2001) Body condition, growth rates and diet of skylark *Alauda arvensis* nestlings on lowland farmland. Ibis 143:658–669
- Green R (1978) Factors affecting the diet of farmland skylarks, *Alauda arvensis*. J Anim Ecol 47:913–928
- Jenny M (1990) Nahrungsokologie der Feldlerche *Alauda arvensis* in einer intensiv genutzten Agrarlandschaft des schweizerischen Mittellandes. Ornithol Beob 87:31–53
- Mal'chevskiy AS, Pukinskiy YuB (1983) Birds of the Leningrad region and adjoining territories, Vol 2. Leningrad University Press, Leningrad
- Nechaev AV (1991) Ptitsy ostrova Sakhalin. Vladivostok Institute of Biology and Pedology (in Russian)
- Nekrasov BV (1978) Family Alaudidae. In: Popov VA (ed) Birds of the Volga-Kama Territory. Nauka Press, Moscow, p 8–14 (in Russian)
- Poulsen JG, Sotherton NW, Aebischer NJ (1998) Comparative nesting and feeding ecology of skylarks *Alauda arvensis* on arable farmland in southern England with special reference to set-aside. J Appl Ecol 35:131–147
- Prokof'yeva IV (1980) Feeding of meadow passerine birds in nesting period. Ornitologiya 15
- Smith B, Holland J, Jones N, Moreby S, Morris AJ, Southway S (2009) Enhancing invertebrate food resources for skylarks in cereal ecosystems: How useful are in-crop agri-environment scheme management options? J Appl Ecol 46:692–702

Meadow pipit

- Artem'yev YuT, Popov VA (1978) Family Turdidae. In: Popov VA (ed) Birds of the Volga-Kama Territory. Nauka Press, Moscow, p 70–94 (in Russian)
- Bures S (1994) Segregation of diet in water pipit (*Anthus spinoletta*) and meadow pipit (*Anthus pratensis*) nestlings in an area damaged by air pollution. Folia Zool (Brno) 43:43–48
- Bures S, Weildinger K (2000) Estimation of calcium intake by meadow pipit nestlings in an acidified area. J Ornithol 31: 426–429
- Coulson JC, Whittaker JB (1978) Ecology of moorland ani-

mals. In: Heal W, Perkins DF (eds) Production ecology of British moors and montane grasslands. Springer-Verlag, Berlin, p 52–93

- Cramp S (1988) The birds of the western Palearctic, Vol 5. Oxford University Press, Oxford
- Danilov NN, Ryzhanovskiy VN, Ryabitsev VK (1984) Birds of Yamal Peninsula. Nauka Press, Moscow (in Russian)
- Douglas DJT, Evans DM, Redpath SM (2008) Selection of foraging habitat and nestling diet by meadow pipits *Anthus pratensis* breeding on intensively grazed moorland. Bird Study 55:290–296
- Hagvar S, Ostbye E (1976) Food habits of the meadow pipit (*Anthus pratenis*) in alpine habitats at Hardangervidda, south Norway. Norw J Zool 24:53–67
- Prokof'yeva IV (1980) Feeding of meadow passerine birds in nesting period. Ornitologiya 15
- Walton KC (1979) Diet of meadow pipits Anthus pratensis on mountain grassland in Snowdonia. Ibis 121:325–334

Whinchat

- Britschgi A, Spaar R, Arlettaz R (2006) Impact of grassland farming intensification on the breeding ecology of an indicator insectivorous passerine, the Whinchat Saxicola rubetra: lessons for overall Alpine meadowland management. Biol Conserv 130:193–205
- Cramp S (1988) The birds of the western Palearctic, Vol 5. Oxford University Press, Oxford
- Garnett MC, MacFadzean S, Townsend M (1988) The foraging ecology of the whinchat (*Saxicola rubetra*) in Wales. RSPB, Sandy
- Kostin YuV (1983) Birds of the Crimea. Nauka Press, Moscow (in Russian)
- Prokof'yeva IV (1980) Feeding of meadow passerine birds in nesting period. Ornitologiya 15:
- von Labhardt A (1988) Zur nahrung des Braunkehlchens (Saxicola rubetra) wahrend der Jungenaufzucht. Beih Veroff Naturschutz Landschaftspflege Bad Wurtt 51:179–185

Stonechat

- Cummins S, O'Halloran J (2002) An assessment of the diet of nestling stonechats Saxicola torquata using compositional analysis. Bird Study 49:139–145
- Greig-Smith PW, Quicke DLJ (1983) The diet of nesting stonechats. Bird Study 30:47–50
- Kostin YuV (1983) Birds of the Crimea. Nauka Press, Moscow Nechaev AV (1991) Ptitsy ostrova Sakhalin. Vladivostok Insti-
- tute of Biology and Pedology, Vladivostok (in Russian) Revaz E, Schaub M, Arlettaz R (2008) Foraging ecology and reproductive biology of the stonechat *Saxicola torquata*: a comparison between a revitalized, intensively cultivated and a historical, traditionally cultivated agro-ecosystem. J Ornithol 149:301–312
- Sielel H (1990) The influence of management on food size in the menu of insectiverous animals. Proc Exp Appl Entomol 1:69–74

Wheatear

Artem'yev YuT, Popov VA (1978) Family Turdidae. In: Popov VA (ed) Birds of the Volga-Kama Territory. Nauka Press, Moscow, p 70–94 (in Russian)

- Bel'skaya GS (1992) Peculiarities of bird biology in arid conditions. Ylym Press, Ashgabat, p 222–248
- Brooke M, De L (1981) How an adult wheatear (*Oenanthe* oenanthe) uses its territory when feeding nestlings. J Anim Ecol 50:683–696
- Cramp S (1988) The birds of the western Palearctic, Vol 5. Oxford University Press, Oxford
- Danilov NN, Ryzhanovskiy VN, Ryabitsev VK (1984) Birds of Yamal Peninsula. Nauka Press, Moscow
- Dorzhiev TsZ, Khertuev VN (1992) Wheatear ecology in Trans-Baikalia. Buryatian Scientific Centre of the Siberian Branch of the Russian Academy of Science, Ulan-Ude
- Gubin BM, Kovshar AF (1985) On the common wheatear biology in the high-mountain areas of Tien-Shan'. Ornitologiya 20:53–59
- Kostin YuV (1983) Birds of the Crimea. Nauka Press, Moscow
- Kri‰tín A, Patoāka J (1997) Birds as predators of Lepidoptera: selected examples. Biologia 52:319–326
- Prokof'yeva IV (1980) Feeding of meadow passerine birds in nesting period. Ornitologiya 15
- Prokof'yeva IV (2001) Pitanie i aktivnost' kamenki *Oennathe* oenanthe v gnezdovoi period na yuge Leningradskoi oblasti. Russ J Ornithol 130:69–73

Ring ouzel

- Burfield I (2002) The breeding ecology and conservation of the ring ouzel *Turdus torquatus* in Britain. Unpublished PhD thesis, University of Cambridge, Cambridge
- Cramp S (1988) The birds of the western Palearctic, Vol 5. Oxford University Press, Oxford
- Tyler SJ, Green M (1994) The status and breeding ecology of ring ouzels *Turdus torquatus* in Wales with reference to soil acidity. Welsh Bird Rep 7:78–89

Snow bunting

- Cramp S, Perrins CM (1994) The birds of the western Palearctic, Vol 9. Oxford University Press, Oxford
- Hussell DJT (1972) Factors affecting clutch size in arctic passerines. Ecol Monogr 42:317–364
- Lyon BE, Montgomerie RD, Hamilton LD (1987) Male parental care and monogamy in snow buntings. Behav Ecol Sociobiol 20:377-382
- Nethersole-Thompson D (1966) The snow bunting. Oliver & Boyd, Edinburgh

SUPPLEMENT 2. REFERENCES FOR THE ASSESSMENT OF CLIMATE IMPACTS ON KEY INVERTEBRATE PREY

Lumbricidae

- Berry EC, Jordon D (2001) Temperature and soil moisture content effects on the growth of *Lumbricus terrestris* (Oligochaeta: Lubmricidae) under laboratory conditions. Soil Biol Biochem 33:133–136
- Gerard BM (1967) Factors affecting earthworms in pastures. J Anim Ecol 36:235–252
- Lance Presley M, McElroy TC, Diehl WJ (1996) Soil moisture and temperature interact to affect growth, survivorship, fecundity and fitness in the earthworm *Eisenia fetida*. Comp Biochem Physiol A 114:319–326

- Pelosi C, Bertrand M, Makowski D, Roger-Estrade J (2008) WORMDYN: A model of *Lumbricus terrestris* population dynamics in agricultural fields. Ecol Modell 218: 219–234
- Phillipson J, Abel R, Steel J, Woodell SRJ (1976) Earthworms and the factors governing their distribution in an English beech wood. Pedobiologia 16:258–285
- Sheldon RD, Chaney K, Tyler G (2002) Lapwings, earthworms and agriculture. Asp Appl Biol 67:93–100
- Wever LA, Clapperton MJ (2001) The influence of soil moisture and temperature on the survival, aestivation, growth and development of juvenile *Aporrectodea tuberculata* (Eisen) (Lumbricidae). Pedobiologia 45:121–133
- Whalen JK, Parmelee RW (1999) Growth of *Aporrectodea tuberculata* (Eisen) and *Lumbricus terrestris* L. under laboratory and field conditions. Pedobiologia 43:1–10
- Zaller JG, Arnine JA (1999) Earthworm and soil moisture effects on the productivity and structure of grassland communities. Soil Biol Biochem 31:517–523

Lepidoptera

- Battisti A, Stastny M, Netherer S, Robinet C, Schopf A, Roques A, Larsson S (2005) Expansion of geographic range in the pine processionary moth caused by increased winter temperatures. Ecol Appl 15:2084–2096
- Conrad KF, Woiwood IP, Perry JN (2002) Long-term decline in abundance and distribution of the garden tiger moth (*Arctia caja*) in Great Britain. Biol Conserv 106:329–337
- Crozier L (2003) Winter warming facilitates range expansion: cold tolerance of the butterfly *Atalopedes campestris*. Oecologia 135:648–656
- Dewar RC, Watt AD (1992) Predicted changes in the synchrony of larval emergence and budburst under climate warming. Oecologia 89:557–559
- Forkner RE, Marquis RJ, Lill JT, Le Corff J (2008) Timing is everything? Phenological synchrony and population variability in leaf-chewing herbivores of *Quercus*. Ecol Entomol 33:276–285
- Franco AMA, Hill JK, Kitschke C, Collingham Y and others (2006) Impacts of climate warming and habitat loss on extinctions at species' low-latitude range boundaries. Glob Change Biol 12:1545–1553
- Kerslake JE, Kruuk LEB, Hartley SE, Woodin SJ (1996) Winter moth (*Operophtera brumata* (Lepidoptera: Geometridae)) outbreaks on Scottish heather moorlands: effects of host plant and parasitoids on larval survival and development. Bull Entomol Res 86:155–164
- Merrill RM, Gutierrez D, Lewis OT, Gutierrez J, Diez SB, Wilson RJ (2008) Combined effects of climate and biotic interactions on the elevational range of a phtyophagous insect. J Anim Ecol 77:145–155
- Miller DR, Mo TK, Wallner WE (1989) Influence of climate on gypsy moth defoliation in southern New England. Environ Entomol 18:646–650
- Morecroft MD, Bealey CE, Howells O, Rennie S, Woiwod IP (2002) Effects of drought on contrasting insect and plant species in the UK in the mid-1990s. Glob Ecol Biogeogr 11: 7–22
- Myers JH (1998) Synchrony in outbreaks of forest Lepidoptera: a possible example of the Moran effect. Ecology 79: 1111–1117
- Reynolds LV, Ayres MP, Siccama TG, Holmes RT (2007) Climate effects on caterpillar fluctuations in northern hardwood forests. Can J Res 37:481–491
- Sillett TS, Holmes RT, Sherry TW (2000) Impacts of a global

climate cycle on population dynamics of a migratory songbird. Science 288:2040–2042

- Staley JT, Hodgson CJ, Mortimer SR, Morecroft MD, Masters GJ, Brown VK, Taylor ME (2007) Effects of summer rainfall manipulations on the abundance and vertical distribution of herbivorous soil macro-invertebrates. Eur J Soil Biol 43:189–198
- Szentkiralyi F, Lesko K, Kadar F (2007) Climatic effects on long-term fluctuations in species richness and abundance level of forest macrolepidopteran assemblages in a Hungarian mountainous region. Carp J Earth Environ Sci 2: 73–82
- Tenow O (1990) Hazards to a mountain birch forest Abisko in perspective. Ecol Bull 45:104–114
- Tenow O, Nilssen A (1990) Egg cold hardiness and topographic limitations to outbreaks of *Epirrita autumnata* in northern Fennoscandia. J Appl Ecol 27:723–734
- Thomas CD, Franco AMA, Hill JK (2006) Range retractions and extinctions in the face of climate warming. Trends Ecol Evol 21:415–416
- Virtanen T, Neuvonen S (1999) Performance of moth larvae on birch in relation to altitude, climate, host quality and parasitoids. Oecologia 120:92–101
- Visser ME, Holleman LJM (2001) Warmer springs disrupt the synchrony of oak and winter moth phenology. Proc Biol Sci 268:289–294
- Werner RA (1978) Overwintering survival of the spearmarked black moth *Rheumaptera hastata* (Lepidoptera: Geometridae) pupae in interior Alaska. Can Entomol 110: 877–882
- Williams DW, Liebhold AM (1995) Influence of weather on the synchrony of gypsy moth (Lepidoptera: Lymantriidae) outbreaks in New England. Environ Entomol 24:987–995
- Williams DW, Long RP, Wargo PM, Liebhold AM (2000) Effects of climate change on forest insect and disease outbreaks. Ecol Stud 139:455–494
- Wilson JD, Morris AJ, Arroyo BE, Clark SC, Bradbury RB (1999) A review of the abundance and diversity of invertebrate and plant foods of granivorous birds in northern Europe in relation to agricultural change. Agric Ecosyst Environ 75:13–30

Tipulidae

- Blackshaw RP (1990) Observations on the distribution of leatherjackets in Northern Ireland. Ann Appl Biol 116: 21–26
- Blackshaw R, Petrovskii S (2007) Limitation and regulation of ecological populations: a meta-analysis of *Tipula paludosa* field data. Math Model Nat Phenom 2:46–62
- Coulson JC (1959) Observations on the Tipulidae (Diptera) of the Moor House Nature Reserve, Westmoreland. Trans R Entomol Soc Lond 111:157–174
- Coulson JC (1962) The biology of *Tipulia subnodicornis* Zetterstedt, with comparative observations on *Tipula paludosa* Meigen. J Anim Ecol 31:1–21
- Coulson JC (1988) The structure and importance of invertebrate communities on peatlands and moorlands, and effects of environmental and management changes. In: Usher MB, Thompson DBA (eds) Ecological change in the uplands. Blackwell Scientific Publications, Oxford, p 365–380
- Durance I, Ormerod SJ (2007) Climate change effects on upland stream macroinvertebrates over a 25-year period. Glob Change Biol 13:942–957
- Mayor JG, Davies MH (1976) A survey of leatherjacket popu-

lations in south-west England, 1963–1974. Plant Pathol 25: 121–128

- McCracken DI, Foster GN, Kelly A (1995) Factors affecting the size of leatherjacket (Diptera: Tipulidae) populations in pastures in the west of Scotland. Appl Soil Ecol 2: 203–213
- Meats A (1967a) The relation between soil water tension and the rate of development of the eggs of *Tipula oleracea* and *T. paludosa* (Diptera) in turf. Entomol Exp Appl 10:312–320
- Meats A (1967b) The relation between soil water tension and growth rate of *Tipula oleracea* and *T. paludosa* (Diptera: Nematocera). Entomol Exp Appl 10:394–400
- Milne A, Laughlin R, Coggins RE (1965) The 1955 and 1959 population crashes of the leatherjacket, *Tipula paludosa* Meigen, in Northumberland. J Anim Ecol 34:529–534
- Pearce-Higgins JW, Yalden DW (2004) Habitat selection, diet, arthropod availability and growth of a moorland wader: the ecology of European Golden Plover *Pluvialis apricaria* chicks. Ibis 146:335–346
- Pearce-Higgins JW, Dennis P, Whittingham MJ, Yalden DW (2010) Impacts of climate on prey abundance account for fluctuations in a population of a northern wader at the southern edge of its range. Glob Change Biol 16:12–23

Chironomidae

- Aquillina R, Williams P, Nicolet P, Stoate C, Bradbury R (2007) Effects of wetting-up ditches on emergent insect numbers. Asp Appl Biol 81:261–262
- Axford Y, Miller GH, Geirsdottir A, Langdon PG (2007) Holocene temperature history of northern Iceland inferred from subfossil midges. Quat Sci Rev 26:3344–3358
- Boulton AJ (2003) Parallels and contrasts in the effects of drought on stream macroinvertebrate assemblages. Freshw Biol 48:1173–1185
- Brodersen KP, Anderson NJ (2002) Distribution of Chironomids (Diptera) in low arctic West Greenland lakes: trophic conditions, temperature and environmental reconstruction. Freshw Biol 47:1137–1157
- Durance I, Ormerod SJ (2007) Climate change effects on upland stream macroinvertebrates over a 25-year period. Glob Change Biol 13:942–957
- Granados I, Toro M (2000) Recent warming in a high mountain lake (Laguna Cimera, Central Spain) inferred by means of fossil chironomids. J Limnol 59(Suppl 1):109–119
- Hågvar S, Klanderud K (2009) Effect of simulated environmental change on alpine soil arthropods. Glob Change Biol 15:2972–2980
- Hodkinson ID, Coulson SJ, Webb NR, Block W, Strathdee AT, Bale JS, Worland R (1996) Temperature and the biomass of flying midges (Diptera: Chironomidae) in the High Arctic. Oikos 75:241–248
- Hogg ID, Williams DD (1996) Response of stream invertebrates to a global-warming thermal regime an ecosystemlevel manipulation. Ecology 77:395–407
- Hoye TT, Forchhammer MC (2008) The influence of weather conditions on the activity of high-arctic arthropods inferred from long-term observations. BMC Ecol 8:8
- Tixier G, Wilson KP, Dudley Williams D (2009) Exploration of the influence of global warming on the chironomid community in a manipulated shallow groundwater system. Hydrobiologia 624:13–27
- Woodward CA, Shulmeister J (2006) New Zealand chironomids as proxies for human-induced and natural environmental change: transfer functions for temperature and lake production (chlorophyll *a*). J Paleolimnol 36:407–429

Hymenoptera

- Aebischer NJ (1990) Assessing pesticide effects on non-target invertebrates using long-term monitoring and time-series modelling. Funct Ecol 4:369–373
- Barker AM, Reynolds CJM (2004) Do host–plant interactions and susceptibility to soil cultivation determine the abundance of gramnivorous sawflies on British farmland? J Agric Urban Entomol 21:257–269
- Craig TP, Wagner MR, McCullough DG, Frantz DP (1991) Effects of experimentally altered plant moisture stress on the performance of Neodiprion sawflies. For Ecol Manage 39:247–261
- Frampton GK, van den Brink PJ, Gould PJL (2000) Effects of spring drought and irrigation on farmland arthropods in southern Britain. J Appl Ecol 37:865–883
- Hoye TT, Forchhammer MC (2008) The influence of weather conditions on the activity of high-arctic arthropods inferred from long-term observations. BMC Ecol 8:8
- Kerslake JE, Kruuk LEB, Hartley SE, Woodin SJ (1996) Winter moth (*Operophtera brumata* (Lepidoptera: Geometridae)) outbreaks on Scottish heather moorlands: effects of host plant and parasitoids on larval survival and development. Bull Entomol Res 86:155–164
- Virtanen T, Neuvonen S (1999) Performance of moth larvae on birch in relation to altitude, climate, host quality and parasitoids. Oecologia 120:92–101

Wang C, Strazanac JS, Butler L (2001) Association between

ants (Hymenoptera: Formicidae) and habitat characteristics in oak-dominated mixed forests. Environ Entomol 30: 842–848

Coleoptera

- Frampton GK, van den Brink PJ, Gould PJL (2000) Effects of spring drought and irrigation on farmland arthropods in southern Britain. J Appl Ecol 37:865–883
- Morecroft MD, Bealey CE, Howells O, Rennie S, Woiwod IP (2002) Effects of drought on contrasting insect and plant species in the UK in the mid-1990s. Glob Ecol Biogeogr 11: 7–22
- Pearce-Higgins JW, Yalden DW (2004) Habitat selection, diet, arthropod availability and growth of a moorland wader: the ecology of European golden plover *Pluvialis apricaria* chicks. Ibis 146:335–346
- Staley JT, Hodgson CJ, Mortimer SR, Morecroft MD, Masters GJ, Brown VK, Taylor ME (2007) Effects of summer rainfall manipulations on the abundance and vertical distribution of herbivorous soil macro-invertebrates. Eur J Soil Biol 43:189–198
- Szentkiralyi F, Lesko K, Kadar F (2007) Climatic effects on long-term fluctuations in species richness and abundance level of forest macrolepidopteran assemblages in a Hungarian mountainous region. Carp J Earth Environ Sci 2: 73–82