

Table S1. Range of concentrations ($\mu\text{g ml}^{-1}$) of the antimicrobial agents in ECOFFVIB plates.

Agent	Abbreviation	Minimum	Maximum
Ampicillin	AMP	0.3	16
Ceftazidime	CFZ	0.3	16
Chloramphenicol	CHL	0.5	64
Enrofloxacin	ENR	0.002	0.5
Florfenicol	FLO	0.06	16
Gentamicin	GEN	0.06	8
Meropenem	MER	0.008	1
Oxolinic acid	OXO	0.008	1
Oxytetracycline	OXY	0.015	4
Sulfamethoxazole	SME	4	512
Trimethoprim/sulfamethoxazole	TRS	0.015/0.30	2/38

Table S2. The distributions of 120 MIC values determined from the study of 109 isolates of *V. harveyi* and the MIC values determined for the quality control reference strains by four participating laboratories.

(a) Ampicillin

MIC ($\mu\text{g ml}^{-1}$)	DIMEVET	IZSve	CVI	Anses
≥ 0.03				
0.06				
0.125				
0.25				
0.5				
1				
2				
4				
8				
16				
>16	24	25	40	31
<i>E. coli</i> ATCC 2592	2	Acceptable range 2–16 $\mu\text{g ml}^{-1}$		4; 8
<i>A. salmonicida</i>		Acceptable range 0.125–1 $\mu\text{g ml}^{-1}$		
ATCC 33658	0.125	0.25	0.25	0.5

(b) Cefotaxime

MIC ($\mu\text{g ml}^{-1}$)	DIMEVET	IZSVe	CVI	Anses
≥ 0.03				
0.06				
0.125				1
0.25	12	9	10	9
0.5	10	11	25	20
1	2	4	5	1
2		1		
4				
8				
16				
>16				
<i>E. coli</i> ATCC 2592		No acceptable range		
	0.5	0.5	0.25	0.25
<i>A. salmonicida</i>		No acceptable range		
ATCC 33658	0.5	0.125	0.25	0.5; 0.25

(c) Chloramphenicol

MIC ($\mu\text{g ml}^{-1}$)	DIMEVET	IZSVe	CVI	Anses
≤ 0.5	21	23	31	11
1	3	2	8	20
2				
4				
8				
16				
32			1	
64				
>64				
<i>E. coli</i> ATCC 2592	No acceptable range			
	2	8	8	8; 4
<i>A. salmonicida</i>	No acceptable range			
ATCC 33658	≤ 0.5	1	1	≤ 0.5 ; ≤ 0.5

(d) Enrofloxacin

MIC ($\mu\text{g ml}^{-1}$)	DIMEVET	IZSVe	CVI	Anses
≤ 0.002				
0.004				
0.008				
0.015				
0.03		1		
0.06	1	4	1	
0.125	10	10	14	14
0.25	13	10	21	13
0.5			4	3
> 0.5				1
<i>E coli</i> ATCC 2592	Acceptable range 0.008–0.032 $\mu\text{g ml}^{-1}$			
	0.016	0.008	0.008	0.008; 0.008
<i>A salmonicida</i> ATCC 33658	Acceptable range 0.004–0.032 $\mu\text{g ml}^{-1}$			
	0.004	0.008	0.008	0.008; 0.008

(e) Florfenicol

MIC ($\mu\text{g ml}^{-1}$)	DIMEVET	IZSVe	CVI	Anses
≤ 0.06				
0.125				
0.25	3	5	3	1
0.5	21	20	35	25
1				5
2				
4			1	
8				
16			1	
> 16				
<i>E coli</i> ATCC 2592	Acceptable range 4–16 $\mu\text{g ml}^{-1}$			
	16	8	8	4;4
<i>A salmonicida</i> ATCC 33658	Acceptable rang 0.5 - 2 $\mu\text{g ml}^{-1}$			
	0.5	0.5	1	0.5; 0.5

(f) Gentamicin

MIC ($\mu\text{g ml}^{-1}$)	DIMEVET	IZSVe	CVI	Anses
≥ 0.06				
0.125				
0.25				
0.5				
1	24	3	4	1
2		21	31	28
4		1	5	2
8				
>8				
<i>E coli</i> ATCC 2592	Acceptable range 0.25–1 $\mu\text{g ml}^{-1}$			
	0.5	0.5	0.5	1; 1
<i>A salmonicida</i> ATCC 33658	Acceptable range 0.25–1 $\mu\text{g ml}^{-1}$			
	0.5	0.5	0.5	0.5; 0.5

(g) Meropenem

MIC ($\mu\text{g ml}^{-1}$)	DIMEVET	IZSVe	CVI	Anses
≤ 0.008	24	11	23	21
0.016		10	15	10
0.032		3	2	
0.064				
0.125				
0.25				
0.5				
1				
>1		1		
<i>E coli</i> ATCC 2592	No acceptable range			
	0.015	0.03	0.015	0.015; 0.03
<i>A salmonicida</i> ATCC 33658	No acceptable range			
	0.03	0.125	0.03	0.03; 0.03

(h) Oxolinic acid

MIC ($\mu\text{g ml}^{-1}$)	DIMEVET	IZSVe	CVI	Anses
≤ 0.008				
0.015				
0.03				
0.06				
0.125	3	7	8	1
0.25	7	16	25	22
0.5	14	2	6	7
1			1	1
>1				
<i>E coli</i> ATCC 2592	Acceptable range 0.064–0.25 $\mu\text{g ml}^{-1}$			
	0.125	0.125	0.125	0.125; 0.125
<i>A salmonicida</i> ATCC 33658	Acceptable range 0.008–0.032 $\mu\text{g ml}^{-1}$			
	0.016	0.016	0.016	0.016; 0.016

(i) Oxytetracycline

MIC ($\mu\text{g ml}^{-1}$)	DIMEVET	IZSVe	CVI	Anses
≤ 0.015				
0.03				
0.06		1		
0.125	2	7	7	1
0.25	11	17	31	17
0.5	11			12
1				
2				
4				
>4			2	1
<i>E coli</i> ATCC 2592	Acceptable range 0.5–2 $\mu\text{g ml}^{-1}$			
	0.5	0.5	0.5	1; 1
<i>A salmonicida</i> ATCC 33658	Acceptable range 0.125–1 $\mu\text{g ml}^{-1}$			
	0.25	0.25	1	0.25; 0.25

(j) Sulfamethoxazole

MIC ($\mu\text{g ml}^{-1}$)	DIMEVET	IZSVe	CVI	Anses
<4		6		
8	4	1	2	4
16	11	1	6	9
32	9	2	9	11
64		2	17	5
128		2	1	1
256		2		
512		6		1
>512		3	5	
<i>E. coli</i> ATCC 2592	No acceptable range			
	32	64	64	64; 32
<i>A. salmonicida</i> ATCC 33658	No acceptable range			
	128	512	512	128; 128

(k) Trimethoprim/sulfamethoxazole

MIC ($\mu\text{g ml}^{-1}$) (1/19)	DIMEVET	IZSVe	CVI	Anses
$\leq 0.015/0.3$				
0.03/0.6		2		
0.06/1.2	21	11	9	9
0.125/2.4	3	10	4	14
0.25/4.8		2	25	7
0.5/9.5			1	1
1/19			1	
2/38				
>2/38				
<i>E. coli</i> ATCC 2592	Acceptable range 0.032–0.25 $\mu\text{g ml}^{-1}$			
	0.064	0.064	0.125	0.125; 0.125
<i>A. salmonicida</i> ATCC 33658	Acceptable range 0.032–0.25 $\mu\text{g ml}^{-1}$			
	0.064	0.125	0.125	0.064; 0.125