

Bibliography of the 65 research articles used to count the number of studies for each species and region in the literature review.

- Carlson JK, Gulak SJB, Simpfendorfer CA, Grubbs RD, Romine JG, Burgess GH (2014) Movement patterns and habitat use of smalltooth sawfish, *Pristis pectinata*, determined using pop-up satellite archival tags. *Aquat Conserv: Mar Freshwat Ecosyst* 24:104-117
- Cerutti-Pereyra F et al. (2014) Restricted movements of juvenile rays in the lagoon of Ningaloo Reef, Western Australia – evidence for the existence of a nursery. *Environ Biol Fishes* 97:371-383
- Chapman DD et al. (2009) Long-term natal site-fidelity by immature lemon sharks (*Negaprion brevirostris*) at a subtropical island. *Mol Ecol* 18:3500-3507
- Davy LE, Simpfendorfer CA, Heupel MR (2015) Movement patterns and habitat use of juvenile mangrove whiprays (*Himantura granulata*). *Mar Freshw Res* 66:481-492
- DeAngelis BM, McCandless CT, Kohler NE, Recksiek CW, Skomal GB (2008) First characterization of shark nursery habitat in the United States Virgin Islands: evidence of habitat partitioning by two shark species. *Mar Ecol Prog Ser* 358:257-271
- DiBattista JD, Feldheim KA, Garant D, Gruber SH, Hendry AP (2011) Anthropogenic disturbance and evolutionary parameters: a lemon shark population experiencing habitat loss. *Evol Appl* 4:1-17
- DiBattista JD, Feldheim KA, Thibert-Plante X, Gruber SH, Hendry AP (2008) A genetic assessment of polyandry and breeding-site fidelity in lemon sharks. *Mol Ecol* 17:3337-3351
- DiGirolamo AL, Gruber SH, Pomory C, Bennett WA (2012) Diel temperature patterns of juvenile lemon sharks *Negaprion brevirostris*, in a shallow-water nursery. *J Fish Biol* 80:1436-1448
- Edrén SMC, Gruber SH (2005) Homing ability of young lemon sharks, *Negaprion brevirostris*. *Environ Biol Fishes* 72:267-281
- Elhassan IS (2018) Occurrence of the green sawfish *Pristis zijsron* in the Sudanese Red Sea with observations on reproduction. *Endangered Species Research* 36:41-47
- Escalle L, Speed CW, Meekan MG, White WT, Babcock RC, Pillans RD, Huvanees C (2015) Restricted movements and mangrove dependency of the nervous shark *Carcharhinus caudatus* in nearshore coastal waters. *J Fish Biol* 87:323-341

- Feldheim KA, Gruber SH, Ashley MV (2002) The breeding biology of lemon sharks at a tropical nursery lagoon. Proc Biol Sci 269:1655-1661
- George LW, Martins APB, Heupel MR, Simpfendorfer CA (2019) Fine-scale movements of juvenile blacktip reef sharks *Carcharhinus melanopterus* in a shallow nearshore nursery. Mar Ecol Prog Ser 623:85-97
- Gruber SH, Nelson DR, Morrissey JH (1988) Patterns of activity and space utilization of lemon sharks, *Negaprion brevirostris*, in a shallow Bahamian lagoon. Bull Mar Sci 43:61-76
- Guttridge TL et al. (2012) Deep danger: intra-specific predation risk influences habitat use and aggregation formation of juvenile lemon sharks *Negaprion brevirostris*. Mar Ecol Prog Ser 445:279-291
- Guttridge TL et al. (2015) Occurrence and habitat use of the critically endangered smalltooth sawfish *Pristis pectinata* in the Bahamas. J Fish Biol 87:1322-1341
- Heithaus MR, Delius BK, Wirsing AJ, Dunphy-Daly MM (2009) Physical factors influencing the distribution of a top predator in a subtropical oligotrophic estuary. Limnol Oceanogr 54:472-482
- Henderson AC, McClellan K, Calosso M (2010) Preliminary assessment of a possible lemon shark nursery in the Turks & Caicos Islands, British West Indies. Caribb J Sci 46:29-38
- Henderson CJ, Stevens T, Gilby BL, Lee SY (2018) Spatial conservation of large mobile elasmobranchs requires an understanding of spatio-temporal seascape utilization. ICES J Mar Sci 75:553-561
- Hollensead LD, Grubbs RD, Carlson JK, Bethea DM (2016) Analysis of fine-scale daily movement patterns of juvenile *Pristis pectinata* within a nursery habitat. Aquat Conserv: Mar Freshwat Ecosyst 26:492-505
- Hollensead LD, Grubbs RD, Carlson JK, Bethea DM (2018) Assessing residency time and habitat use of juvenile smalltooth sawfish using acoustic monitoring in a nursery habitat. Endangered Species Research 37:119-131
- Hussey NE et al. (2017) Risky business for a juvenile marine predator? Testing the influence of foraging strategies on size and growth rate under natural conditions. Proc Biol Sci 284:20170166
- Huston CA, Stevens PW, Blaxton RM, Tolley SG, Scharer RM, Tornwall BM, Poulakis GR (2017) Diel movements of juvenile smalltooth sawfish: implications for defining the size of a nursery hotspot. Endangered Species Research 34:311-322

- Jennings DE, Gruber SH, Franks BR, Kessel ST, Robertson AL (2008) Effects of large-scale anthropogenic development on juvenile lemon shark (*Negaprion brevirostris*) populations of Bimini, Bahamas. Environ Biol Fishes 83:369-377
- Kanno S, Schlaff AM, Heupel MR, Simpfendorfer CA (2019) Stationary video monitoring reveals habitat use of stingrays in mangroves. Mar Ecol Prog Ser 621:155-168
- Kinney MJ, Hussey NE, Fisk AT, Tobin AJ, Simpfendorfer CA (2011) Communal or competitive? Stable isotope analysis provides evidence of resource partitioning within a communal shark nursery. Mar Ecol Prog Ser 439:263-276
- Lea JSE et al. (2020) At the turn of the tide: space use and habitat partitioning in two sympatric shark species is driven by tidal phase. Frontiers in Marine Science 7
- Lear KO, Poulakis GR, Scharer RM, Gleiss AC, Whitney NM (2019) Fine-scale behavior and habitat use of the endangered smalltooth sawfish (*Pristis pectinata*): insights from accelerometry. Fish Bull 117:348-359
- Legare B, Kneebone J, DeAngelis B, Skomal G (2015) The spatiotemporal dynamics of habitat use by blacktip (*Carcharhinus limbatus*) and lemon (*Negaprion brevirostris*) sharks in nurseries of St. John, United States Virgin Islands. Mar Biol 162:699-716
- Legare B, Skomal G, DeAngelis B (2018) Diel movements of the blacktip shark (*Carcharhinus limbatus*) in a Caribbean nursery. Environ Biol Fishes 101:1011-1023
- Llerena Y, Peñaherrera C, Espinoza E, Hirschfeld M, Wolff M, Vinueza L (2015) Nursery grounds of blacktip sharks (*Carcharhinus limbatus*) in mangrove-fringed bays in the central part of the Galapagos Archipelago. Galapagos Report 2015:102-110
- Lyle J (1987) Observations on the biology of *Carcharhinus cautus* (Whitley), *C. melanopterus* (Quoy & Gaimard) and *C. fitzroyensis* (Whitley) from northern Australia. Mar Freshw Res 38:701-710
- Lyon BJ, Dwyer RG, Pillans RD, Campbell HA, Franklin CE (2017) Distribution, seasonal movements and habitat utilisation of an endangered shark, *Glyptis glyphis*, from northern Australia. Mar Ecol Prog Ser 573:203-213
- Martins APB, Heupel MR, Bierwagen SL, Chin A, Simpfendorfer C (2020a) Diurnal activity patterns and habitat use of juvenile *Pastinachus ater* in a coral reef flat environment. PLoS One 15:e0228280
- Martins APB, Heupel MR, Bierwagen SL, Chin A, Simpfendorfer CA (2020b) Tidal-diel patterns of movement, activity and habitat use by juvenile mangrove whiprays using towed-float GPS telemetry. Mar Freshw Res 72:534-541

- Martins APB, Matley JK, Heupel MR, Fisk AT, Chin A, Simpfendorfer CA, Wetherbee B (2022) Trophic ecology of sympatric juvenile stingrays within a nursery area. *Mar Freshw Res* 73:678-688
- Morgan D, Whitty J, Phillips N, Thorburn D, Chaplin J, McAuley R (2011) North-western Australia as a hotspot for endangered elasmobranchs with particular reference to sawfishes and the Northern River shark. *J R Soc West Aust* 94:345-358
- Morgan DL, Allen MG, Ebner BC, Whitty JM, Beatty SJ (2015) Discovery of a pupping site and nursery for critically endangered green sawfish *Pristis zijsron*. *J Fish Biol* 86:1658-1663
- Morgan DL, Ebner BC, Allen MG, Gleiss AC, Beatty SJ, Whitty JM (2017) Habitat use and site fidelity of neonate and juvenile green sawfish *Pristis zijsron* in a nursery area in Western Australia. *Endangered Species Research* 34:235-249
- Morrissey JH, Gruber SH (1993) Habitat selection by juvenile lemon sharks, *Negaprion brevirostris*. *Environ Biol Fishes*:311-319
- Murchie KJ et al. (2010) Spatial ecology of juvenile lemon sharks (*Negaprion brevirostris*) in tidal creeks and coastal waters of Eleuthera, The Bahamas. *Environ Biol Fishes* 89:95-104
- Newman SP, Handy RD, Gruber SH (2010) Diet and prey preference of juvenile lemon sharks *Negaprion brevirostris*. *Mar Ecol Prog Ser* 398:221-234
- Newman SP, Handy RD, Gruber SH (2012) Ontogenetic diet shifts and prey selection in nursery bound lemon sharks, *Negaprion brevirostris*, indicate a flexible foraging tactic. *Environ Biol Fishes* 95:115-126
- Norton SL, Wiley TR, Carlson JK, Frick AL, Poulakis GR, Simpfendorfer CA (2012) Designating critical habitat for juvenile endangered smalltooth sawfish in the united states. *Marine and Coastal Fisheries* 4:473-480
- Oh BZL, Thums M, Babcock RC, Meeuwig JJ, Pillans RD, Speed C, Meekan MG (2017) Contrasting patterns of residency and space use of coastal sharks within a communal shark nursery. *Mar Freshw Res* 68:1501-1517
- Papastamatiou YP, Dean Grubbs R, Imhoff JL, Gulak SJB, Carlson JK, Burgess GH (2015) A subtropical embayment serves as essential habitat for sub-adults and adults of the critically endangered smalltooth sawfish. *Global Ecology and Conservation* 3:764-775

- Pierce SJ, Scott-Holland TB, Bennett MB (2011) Community composition of elasmobranch fishes utilizing intertidal sand flats in Moreton Bay, Queensland, Australia. *Pac Sci* 65:235-247
- Pikitch EK, Chapman DD, Babcock EA (2005) Habitat use and demographic population structure of elasmobranchs at a Caribbean atoll (Glover's Reef, Belize). *Mar Ecol Prog Ser* 302:187-197
- Poulakis GR et al. (2016) Long-term site fidelity of endangered small-tooth sawfish (*Pristis pectinata*) from different mothers. *Fish Bull* 114:461-475
- Poulakis GR, Stevens PW, Timmers AA, Stafford CJ, Simpfendorfer CA (2013) Movements of juvenile endangered smalltooth sawfish, *Pristis pectinata*, in an estuarine river system: use of non-main-stem river habitats and lagged responses to freshwater inflow-related changes. *Environ Biol Fishes* 96:763-778
- Poulakis GR, Stevens PW, Timmers AA, Wiley TR, Simpfendorfer CA (2011) Abiotic affinities and spatiotemporal distribution of the endangered smalltooth sawfish, *Pristis pectinata*, in a south-western Florida nursery. *Mar Freshw Res* 62:1165–1177
- Shipley ON, Gallagher AJ, Shiffman DS, Kaufman L, Hammerschlag N (2019) Diverse resource-use strategies in a large-bodied marine predator guild: evidence from differential use of resource subsidies and intraspecific isotopic variation. *Mar Ecol Prog Ser* 623:71-83
- Simpfendorfer C, Wiley TR (2005) Determination of the distribution of Florida's remnant sawfish population and identification of areas critical to their conservation. Tallahassee
- Simpfendorfer CA, Milward NE (1993) Utilisation of a tropical bay as a nursery area by sharks of the families Carcharhinidae and Sphyrnidae. *Environ Biol Fishes* 37:337-345
- Simpfendorfer CA, Wiley TR, Yeiser BG (2010) Improving conservation planning for an endangered sawfish using data from acoustic telemetry. *Biol Conserv* 143:1460-1469
- Stevens JD, Last PR, White WT, McAuley RB, Meekan MG (2009) Diversity, abundance and habitat utilisation of sharks and rays. Western Australian Marine Science Instituition, CSIRO,
- Stevens JD, McAuley RB, Simpfendorfer CA, Pillans RD (2008) Spatial distribution and habitat utilisation of sawfish (*Pristis* spp) in relation to fishing in northern Australia.

- Stump KL, Crooks CJ, Fitchett MD, Gruber SH, Guttridge TL (2017) Hunted hunters: an experimental test of the effects of predation risk on juvenile lemon shark habitat use. Mar Ecol Prog Ser 574:85-95
- Tavares R, Rodriguez JP, Morales M (2016) Nursery area and size structure of the lemon shark population, *Negaprion brevirostris* (Poey, 1868), in Los Roques Archipelago National Park, Venezuela. Universitas Scientiarum 21
- Werry JM, Lee SY, Lemckert CJ, Otway NM (2012) Natural or artificial? Habitat-use by the bull shark, *Carcharhinus leucas*. PLoS One 7:e49796
- White J, Simpfendorfer CA, Tobin AJ, Heupel MR (2014) Spatial ecology of shark-like batoids in a large coastal embayment. Environ Biol Fishes 97:773-786
- White WT, Potter IC (2004) Habitat partitioning among four elasmobranch species in nearshore, shallow waters of a subtropical embayment in Western Australia. Mar Biol 145:1023-1032
- Wiley TR, Simpfendorfer CA (2007) The ecology of elasmobranchs occurring in the Everglades National Park, Florida: implications for conservation and management. Bull Mar Sci 80:171-189
- Wiley TR, Simpfendorfer CA (2010) Using public encounter data to direct recovery efforts for the endangered smalltooth sawfish *Pristis pectinata*. Endangered Species Research 12:179-191
- Yates PM, Heupel MR, Tobin AJ, Simpfendorfer CA (2015) Ecological drivers of shark distributions along a tropical coastline. PLoS One 10:e0121346